

INTERIOR DOORS

 REEB° IN-STOCK INTERIOR STILE & RAIL CATALOG





Interior Doors

Interior wood stile and rail doors bring warmth to any home. Reeb® stocks a number of species and designs to ensure that the style you are looking for is available. Reeb offers choices and options to help make the house feel like a home.

Table of Contents

| Wood Species | 4 | Knotty Pine | 30 | Red Oak | 50 |
|---------------------------------|----|------------------------------------|-------|------------------------------|-----------|
| Glass Options | 6 | 11/16" Double Hip Raised Panel | | 3/4" Double Hip Raised Panel | 51 |
| · | | Flat Panel | 31 | French - 1-1/4" Bar | |
| Get Creative | 7 | V-Groove Panel | 31 | Clear Glass | 53 |
| Wood Doors Construction | 8 | Douglas Fir | 32 | Barn Doors | 54 |
| Ponderosa Pine | 10 | 3/8" Flat Panel | | Ponderosa Pine | 54 |
| 1-3/16" Double Hip Raised Panel | 10 | Ovolo Sticking | 32 | Knotty Alder | 55 |
| 9/16" Single Hip Raised Panel | 12 | Magnetic Chalkboard | 32 | Barn Door Hardware | E6 |
| 1/4" Flat Panel | 15 | Shaker Sticking | 35 | Daili Dooi Haluwale | 50 |
| French - 1-5/16" Bar | | 3/4" Double Hip Raised Panel | 36 | Flat Frames | 58 |
| Clear Glass | 16 | French | | Stops | 59 |
| Beveled Glass | 17 | Clear Glass | 38 | | |
| French - 1" Bar | | White Laminate Glass | 39 | Rabbeted Frames | |
| Clear Glass | 18 | French - 1-1/4" Bar | | Single Rabbeted | |
| V-Groove Glass | 19 | Clear Glass | 40 | Double Rabbeted | 60 |
| Transoms | 19 | Satin Etch Glass | 41 | Split Frames | 61 |
| Plantation Pine | 20 | Decorative Glass | 42 | Sills | |
| 11/16" Double Hip Raised Panel | | 20 Minute Fire Rated | | | |
| 11/16" V-Groove Raised Panel | | 3/4" Fire Rated Flat Panel | | Hinges | 62 |
| 3/8" Flat Panel | | 1-7/16" Fire Rated Raised Panel | 45 | Baldwin® | |
| French - 1-1/4" Bar | | Maple | 46 | Emtek® | 64 |
| Clear Glass | 27 | 3/8" Flat Panel | | Reeb® Specialty Products | 65 |
| Frit Glass | | Knotty Alder | 48 | Locks | 66 |
| Pine Louvers | 28 | 1-3/16" Flat Raised Panel | | Stile & Rail Dimensions | 70 |
| Ponderosa Pine Louvers | 29 | 1-3/16" V-Groove Plank Raised Pane | el 49 | Finishing | 74 |
| Plantation Pine Louvers | 29 | | | Educational Tools | |

Reeb® Specialty Products

Our Reeb Specialty Products (RSP) brand offers high quality products with big savings.

The quality of the products provided under the RSP brand are competitive with other major brands within our industry. Reeb Specialty Products – providing value pricing on quality products.



Wood Species

Reeb® stocks a variety of wood species to match any home's design. Staining a door brings a layer of beauty and sophistication to an area. Each species of wood has different characteristics, colors, and grain patterns which affect the stain application. To help understand which doors stain well and which are better painted, Reeb has created icons which identify the stainability of a species.









PONDEROSA PINE - \$

PAGE 10 - 19, 29 (Louvers), 54 (Barn Doors)



PLANTATION PINE - \$

PAGE 20 - 27, 29 (Louvers)



KNOTTY PINE - \$

PAGE 30 - 31




DOUGLAS FIR - \$\$

PAGE 32 - 45





PAGE 46 - 47



KNOTTY ALDER - \$\$

PAGE 48 - 49, 55 (Barn Doors)



RED OAK - \$\$\$

PAGE 50 - 53

See pages 8 - 9 for more information on Interior Wood door construction.

Glass Options

Glass brings additional natural light and warmth into a room. Clear glass brings the maximum natural light flow while frit or satin etch glass add privacy. To easily identify the level of privacy, a privacy indicator is included with each glass type below.



Clear glass provides the maximum amount of light with no privacy; Reeb's stock of clear glass is tempered.



CLEAR BEVELED GLASS



Satin Etch glass is a semi-opaque glass with an etched frosted texture on one side that resists dirt.




White Laminate glass offers the highest level of privacy with a vinyl interlayer between two pieces of glass, resulting in a smooth surface on both sides.



Frit glass in non-primed wood doors is a non-porous, semi-opaque glass with a texture on one side. The glass has a slight bluish gray appearance.


Get Creative

Add a level of creativity to the home by choosing one of these unique door styles.



CLEAR ART ON SATIN ETCH - F1590





MAGNETIC CHALKBOARD - F1120



Special Order Products

Reeb's in-stock collection includes many design options for your convenience, however the possibilities are endless. If you do not see what you are looking for in this catalog, it is likely we can still create it as a special order product.

Contact your Reeb® representative for custom door designs.

Wood Doors

CONSTRUCTION



For homeowners seeking a classic look, authentic stile and rail doors offer a level of detail and definition that cannot be matched. Stile and rail construction is architecturally correct and provides crisp shadow lines and highly defined panel details. Staining an interior wood door protects and enhances the natural beauty of real wood. Any door can be painted, however Reeb® stocks Primed Stile and Rail doors that are specifically designed for this purpose. For more information, go to reeb.com/catalogs.

- 1 Stile: The stiles have a solid engineered core for added strength and stability.
- 2 Rail: The rails are also made of solid engineered core.
- Panel/Glass: Panels can be wood to create a solid door, or replaced with glass to create a French door.
- 4 Dowel Pins: Dowel pins are used to join the stiles and rails together.
- **Veneer:** A veneer is added over the core to create a smooth staining or painting surface.



Sharp Detail
Door components in a wood stile and rail door join together creating sharp shadow lines and greater definition.



Architectural Correctness
Each door is made with perfectly
proportioned stiles, rails and panels that
are created individually to ensure that
every door is architecturally correct.



Panel Design
Doors can be designed with 3/8"
flat panels or raised panels with an option of single hip or double hip.



The surface of the door can be painted or stained depending on the wood species. Some species are easier to stain than others and we identify this with a "stainability" icon. See page 4.





Solid Engineered Core

The interior of a wood stile and rail door has a solid engineered core adding stability. Some doors may use an alternate core which can be wood block, wood stave or other engineered fiber product.



Dowel Pins

Traditional dowel pin construction creates a secure joint, connecting stile and rail components together.



Veneer

A high-quality veneer is applied on top of the core for a perfect staining or painting surface.



1-3/16" DOUBLE HIP RAISED PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.




1-3/16" Double Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





1-3/16" DOUBLE HIP RAISED PANEL



P82 1-3/8" 1-3/16" Raised Panel, Ovolo Sticking

| | J | |
|-----------|------------|-----------|
| 1/0 x 6/8 | 1/8 x 6/8 | 2/8 x 6/8 |
| 1/2 x 6/8 | 1/10 x 6/8 | 2/10 x 6/ |
| 1/3 x 6/8 | 2/0 x 6/8 | 3/0 x 6/8 |
| 1/4 x 6/8 | 2/4 x 6/8 | |
| 1/6 x 6/8 | 2/6 x 6/8 | |
| | | |



P82A 1-3/8" 1-3/16" Raised Panel, Ovolo Sticking

| /8 |
|-----|
| 3/6 |
| /8 |
| |
| |
| 7 |







9/16" SINGLE HIP RAISED PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.




9/16" Single Hip Raised Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking



Panel Profile, Ovolo Sticking

С

9/16" SINGLE HIP RAISED PANEL



P44 1-3/8"

9/16" Raised Panel, Ovolo Sticking



P44 1-3/8" Bifold

9/16" Raised Panel, Ovolo Sticking

| 0 1010 |
|-----------|
| 2/0 x 6/8 |
| 2/4 x 6/8 |
| 2/6 x 6/8 |
| 2/8 x 6/8 |
| 3/0 x 6/8 |
| 4/0 x 6/8 |
| 4/8 x 6/8 |
| 5/0 x 6/8 |
| 5/4 x 6/8 |
| 6/0 x 6/8 |



P45 1-3/8"

9/16" Raised Panel, Ovolo Sticking

| 1/6 x 6/8 | |
|-----------|--|
| 2/0 x 6/8 | |
| 2/4 x 6/8 | |
| 2/6 x 6/8 | |
| 2/8 x 6/8 | |
| 3/0 x 6/8 | |



P85 1-3/8"

9/16" Raised Panel, Ovolo Sticking

| 1/3 x 6/8 |
|-----------|
| 1/6 x 6/8 |
| 2/0 x 6/8 |
| 2/4 x 6/8 |
| 2/6 x 6/8 |
| 2/8 x 6/8 |
| 3/0 x 6/8 |



P108 1-3/8"

9/16" Raised Panel,

| Ovolo S | iticking | | |
|---|--|---|--|
| 1/0 x 6/0 1/2 x 6/0 1/3 x 6/0 1/4 x 6/0 1/4 x 6/0 1/6 x 6/0 2/0 x 6/0 2/2 x 6/0 2/4 x 6/0 2/4 x 6/0 2/8 x 6/0 2/8 x 6/0 3/0 x 6/0 | 1/0 x 6/6 1/2 x 6/6 1/3 x 6/6 1/4 x 6/6 1/6 x 6/6 1/8 x 6/6 2/0 x 6/6 2/2 x 6/6 2/4 x 6/6 2/6 x 6/6 2/8 x 6/6 3/0 x 6/6 | 1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 1/6 x 6/8 1/8 x 6/8 1/10 x 6/8 2/0 x 6/8 2/2 x 6/8 2/4 x 6/8 2/6 x 6/8 2/10 x 6/8 3/0 x 6/8 | 1/0 x 7/0 1/2 x 7/0 1/3 x 7/0 1/4 x 7/0 1/6 x 7/0 1/8 x 7/0 2/0 x 7/0 2/2 x 7/0 2/4 x 7/0 2/6 x 7/0 2/8 x 7/0 2/10 x 7/0 3/0 x 7/0 |
| | | | |



P108 1-3/8" Bifold

9/16" Raised Panel, Ovolo Sticking

| 000 | IO JUN |
|---|---------------------------------|
| 2/0 x 6 2/4 x 6 2/6 x 6 2/8 x 6 3/0 x 6 | 6/8 6/8 6/8 6/8 6/8 |
| 4/0 x 6 | |
| 5/0 x 6 | 5/8 |
| 5/4 x 6 | |
| U/U X (| J/ O |



P67 1-3/8"

9/16" Raised Panel, Ovolo Sticking

| 1/4 x 6/8 |
|-----------|
| 1/6 x 6/8 |
| 2/0 x 6/8 |
| 2/4 x 6/8 |
| 2/6 x 6/8 |
| 2/8 x 6/8 |
| 3/0 x 6/8 |
| |



P1088 1-3/8"

9/16" Raised Panel, Ovolo Sticking

| 1/6 x 6/8 |
|-----------|
| 2/0 x 6/8 |
| 2/4 x 6/8 |
| 2/6 x 6/8 |
| 2/8 x 6/8 |
| 3/0 x 6/8 |



9/16" SINGLE HIP RAISED PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.

9/16" SINGLE HIP RAISED PANEL



P1053 1-3/8" 9/16" Raised Panel, Ovolo Sticking

Reverse Layout 1/6 x 6/6 1/0 x 6/8 2/0 x 6/8 2/0 x 6/6 1/2 x 6/8 2/2 x 6/8 2/4 x 6/6 1/3 x 6/8 2/4 x 6/8 2/6 x 6/6 1/4 x 6/8 2/6 x 6/8 2/8 x 6/6 1/6 x 6/8 2/8 x 6/8 3/0 x 6/6 1/8 x 6/8 2/10 x 6/8

1/10 x 6/8

3/0 x 6/8



P1053 1-3/8" Bifold 9/16" Raised Panel,

Ovolo Stickina



P1051 1-3/8"

9/16" Raised Panel, Ovolo Sticking Reverse Layout

1/6 x 6/6 1/0 x 6/8 2/0 x 6/8 2/0 x 6/6 1/2 x 6/8 2/2 x 6/8 2/4 x 6/6 1/3 x 6/8 2/4 x 6/8 2/6 x 6/6 1/4 x 6/8 2/6 x 6/8 2/8 x 6/6 1/6 x 6/8 2/8 x 6/8 1/8 x 6/8 2/10 x 6/8 1/10 x 6/8 3/0 x 6/8




P1051 1-3/8" Bifold


9/16" Raised Panel, Ovolo Sticking Reverse Layout

The doors on this page offer a Reverse Layout.

Compared to Standard Layout doors (see page 13), Reverse Layout doors switch the lock rail and bottom rail, for a different look.



P1053 - Reverse Layout





1/4" FLAT PANEL

Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.




1/4" Flat Panel, Picture Frame Layout



Species Close Up



Picture Frame Layout



1/4" Flat Panel,
Picture Frame Layout
anel Profile 2/0 x 6/8 2/8 x 6/8

2/0 x 6/8 2/8 x 6/8 2/4 x 6/8 3/0 x 6/8 2/6 x 6/8

P4127 1-3/8"

1/4" FLAT PANEL


FRENCH - 1-5/16" BAR



Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1-5/16" Bar with Clear Glass, Ovolo Sticking



1-5/16" Bar Profile, Ovolo Sticking



1-5/16" Bar Close Up

CLEAR GLASS



P1509 1-3/8" 1-5/16" Bar, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



P1505 1-3/8" 1-5/16" Bar, Clear Glass, Ovolo Sticking

1/0 x 6/8 1/6 x 6/8 1/2 x 6/8 2/6 x 6/8 1/3 x 6/8 2/8 x 6/8 1/4 x 6/8 3/0 x 6/8

CLEAR GLASS



P1510 1-3/8"

1-5/16" Bar, Clear Glass, Ovolo Sticking

| 1/8 x 6/8 | 2/6 x 6/8 |
|------------|-----------|
| 1/10 x 6/8 | 2/8 x 6/8 |
| 2/0 x 6/8 | 3/0 x 6/8 |
| 2/2 x 6/8 | |
| 2/4 x 6/8 | 2/0 x 7/0 |



P1512 1-3/8"

1-5/16" Bar, Clear Glass, Ovolo Sticking

2/0 x 8/0



P1515 1-3/8"

1-5/16" Bar, Clear Glass, Ovolo Sticking

2/4 x 6/8 2/4 x 7/0 2/6 x 6/8 2/6 x 7/0 2/8 x 6/8 2/8 x 7/0 2/10 x 6/8 3/0 x 7/0 3/0 x 6/8



P1518 1-3/8"

1-5/16" Bar, Clear Glass, Ovolo Sticking

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 3/0 x 8/0

CLEAR BEVELED GLASS



P1705 1-3/8" Bifold

1-5/16" Bar, Clear Glass, Ovolo Sticking



P1515B 1-3/8"

1-5/16" Bar, Clear Beveled Glass, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Clear Beveled Glass


FRENCH - 1" BAR




Ponderosa Pine is one of America's most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



1" TDL Bar with Clear Glass







2/4 x 6/8

2/6 x 6/8 2/0 x 7/0 2/8 x 6/8 2/2 x 7/0



2/6 x 7/0

2/8 x 7/0

1" TDL Bar, Clear Glass, Ovolo Sticking


2/0 x 6/8 2/4 x 6/8


Ovolo Sticking

P1515FC 1-3/8" 1" TDL Bar, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8







5/32" V-Groove Glass Close Up

V-GROOVE GLASS



P3915 1-3/8" 5/32" V-Groove Glass, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8

Transoms

All transoms are 12" in height and have 4-1/2" stiles. Interior transom sashes are not wide enough to use with a T-astragal, unless the passive door is reduced a 1/2" in width.

INTERIOR TRANSOM



T001

Clear Glass 2/6, 2/8 & 3/0 for use with Single Door 4/0 for use of 2/0 Double Door

2/6 x 1/0 4/0 x 1/0 2/8 x 1/0 5/0 x 1/0 3/0 x 1/0 6/0 x 1/0



T004

Divided Lites, Clear Glass, For use with 2/0 Double Door

4/0 x 1/0



T003

Divided Lites, Clear Glass For use with Single Door

2/6 x 1/0 2/8 x 1/0 3/0 x 1/0



T005

Divided Lites, Clear Glass 5/0 for use with 2/6 Double Door 6/0 for use with 3/0 Double Door

5/0 x 1/0 6/0 x 1/0



Plantation Pine



11/16" DOUBLE HIP RAISED PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.




11/16" Double Hip Raised Panel, Ovolo Sticking




Species Close Up



Ovolo Sticking





Panel Profile, Ovolo Sticking

11/16" DOUBLE HIP RAISED PANEL



IP82 1-3/8" 11/16" Raised Panel, Ovolo Sticking

| 0 1010 | ouciting |
|-----------|-----------|
| 1/6 x 6/8 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 8/0 |
| 3/0 x 6/8 | 3/0 x 8/0 |



IP82A 1-3/8" 11/16" Raised Panel, Ovolo Sticking

| 1/6 x 6/8 | 1/6 x 8/0 |
|-----------|-----------|
| 2/0 x 6/8 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 8/0 |
| 3/0 x 6/8 | 3/0 x 8/0 |
| | |



IP44 1-3/8" 11/16" Raised Panel, Ovolo Sticking

| 1/0 x 6/8 | 2/8 x 6/8 | 2/4 x 8/0 |
|-----------|------------|------------|
| 1/3 x 6/8 | 2/10 x 6/8 | 2/6 x 8/0 |
| 1/6 x 6/8 | 3/0 x 6/8 | 2/8 x 8/0 |
| 2/0 x 6/8 | | 2/10 x 8/0 |
| 2/4 x 6/8 | 1/6 x 8/0 | 3/0 x 8/0 |
| 2/6 x 6/8 | 2/0 x 8/0 | |



IP44 1-3/8" Bifold 11/16" Raised Panel, Ovolo Sticking

| Ovolo Sti |
|-----------|
| 2/0 x 6/8 |
| 2/6 x 6/8 |
| 3/0 x 6/8 |
| 4/0 x 6/8 |
| 5/0 x 6/8 |
| 6/0 x 6/8 |



IP66 1-3/8" 11/16" Raised Panel, Ovolo Sticking

| O VOID Sticking | | | |
|-----------------|------------|------------|------------|
| | 1/0 x 6/8 | 2/0 x 6/8 | 1/6 x 8/0 |
| | 1/2 x 6/8 | 2/2 x 6/8 | 2/0 x 8/0 |
| | 1/3 x 6/8 | 2/4 x 6/8 | 2/4 x 8/0 |
| | 1/4 x 6/8 | 2/6 x 6/8 | 2/6 x 8/0 |
| | 1/6 x 6/8 | 2/8 x 6/8 | 2/8 x 8/0 |
| | 1/8 x 6/8 | 2/10 x 6/8 | 2/10 x 8/0 |
| | 1/10 x 6/8 | 3/0 x 6/8 | 3/0 x 8/0 |



IP66 1-3/8" Bifold 11/16" Raised Panel, Ovolo Sticking

| 2/0 x 6/8 |
|-----------|
| 2/6 x 6/8 |
| 3/0 x 6/8 |
| 4/0 x 6/8 |
| 5/0 x 6/8 |
| 6/0 x 6/8 |



11/16" DOUBLE HIP RAISED PANEL



IP55 1-3/8" 11/16" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



IP56 1-3/8" 11/16" Raised Panel, Ovolo Sticking

1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 3/0 x 8/0

11/16" V-GROOVE RAISED PANEL



IP22V 1-3/8" 11/16" V-Groove Raised Panel, Ovolo Sticking

Plantation Pine



3/8" FLAT PANEL

Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.




3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking





С

3/8" FLAT PANEL



IP720 1-3/8" 3/8" Flat Panel, Shaker Sticking

| 1/6 x 6/8 | 1/6 x 8/0 |
|------------------|-----------|
| 2/0 x 6/8 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 8/0 |
| $3/0 \times 6/8$ | 3/0 x 8/0 |



IP782 1-3/8" 3/8" Flat Panel,

 Shaker Sticking

 1/0 x 6/8
 2/6 x 6/8
 2/0 x 8/0

 1/3 x 6/8
 2/8 x 6/8
 2/4 x 8/0

 1/4 x 6/8
 2/10 x 6/8
 2/8 x 8/0

 2/0 x 6/8
 2/8 x 8/0
 2/8 x 8/0

 2/0 x 6/8
 2/10 x 8/0
 2/10 x 8/0

 2/4 x 6/8
 1/6 x 8/0
 3/0 x 8/0



IP730 1-3/8"

3/8" Flat Panel, Shaker Sticking

 1/6 x 6/8
 1/6 x 8/0

 2/0 x 6/8
 2/0 x 8/0

 2/4 x 6/8
 2/4 x 8/0

 2/6 x 6/8
 2/6 x 8/0

 2/8 x 6/8
 2/8 x 8/0

 3/0 x 6/8
 3/0 x 8/0



IP760 1-3/8"

3/8" Flat Panel, Shaker Sticking

| | _ |
|-----------|-----------|
| 1/6 x 6/8 | 1/6 x 8/0 |
| 2/0 x 6/8 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 8/0 |
| 3/0 x 6/8 | 3/0 x 8/0 |



IP755 1-3/8"

3/8" Flat Panel, Shaker Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



IP756 1-3/8"

3/8" Flat Panel, Shaker Sticking


1/6 x 8/0 2/0 x 8/0 2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0

Plantation Pine


FRENCH - 1-1/4" BAR



Plantation Pine has a distinctive grain pattern with a pale cream color. It tends to be harder than other pine species and has fewer knots.



1-1/4" Bar Clear Glass







CLEAR GLASS



IP620 1-3/8"

Clear Glass, Ovolo Sticking



IP625 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



IP626 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

1/6 x 8/0 2/0 x 8/0



IP627 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



IP628 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

2/4 x 8/0 2/6 x 8/0 2/8 x 8/0 2/10 x 8/0 3/0 x 8/0

FRIT GLASS



IP620F 1-3/8"

Frit Glass, Ovolo Sticking



IP625F 1-3/8"

1-1/4" Bar, Frit Glass, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8

3/0 x 6/8



IP627F 1-3/8"

1-1/4" Bar, Frit Glass, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8

Pine Louvers

1-1/4" LOUVER SLATS






Louver doors allow for air flow while providing privacy.




1-1/4" Louver Slats, Louvered Sticking

When ordering a louver door, it is important to specify which side is the blind side. View the door as if you are in the inside of the room and the door is opening toward you.



When the Blind Side is on the Hinge Side, the Louvers run down, meaning you cannot see into the next room.



When the Blind Side is on the Stop Side, the Louvers run **up**, meaning you **can** see into the next room.



PONDEROSA PINE



P730 1-3/8" 1-1/4" Louver Slats, Louvered Sticking

| 2/0 x 6/0 | 1/0 x 6/8 | 2/2 x 6/8 | 2/0 x 7/0 |
|-----------|------------|------------|-----------|
| 2/6 x 6/0 | 1/2 x 6/8 | 2/4 x 6/8 | 2/4 x 7/0 |
| 1/6 x 6/6 | 1/3 x 6/8 | 2/6 x 6/8 | 2/6 x 7/0 |
| 2/0 x 6/6 | 1/4 x 6/8 | 2/8 x 6/8 | 2/8 x 70 |
| 2/4 x 6/6 | 1/6 x 6/8 | 2/10 x 6/8 | 3/0 x 7/0 |
| 2/6 x 6/6 | 1/8 x 6/8 | 3/0 x 6/8 | |
| 2/8 x 6/6 | 1/10 x 6/8 | | |
| 3/0 x 6/6 | 2/0 x 6/8 | 1/6 x 7/0 | |
| | | | |



P730 1-3/8" Bifold 1-1/4" Louver Slats,



P732 1-3/8"

1-1/4" Louver Slats, 9/16" Single Hip Raised Panel, Louvered Sticking

| 1/6 x 6/6 | 1/0 x 6/8 | 2/0 x 6/8 |
|-----------|------------|------------|
| 2/0 x 6/6 | 1/2 x 6/8 | 2/2 x 6/8 |
| 2/4 x 6/6 | 1/3 x 6/8 | 2/4 x 6/8 |
| 2/6 x 6/6 | 1/4 x 6/8 | 2/6 x 6/8 |
| 2/8 x 6/6 | 1/6 x 6/8 | 2/8 x 6/8 |
| 3/0 x 6/6 | 1/8 x 6/8 | 2/10 x 6/8 |
| | 1/10 x 6/8 | 3/0 x 6/8 |



P732 1-3/8" Bifold

1-1/4" Louver Slats, 9/16" Single Hip Raised Panel, Louvered Sticking

| 2/0 x 6/8 | 4/0 x 6/8 |
|-----------|-----------|
| 2/4 x 6/8 | 4/8 x 6/8 |
| 2/6 x 6/8 | 5/0 x 6/8 |
| 2/8 x 6/8 | 5/4 x 6/8 |
| 3/0 x 6/8 | 6/0 x 6/8 |

PLANTATION PINE





PN730 1-1/8" Bifold

1-1/4" Louver Slats, 1/2" Single Hip Raised Panel, Recessed Rail, Louvered Sticking

| 2/0 x 6/8 | 4/0 x 6/8 |
|-----------|-----------|
| 2/6 x 6/8 | 5/0 x 6/8 |
| 3/0 x 6/8 | 6/0 x 6/8 |



PN732 1-1/8" Bifold

1-1/4" Louver Slats, 1/2" Single Hip Raised Panel, Recessed Rail, Louvered Sticking

| 2/0 x 6/8 | 4/0 x 6/8 |
|-----------|-----------|
| 2/6 x 6/8 | 5/0 x 6/8 |
| 3/0 x 6/8 | 6/0 x 6/8 |



PN108 1-1/8" Bifold

1-1/4" Louver Slats, 1/2" Single Hip Raised Panel, Recessed Rail, Louvered Sticking

| 2/0 x 6/8 | 4/0 x 6/8 |
|------------------|-----------|
| 2/6 x 6/8 | 5/0 x 6/8 |
| $3/0 \times 6/8$ | 6/0 v 6/9 |

Recessed rails are rails that are not as thick as the stiles.

Knotty Pine 11/16" DOUBLE HIP RAISED PANEL






Knotty Pine has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.




11/16" Double Hip Raised Panel, Ovolo Sticking




Ovolo Sticking (KP22/KP66)



Reticulated Sticking and Joint (KP22V)



KP22/KP66



KP22V

Panel Profile,

Ovolo Sticking (KP22/KP66)

FLAT PANEL




KP22 1-3/8" 11/16" Raised Panel, Ovolo Sticking

| 1/6 x 6/8 | 1/6 x 8/0 |
|------------|------------|
| 2/0 x 6/8 | 2/0 x 8/0 |
| 2/4 x 6/8 | 2/4 x 8/0 |
| 2/6 x 6/8 | 2/6 x 8/0 |
| 2/8 x 6/8 | 2/8 x 8/0 |
| 2/10 x 6/8 | 2/10 x 8/0 |
| 3/0 x 6/8 | 3/0 x 8/0 |
| | |



KP66 1-3/8" 11/16" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 2/10 x 6/8 3/0 x 6/8



Panel Profile, Reticulated Sticking and Joint (Shown from above, KP22V)

V-GROOVE PANEL



KP22V 1-3/8" 11/16" V-Groove Raised Panel, Reticulated Sticking and Joint

1/6 x 6/8 1/6 x 8/0 2/0 x 6/8 2/0 x 8/0 2/4 x 6/8 2/4 x 8/0 2/6 x 6/8 2/6 x 8/0 2/8 x 6/8 2/8 x 8/0 2/10 x 6/8 2/10 x 8/0 3/0 x 6/8 3/0 x 8/0



V-Groove Close Up (KP22V)

Douglas Fir 3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/8" Flat Panel, Ovolo Sticking



Species Close Up



Ovolo Sticking





OVOLO STICKING



1/2 x 6/8 2/6 x 6/8 2/8 x 7/0 1/3 x 6/8 2/8 x 6/8 3/0 x 7/0 1/4 x 6/8 3/0 x 6/8 1/6 x 6/8 2/0 x 7/0 2/0 x 6/8 2/4 x 7/0



F20 1-3/4" 3/8" Flat Panel, Ovolo Sticking

| 1/4 x 6/8 | 2/8 x 6/8 | 2/0 x 7/0 |
|------------|------------|------------|
| 1/6 x 6/8 | 2/10 x 6/8 | 2/2 x 7/0 |
| 1/8 x 6/8 | 3/0 x 6/8 | 2/4 x 7/0 |
| 1/10 x 6/8 | | 2/6 x 7/0 |
| 2/0 x 6/8 | 1/4 x 7/0 | 2/8 x 7/0 |
| 2/2 x 6/8 | 1/6 x 7/0 | 2/10 x 7/0 |
| 2/4 x 6/8 | 1/8 x 7/0 | 3/0 x 7/0 |
| 2/6 x 6/8 | 1/10 x 7/0 | |



F82 1-3/8" 3/8" Flat Panel,

| Ovolo Sticking | | |
|--|--|--|
| 1/0 x 6/8 1/2 x 6/8 1/3 x 6/8 1/4 x 6/8 | 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8 | 2/4 x 7/0 2/6 x 7/0 2/8 x 7/0 3/0 x 7/0 |
| 1/6 x 6/8 1/8 x 6/8 | 1/6 x 7/0 | G/ G X 7/ G |
| 2/0 x 6/8 | 2/0 x 7/0 | |




F82 1-3/4" 3/8" Flat Panel, Ovolo Sticking

| 2/0 x 6/8 | 2/0 x 7/0 |
|------------|------------|
| 2/2 x 6/8 | 2/2 x 7/0 |
| 2/4 x 6/8 | 2/4 x 7/0 |
| 2/6 x 6/8 | 2/6 x 7/0 |
| 2/8 x 6/8 | 2/8 x 7/0 |
| 2/10 x 6/8 | 2/10 x 7/0 |
| 3/0 x 6/8 | 3/0 x 7/0 |



F30 1-3/8" 3/8" Flat Panel, Ovolo Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Magnetic Chalkboard Panel Profile, Ovolo Sticking

MAGNETIC CHALKBOARD



F1120 1-3/8" 3/8" Magnetic Chalkboard, Ovolo Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8

Douglas Fir 3/8" FLAT PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Shaker Sticking

SHAKER STICKING



F720 1-3/8" 3/8" Flat Panel, Shaker Sticking

5/16 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/6 x 6/8 3/0 x 6/8



F782 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F730 1-3/8" 3/8" Flat Panel, Shaker Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F760 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F762 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F755 1-3/8" 3/8" Flat Panel, Shaker Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8


Douglas Fir 3/4" DOUBLE HIP RAISED PANEL



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



3/4" Double Hip Raised Panel, Ovolo Sticking



3/4" DOUBLE HIP RAISED PANEL



F82R 1-3/8" 3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8

2/4 x 6/8

2/6 x 6/8

2/8 x 6/8 3/0 x 6/8

3/4" DOUBLE HIP RAISED PANEL



F465 1-3/8" 3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F44 1-3/8" 3/4" Raised Panel, Ovolo Sticking

1/4 x 6/8 1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/6 x 6/8 2/10 x 6/8 3/0 x 6/8



F46 1-3/8" 3/4" Raised Panel, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 3/0 x 6/8



F55 1-3/8"
3/4" Raised Panel,
Ovolo Sticking



F66 1-3/8" 3/4" Raised Panel,



F63 1-3/8" Bifold 3/4" Raised Panel,

Ovolo Sticking 2/0 x 6/8 2/6 x 6/8


3/0 x 6/8 4/0 x 6/8 5/0 x 6/8 6/0 x 6/8

Douglas Fir

FRENCH



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



Clear Glass, Ovolo Sticking




Simpson®
Door Company

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8





White Laminate Glass, Shaker Sticking




Douglas Fir FRENCH - 1-1/4" BAR



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



1-1/4" Bar, Clear Glass, Ovolo Sticking



CLEAR GLASS



F1505 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8

2/8 x 6/8 3/0 x 6/8



F1309 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

2/6 x 6/8 3/0 x 6/8



F1310 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

2/0 x 6/8





CLEAR GLASS



F1580 1-3/8" 1-1/4" Bar, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F1315 1-3/8"

1-1/4" Bar, Clear Glass, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F318 1-3/8" 1-1/4" Bar, 3/4" Raised Panel, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



F418 1-3/8"
1-1/4" Bar, 3/4" Raised Panel,
Clear Glass, Ovolo Sticking

2/8 x 6/8 3/0 x 6/8

SATIN ETCH GLASS



F1505E 1-3/8"

1-1/4" Bar, Satin Etch Glass, Ovolo Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8


3/0 x 6/8



F1510E 1-3/8"

1-1/4" Bar, Satin Etch Glass, Ovolo Sticking

2/0 x 6/8



1-1/4" Bar, Satin Etch Glass, Ovolo Sticking

Douglas Fir DECORATIVE GLASS



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.




Clear Art on Satin Etch Glass, Ovolo Sticking

DECORATIVE GLASS



F1590 1-3/8" Clear Art on Satin Etch Glass, Ovolo Sticking

2/0 x 6/8 2/6 x 6/8 2/8 x 6/8



Design Detail, Textured Glass on Reverse Side



F1592 1-3/8" Clear Art on Satin Etch Glass, Ovolo Sticking

2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Design Detail, Textured Glass on Reverse Side







Douglas Fir 20 MINUTE FIRE RATED DOORS



Douglas Fir is a large, generally straight-grained tree characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



3/4" Fire Rated Flat Panel



1-7/16" Fire Rated Double Hip Raised Panel



Panel Profile, Ovolo Sticking







3/4" FIRE RATED FLAT PANEL




F9220 1-3/4" 20 Minute Fire Rated, 3/4" Fire Rated Flat Panel, Ovolo Sticking

2/8 x 6/8 3/0 x 6/8



F9282 1-3/4"20 Minute Fire Rated,
3/4" Fire Rated Flat Panel,
Ovolo Sticking

2/8 x 6/8 3/0 x 6/8



Panel Profile, Ovolo Sticking

1-7/16" FIRE RATED DOUBLE HIP RAISED PANEL



F9244 1-3/4" 20 Minute Fire Rated,

20 Minute Fire Rated, 1-7/16" Fire Rated Raised Panel, Ovolo Sticking

2/8 x 6/8 3/0 x 6/8



F9255 1-3/4"

20 Minute Fire Rated, 1-7/16" Fire Rated Raised Panel, Ovolo Sticking


2/8 x 6/8 3/0 x 6/8



F9266 1-3/4"

20 Minute Fire Rated, 1-7/16" Fire Rated Raised Panel, Ovolo Sticking

2/8 x 6/8 3/0 x 6/8



Panel Profile, Ovolo Sticking

Maple 3/8" FLAT PANEL



Maple offers a very fine grain and a whitish color tinged with reddish brown.




3/8" Flat Panel, Shaker Sticking



Species Close Up



Shaker Sticking



Panel Profile

3/8" FLAT PANEL



MP1022 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



MP1033 1-3/8" 3/8" Flat Panel, Shaker Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Knotty Alder 1-3/16" RAISED PANEL



Knotty Alder is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to a variety of stains and finishes.




V-Groove Plank Raised Panel, Tapered Sticking




Species Close Up



Tapered Sticking





Flat Panel Profile, Tapered Sticking (Shown from above, KA82ASRR/KA82SRR)

FLAT RAISED PANEL



KA82SRR 1-3/8" 1-3/16" Flat Raised Panel, Tapered Sticking


1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



KA82ASRR 1-3/8" 1-3/16" Flat Raised Panel, Tapered Sticking

1/6 x 6/8 2/4 x 8/0 2/0 x 6/8 2/6 x 8/0 2/4 x 6/8 2/8 x 8/0 2/6 x 6/8 3/0 x 8/0 2/8 x 6/8 3/0 x 6/8

V-GROOVE PLANK RAISED PANEL




Panel Profile, Tapered Sticking (Shown from above, KA82ASRP)



KA82ASRP 1-3/8" 1-3/16" V-Groove Plank Raised Panel, Tapered Sticking

2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



Red Oak

3/4" DOUBLE HIP RAISED PANEL



Red Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



3/4" Double Hip Raised Panel, Ovolo Sticking



3/4" DOUBLE HIP RAISED PANEL



O44 1-3/8" 3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8




O66 1-3/8" 3/4" Raised Panel, Ovolo Sticking

1/6 x 6/8 2/0 x 6/8 2/4 x 6/8 2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



O66 1-3/8" Bifold 3/4" Raised Panel, Ovolo Sticking

2/0 x 6/8 2/6 x 6/8 3/0 x 6/8 4/0 x 6/8 5/0 x 6/8



Red Oak


FRENCH - 1-1/4" BAR



Red Oak has a coarse texture and a straight, prominent grain. It accepts a broad range of stains and finishes.



1-1/4" Bar, Clear Glass, Ovolo Sticking



1-1/4" Bar Profile, Ovolo Sticking



1-1/4" Bar Close Up







CLEAR GLASS



O1315 1-3/8" 1-1/4" Bar, Clear Glass, Ovolo Sticking

2/6 x 6/8 2/8 x 6/8 3/0 x 6/8



O1310 1-3/8"1-1/4" Bar, Clear Glass, Ovolo Sticking 2/0 x 6/8

Barn Doors

PONDEROSA PINE - TRUE RAISED PANEL





Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify layout when ordering.

Z LAYOUT



3/4" Plank Panel, Z Layout, Tapered Sticking

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

K LAYOUT



P1813/4" Plank Panel, K Layout, Tapered Sticking

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

LAYOUT OPTIONS



REVERSE



UNIFORM A



UNIFORM B



Barn Doors

KNOTTY ALDER - TRUE RAISED PANEL





Barn doors can be hung in many different configurations according to your design preference. Please be sure to specify layout when ordering.

Z LAYOUT



KA180

3/4" Plank Panel, Z Layout, Tapered Sticking

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

K LAYOUT



KA181

3/4" Plank Panel, K Layout, Tapered Sticking

2/6 x 6/8 2/6 x 7/0 2/6 x 8/0 2/8 x 6/8 2/8 x 7/0 2/8 x 8/0 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0

LAYOUT OPTIONS



REVERSE



UNIFORM A



UNIFORM B



Barn Door Hardware





Goldberg's line of interior, residential sliding barn door hardware kits make the most of the available living space, while adding a rustic, yet elegant look. All major components are manufactured from steel and come with a 1-year warranty.

For a more polished or contemporary look, solid stainless steel barn door track hardware is a great alternative. All the same accessories are available as well for a complete look.

HARDWARE OPTIONS (shown in black)



ROLLER HANGER



7" PULL HANDLE



6" FLUSH PULL



PRIVACY LATCH

HARDWARE OPTIONS (shown in stainless steel)



ROLLER HANGER



7" PULL HANDLE



6" FLUSH PULL



PRIVACY LATCH





BLACK



SILVER



ARCHITECTURAL BRONZE



STAINLESS STEEL









Due to the wall space required for the long track, sometimes there's no room to install a conventional barn door. Barnfold® Series folding barn door hardware combines the style of the popular J-strap hangers with the space-saving convenience of bifold doors.





BARNFOLD J-STRAP HANGER



HINGE



4" PULL HANDLE

AVAILABLE FINISHES




BLACK

Flat Frames



Flat frames come in a variety of species including solid and veneered wood. They include the need for a stop. This option may not be available in all markets so please confirm availability prior to ordering.







CLEAR PINE



PINE VENEERED



KNOTTY ALDER VENEERED



FIR VENEERED



MAPLE VENEERED



SOLID POPLAR



PRIMED SOLID POPLAR



SOLID OAK



OAK VENEERED

Stops


Known as a "stop", these small pieces of wood attach to a flat frame to give the door a place to stop. Optional PortaSeal weatherstrip stops are available for use to prevent drafts.



PRIMED WM-888



PRIMED WM-876



PRIMED WM-888H



PRIMED WM-936



PRIMED WM-948

Rabbeted Frames



Single Rabbeted

Single rabbeted frames mimic the appearance of exterior frames for interior use. This option may not be available in all markets so please confirm availability prior to ordering.







PRIMED CLEAR PINE

PRIMED SOLID POPLAR



Double Rabbeted

Double rabbeted frames work well with either a 1-3/8" or 1-3/4" thick door. This option may not be available in all markets so please confirm availability prior to ordering.









CLEAR PINE

CLEAR FIR

PRIMED SOLID POPLAR

PRIMED

Split Frames



Split frames are two pieces of wood together which work well for odd wall sizes. Due to their construction, a split frame is able to work for a range of wall sizes. For example, Reeb® stocks a split frame that has a size range of 4-1/2" to 5-1/4" thick.





PRIMED CLEAR PINE

Also with split frames is the availability to use interior casing. When installing a split frame with casing, the two pieces must be taken apart. This allows the unit to be shipped with the casing pre-attached and ready for a complete install. This option may not be available in all markets, so please confirm availability prior to ordering.

Sills



OAK SADDLE SILL

Oak saddle sills provide an aesthetic solution to residential threshold applications. If the unit does not include weatherstrip, a standard width saddle sill works well.



OAK SADDLE SILL WITH WEATHERSTRIP

For flat frames with PortaSeal or single rabbeted frames with weatherstrip, a wider saddle sill works best. It allows the bottom of the frame to sit flush on top of the sill. Three-sided units do not need a sweep, but four-sided units will use a sweep for the best seal.

Hinges

BALL BEARING HINGES

Ball bearing hinges have a steel ball bearing, or buffer, in between the knuckles. Heavier doors put more stress on the hinges so having the ball bearings reduce friction, are better performing and longer lasting.



Ball Bearing Square



Ball Bearing Radius

NON BALL BEARING HINGES

Standard, or plain bearing, have no buffer between each knuckle of the barrel. This tends to wear the hinge down over time as the sections grind against one another and are better suited for lightweight doors.



Non Ball Bearing Square



Non Ball Bearing Radius

HINGE SIZES

Most interior doors are 1-3/8" thick and use $3.5'' \times 3.5''$ hinges. On an 1-3/4" door in an interior application Reeb® will automatically utilize a 4" hinge.



3.5" x 3.5"



4" × 4"

Baldwin[®]

Baldwin believes that quality should never be a compromise. From using the finest materials to crafting hardware by hand, they are committed to creating high-quality hardware that not only looks beautiful and flawless, but also endures the rigors of time.



3.5" X 3.5" SQUARE Non Ball Bearing -Shown in US3LF



3.5" X 3.5" RADIUS Non Ball Bearing -Shown in US3LF



4" X 4" SQUARE Non Ball Bearing -Shown in US15LF



4" X 4" RADIUS Non Ball Bearing -Shown in US3LF

| AVAILABLE FINISHES | 3.5" X 3.5" SQUARE | | 3.5" X 3.5" RADIUS | | 4" X 4" : | SQUARE | 4" X 4" RADIUS | | |
|-----------------------|--------------------|---------------------|--------------------|---------------------|-----------------|---------------------|-----------------|---------------------|--|
| | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | |
| US3LF | | X | | X | | X | | X | |
| US10B | | X | | X | | X | | | |
| US15LF | | X | | X | | X | | | |
| VB | | Х | | | | X | | | |

AVAILABLE FINISHES



US3LF LIFETIME BRASS



US10BOIL RUBBED
BRONZE



US15LF SATIN NICKEL



VBVENETIAN BRONZE

Hinges

Emtek®

Emtek is dedicated to bring personal style to life. Door hardware is more than a way to open, close, and secure a space. It is an integral part of a room's design theme and an extension of personal style.



Non Ball Bearing -Shown in US10B



3.5" X 3.5" SQUARE 3.5" X 3.5" SQUARE 3.5" X 3.5" RADIUS 3.5" X 3.5" RADIUS Non Ball Bearing -Shown in US1D



Non Ball Bearing -Shown in US7



Ball Bearing -Shown in US7



4" X 4" SQUARE Ball Bearing -Shown in US15



4" X 4" SQUARE Ball Bearing -Shown in US15



4.5" X 4.5" SQUARE Ball Bearing -Shown in US10B

| AVAILABLE FINISHES | 3.5" X 3.5" SQUARE SOLID BRASS | | 3.5") SQU STI | ARE | 3.5") RAE SOLID | DIUS | 3.5") RAE STI | OIUS | 4") SQU SOLID | ARE | 4") SQU STI | ARE | SQU | K 4.5" JARE EEL |
|-----------------------|--------------------------------------|------------------------|---------------------|------------------------|-----------------------|------------------------|---------------------|------------------------|---------------------|------------------------|-------------------|------------------------|-----------------|------------------------|
| | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING |
| US1D | | X | X | Х | | | X | | Х | X | X | X | Х | |
| US3 | | Х | Х | Х | | Х | Х | | Х | Х | Х | Х | Х | |
| US4 | | Х | Х | | | | | | Х | Х | | | | |
| US7 | | Х | Х | Х | | Х | Х | | Х | Х | Х | Х | | |
| US10B | | Х | Х | Х | | Х | Х | | Х | Х | Х | Х | Х | |
| US15 | | Х | Х | Х | | Х | Х | | Х | Х | Х | Х | Х | |
| US14 | | Х | Х | Х | | | Х | | Х | Х | Х | Х | Х | |
| US26 | | Х | Х | Х | | | | | Х | Х | Х | Х | | |

AVAILABLE FINISHES



USP PRIMED WHITE



US1D FLAT BLACK



US3 **BRIGHT BRASS**



US4 SATIN BRASS



US4B **BRIGHT SATIN BRASS**



US5 **ANTIQUE BRASS**



US7 **FRENCH ANTIQUE**



Reeb® Specialty Products

RSP offers a large selection of hinges in a variety of finishes carrying on a tradition of innovative design, superior quality and service excellence.



3.5" X 3.5" SQUARE Ball Bearing -Shown in US4



3.5" X 3.5" RADIUS Non Ball Bearing -Shown in USP



4" X 4" SQUARE Non Ball Bearing -Shown in US10B



4" X 4" RADIUS Ball Bearing -Shown in US15

| AVAILABLE FINISHES | 3.5" X 3.5" SQUARE | | 3.5" X 3.5" RADIUS | | 4" X 4" SQUARE | | 4" X 4" RADIUS | |
|-----------------------|-----------------------|---------------------|-----------------------|---------------------|-------------------|---------------------|-------------------|---------------------|
| | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING | BALL BEARING | NON BALL BEARING |
| USP | | | | Х | | | | Х |
| US1D | | Х | Х | Х | | Х | Х | Х |
| US3 | Х | Х | Х | Х | Х | Х | Х | Х |
| US4 | Х | X | | Х | Х | Х | | Х |
| US4B | Х | | Х | Х | Х | | Х | X |
| US5 | Х | Х | Х | Х | Х | Х | Х | Х |
| US7 | | | | | | | | |
| US10B | Х | Х | Х | Х | Х | Х | Х | Х |
| US15 | Х | Х | Х | Х | Х | Х | Х | Х |
| US15A | | | | Х | | | | X |
| US26 | Х | Х | Х | Х | Х | Х | Х | X |
| US26D | Х | X | Х | Х | Х | Х | Х | Х |
| US32D | | | | × | | | × | X |



US10B OIL RUBBED **BRONZE**



US14 POLISHED NICKEL



US15 SATIN NICKEL



ANTIQUE NICKEL BRIGHT CHROME SATIN CHROME



US26





US32D STAINLESS STEEL

Locks

Schlage® door knobs fit and accentuate decor from a classic look to bold contemporary designs.

For available functions, reference the Reeb® In-Stock Price Catalog.

The Standard Residential Series provides tough, reliable performance in a variety of styles and finishes.

The **Builders Series** provides an economical lock that delivers on style.

STANDARD RESIDENTIAL SERIES









AVAILABLE FINISHES



US1D FLAT BLACK



US3 BRIGHT BRASS



US5 ANTIQUE BRASS



US10B OIL RUBBED BRONZE



US15 SATIN NICKEL

BUILDER'S SERIES









The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.









The **Builders Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.



US15A ANTIQUE NICKEL



US26 BRIGHT CHROME



US26D SATIN CHROME



US32D STAINLESS STEEL



716 AGED BRONZE

Locks

STANDARD RESIDENTIAL SERIES

Andover Shown in US26

Available in: US3, US5, US15, US15A, US26, US26D



Georgian Shown in US5

Available in: US1D, US3, US5, US15, US15A, US26, 716



Plymouth Shown in US26D

Available in: US1D, US3, US15, US26, US26D, 716



AVAILABLE FINISHES



US1D FLAT BLACK



US3 **BRIGHT BRASS**



US5 ANTIQUE BRASS



US15 SATIN NICKEL



US15A ANTIQUE NICKEL

Byron Shown in US3

Available in: US3, US32D



Corona

Shown in US15

Available in: US3, US15



The **Standard Residential Series** features a limited lifetime mechanical warranty, has a limited lifetime finish warranty, fits universal backsets, and all levers are non-handed.









The **Builders Series** features a limited lifetime mechanical warranty, a 5-year finish warranty, and fits universal backsets.



US26 BRIGHT CHROME



US26D SATIN CHROME



US32D STAINLESS STEEL



716 AGED BRONZE

Stile & Rail Dimensions

| DOOR STYLE | PAGE | DOOR HEIGHT | SPECIES | 3'0" STILE | TOP RAIL | LOCK RAIL | BOTTOM RAIL | PANEL | VENDOR |
|------------|------|-------------|----------------|------------|----------|-----------|-------------|--------|-----------|
| KA180 | 55 | 6/8 | KNOTTY ALDER | 4-11/32" | 4-9/16" | N/A | 9" | 3/4" | WOODGRAIN |
| KA180 | 55 | 7/0 | KNOTTY ALDER | 4-11/32" | 4-9/16" | N/A | 9" | 3/4" | WOODGRAIN |
| KA180 | 55 | 8/0 | KNOTTY ALDER | 4-11/32" | 4-9/16" | N/A | 9" | 3/4" | WOODGRAIN |
| KA181 | 55 | 6/8 | KNOTTY ALDER | 4-11/32" | 4-9/16" | 4-9/16" | 9" | 3/4" | WOODGRAIN |
| KA181 | 55 | 7/0 | KNOTTY ALDER | 4-11/32" | 4-9/16" | 4-9/16" | 9" | 3/4" | WOODGRAIN |
| KA181 | 55 | 8/0 | KNOTTY ALDER | 4-11/32" | 4-9/16" | 4-9/16" | 9" | 3/4" | WOODGRAIN |
| P180 | 54 | 6/8 | PONDEROSA PINE | 4-11/32" | 4-9/16" | N/A | 9" | 11/16" | WOODGRAIN |
| P180 | 54 | 7/0 | PONDEROSA PINE | 4-11/32" | 4-9/16" | N/A | 9" | 11/16" | WOODGRAIN |
| P180 | 54 | 8/0 | PONDEROSA PINE | 4-11/32" | 4-9/16" | N/A | 9" | 11/16" | WOODGRAIN |
| P181 | 54 | 6/8 | PONDEROSA PINE | 4-11/32" | 4-9/16" | 4-9/16" | 9" | 11/16" | WOODGRAIN |
| P181 | 54 | 7/0 | PONDEROSA PINE | 4-11/32" | 4-9/16" | 4-9/16" | 9" | 11/16" | WOODGRAIN |
| P181 | 54 | 8/0 | PONDEROSA PINE | 4-11/32" | 4-9/16" | 4-9/16" | 9" | 11/16" | WOODGRAIN |
| F20 | 33 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F20 | 33 | 7/0 | FIR | 4-1/2" | 6-7/16" | N/A | 11-3/16" | 3/8" | SIMPSON |
| F20 | 33 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F20 | 33 | 7/0 | FIR | 4-1/2" | 6-7/16" | N/A | 11-3/16" | 3/8" | SIMPSON |
| F30 | 33 | 6/8 | FIR | 4-1/2" | 4-7/16" | 4-1/2" | 9-3/16" | 3/8" | SIMPSON |
| F44 | 37 | 6/8 | FIR | 4-1/2" | 4-7/16" | 7-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F46 | 37 | 6/8 | FIR | 4-1/2" | 4-7/16" | 7-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F55 | 37 | 6/8 | FIR | 4-1/2" | 4-7/16" | 4-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F55 | 37 | 7/0 | FIR | 4-1/2" | 6-7/16" | 4-1/2" | 11-3/16" | 3/4" | SIMPSON |
| F63 BIFOLD | 37 | 6/8 | FIR | 2-1/16" | 4-7/16" | 7-1/2" | 7-7/8" | 3/4" | SIMPSON |
| F66 | 37 | 6/8 | FIR | 4-1/2" | 4-7/16" | 7-1/2" | 9-1/8" | 3/4" | SIMPSON |
| F82R | 36 | 6/8 | FIR | 4-1/2" | 4-7/16" | 7-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F82 | 33 | 6/8 | FIR | 4-1/2" | 4-7/16" | 7-1/2" | 9-3/16" | 3/8" | SIMPSON |
| F82 | 37 | 7/0 | FIR | 4-1/2" | 6-7/16" | 7-1/2" | 11-3/16" | 3/8" | SIMPSON |
| F82 | 37 | 6/8 | FIR | 4-1/2" | 4-7/16" | 7-1/2" | 9-3/16" | 3/8" | SIMPSON |
| F82 | 37 | 7/0 | FIR | 4-1/2" | 6-9/16" | 7-1/2" | 11-3/16" | 3/8" | SIMPSON |
| F318 | 41 | 6/8 | FIR | 4-1/2" | 4-7/16" | 4-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F418 | 41 | 6/8 | FIR | 4-1/2" | 4-7/16" | 4-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F465 | 37 | 6/8 | FIR | 4-1/2" | 9-1/2" | 7-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F720 | 35 | 6/8 | FIR | 4-7/16" | 4-5/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F730 | 35 | 6/8 | FIR | 4-7/16" | 4-5/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F755 | 35 | 6/8 | FIR | 4-7/16" | 4-5/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F760 | 35 | 6/8 | FIR | 4-7/16" | 4-5/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F762 | 35 | 6/8 | FIR | 4-7/16" | 4-5/16" | N/A | 9-3/16" | 3/8" | SIMPSON |
| F782 | 35 | 6/8 | FIR | 4-7/16" | 4-5/16" | 7-3/8" | 9-3/16" | 3/8" | SIMPSON |
| F1120 | 33 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | 1/4" | SIMPSON |
| F1309 | 40 | 6/8 | FIR | 5-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1310 | 40 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1315 | 41 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |

| DOOR STYLE | PAGE | DOOR HEIGHT | SPECIES | 3'0" STILE | TOP RAIL | LOCK RAIL | BOTTOM RAIL | PANEL | VENDOR |
|-------------|------|-------------|-----------------|------------|----------|-----------|-------------|---------|---------|
| F1501 | 38 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1501WL | 39 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1505 | 40 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1505E | 41 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1510E | 41 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1580 | 41 | 6/8 | FIR | 4-1/2" | 7-1/32" | N/A | 9-3/16" | N/A | SIMPSON |
| F1590 | 42 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F1592 | 42 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| F9220 | 45 | 6/8 | FIR | 5-1/2" | 5-7/16" | N/A | 9-3/16" | 3/4" | SIMPSON |
| F9282 | 45 | 6/8 | FIR | 5-1/2" | 5-7/16" | 7-1/2" | 9-3/16" | 3/4" | SIMPSON |
| F9244 | 45 | 6/8 | FIR | 5-1/2" | 5-7/16" | 7-1/2" | 9-3/16" | 1-7/16" | SIMPSON |
| F9255 | 45 | 6/8 | FIR | 5-1/2" | 5-7/16" | N/A | 9-3/16" | 1-7/16" | SIMPSON |
| F9266 | 45 | 6/8 | FIR | 5-1/2" | 5-7/16" | 7-1/2" | 9-3/16" | 1-7/16" | SIMPSON |
| F88405 | 43 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-7/16" | N/A | SIMPSON |
| F88421 | 43 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-7/16" | N/A | SIMPSON |
| F88464 | 43 | 6/8 | FIR | 4-1/2" | 4-7/16" | N/A | 9-7/16" | N/A | SIMPSON |
| IP22V | 21 | 6/8 | PLANTATION PINE | 4-9/16" | 6-5/16" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| IP22V | 21 | 8/0 | PLANTATION PINE | 4-9/16" | 6-5/16" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| IP44 | 21 | 6/8 | PLANTATION PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| IP44 | 21 | 8/0 | PLANTATION PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| IP44 BIFOLD | 21 | 6/8 | PLANTATION PINE | 2-1/8" | 4-1/2" | 7-1/2" | 8-1/8" | 11/16" | RSP |
| IP55 | 23 | 6/8 | PLANTATION PINE | 4-17/32" | 4-9/16" | N/A | 9-1/8" | 9/16" | RSP |
| IP56 | 23 | 8/0 | PLANTATION PINE | 4-17/32" | 4-9/16" | N/A | 9-1/8" | 9/16" | RSP |
| IP66 | 21 | 6/8 | PLANTATION PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| IP66 | 21 | 8/0 | PLANTATION PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| IP66 BIFOLD | 21 | 6/8 | PLANTATION PINE | 2-1/8" | 4-1/2" | N/A | 8-1/8" | 11/16" | RSP |
| IP82 | 23 | 6/8 | PLANTATION PINE | 4-17/32" | 4-9/16" | N/A | 9" | 9/16" | RSP |
| IP82 | 23 | 8/0 | PLANTATION PINE | 4-17/32" | 4-9/16" | N/A | 9" | 9/16" | RSP |
| IP82A | 23 | 6/8 | PLANTATION PINE | 4-17/32" | 4-9/16" | N/A | 9" | 9/16" | RSP |
| IP82A | 23 | 8/0 | PLANTATION PINE | 4-17/32" | 4-9/16" | N/A | 9" | 9/16" | RSP |
| IP620 | 27 | 6/8 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP620 | 27 | 8/0 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP620F | 27 | 6/8 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP625 | 27 | 6/8 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP625F | 27 | 6/8 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP626 | 27 | 8/0 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP627 | 27 | 6/8 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP627F | 27 | 6/8 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP628 | 27 | 8/0 | PLANTATION PINE | 4-9/16" | 4-7/16" | N/A | 9-1/8" | N/A | RSP |
| IP720 | 25 | 6/8 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP720 | 25 | 8/0 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |

Stile & Rail Dimensions

| DOOR STYLE | PAGE | DOOR HEIGHT | SPECIES | 3'0" STILE | TOP RAIL | LOCK RAIL | BOTTOM RAIL | PANEL | VENDOR |
|-------------|------|-------------|-----------------|------------|----------|-----------|-------------|---------|-----------|
| IP730 | 25 | 6/8 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP730 | 25 | 8/0 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP760 | 25 | 6/8 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP760 | 25 | 8/0 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP755 | 25 | 6/8 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP756 | 25 | 8/0 | PLANTATION PINE | 4-3/8" | 4-5/16" | N/A | 9-3/16" | 3/8" | RSP |
| IP782 | 25 | 6/8 | PLANTATION PINE | 4-3/8" | 4-5/16" | 7-1/2" | 9-3/16" | 3/8" | RSP |
| IP782 | 25 | 8/0 | PLANTATION PINE | 4-3/8" | 4-5/16" | 7-1/2" | 9-3/16" | 3/8" | RSP |
| KA82ASRR | 49 | 6/8 | KNOTTY ALDER | 4-11/32" | 8-1/32" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| KA82ASRR | 49 | 8/0 | KNOTTY ALDER | 4-11/32" | 8-1/32" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| KA82ASRR | 49 | 6/8 | KNOTTY ALDER | 4-11/32" | 8-1/32" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| KA82ASRP | 49 | 6/8 | KNOTTY ALDER | 4-11/32" | 8-1/32" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| KP22 | 31 | 6/8 | KNOTTY PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| KP22 | 31 | 8/0 | KNOTTY PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| KP22V | 31 | 6/8 | KNOTTY PINE | 4-9/16" | 6-5/16" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| KP22V | 31 | 8/0 | KNOTTY PINE | 4-9/16" | 6-5/16" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| KP66 | 31 | 6/8 | KNOTTY PINE | 4-9/16" | 4-1/2" | 7-1/2" | 9-1/8" | 11/16" | RSP |
| MP1022 | 47 | 6/8 | MAPLE | 4-1/2" | 4-3/8" | 4-1/2" | 9-3/16" | 3/8" | SIMPSON |
| MP1033 | 47 | 6/8 | MAPLE | 4-1/2" | 4-3/8" | 4-1/2" | 9-3/16" | 3/8" | SIMPSON |
| 044 | 51 | 6/8 | OAK | 4-5/8" | 4-7/16" | 7-1/2" | 9-3/16" | 3/4" | SIMPSON |
| 066 | 51 | 6/8 | OAK | 4-5/8" | 4-7/16" | 7-1/2" | 9-1/8" | 3/4" | SIMPSON |
| O66 BIFOLD | 51 | 6/8 | OAK | 1-19/16" | 4-7/16" | 7-1/2" | 7-7/8" | 3/4" | SIMPSON |
| 01310 | 53 | 6/8 | OAK | 4-5/8" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| 01315 | 53 | 6/8 | OAK | 4-5/8" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| P44 | 13 | 6/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P44 | 13 | 6/6 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P44 | 13 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P44 | 13 | 7/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P44 BIFOLD | 13 | 6/8 | PONDEROSA PINE | 2-1/8" | 4-9/16" | 7-1/2" | 8-1/4" | 9/16" | WOODGRAIN |
| P45 | 13 | 6/8 | PONDEROSA PINE | 4-17/32' | 6-1/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P64 | 11 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| P67 | 13 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P82A | 11 | 6/8 | PONDEROSA PINE | 4-17/32' | 8-3/64" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| P82 | 11 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 1-3/16" | WOODGRAIN |
| P85 | 13 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | 9/16" | WOODGRAIN |
| P108 | 13 | 6/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P108 | 13 | 6/6 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P108 | 13 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P108 | 13 | 7/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 7-1/2" | 9" | 9/16" | WOODGRAIN |
| P108 BIFOLD | 13 | 6/8 | PONDEROSA PINE | 2-1/8" | 4-9/16" | 7-1/2" | 8-1/4" | 9/16" | WOODGRAIN |
| P730 | 29 | 6/8 | PONDEROSA PINE | 4-1/4" | 4-1/16" | 5-3/16" | 7" | N/A | WOODGRAIN |

| DOOR STYLE | PAGE | DOOR HEIGHT | SPECIES | 3'0" STILE | TOP RAIL | LOCK RAIL | BOTTOM RAIL | PANEL | VENDOR |
|--------------|------|-------------|-----------------|------------|----------|-----------|-------------|-------|-----------|
| P730 BIFOLD | 29 | 6/8 | PONDEROSA PINE | 2-5/32" | 4-1/16"" | 5-3/16" | 6" | N/A | WOODGRAIN |
| P732 | 29 | 6/8 | PONDEROSA PINE | 4-1/4" | 4-1/16" | 5-3/16" | 7" | 9/16" | WOODGRAIN |
| P732 BIFOLD | 29 | 6/8 | PONDEROSA PINE | 2-5/32" | 4-1/16"" | 5-3/16" | 6" | 9/16" | WOODGRAIN |
| P1051 | 14 | 6/6 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 9" | 7-1/2" | 9/16" | WOODGRAIN |
| P1051 | 14 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 9" | 7-1/2" | 9/16" | WOODGRAIN |
| P1051 BIFOLD | 14 | 6/8 | PONDEROSA PINE | 2-3/16" | 4-9/16" | 9" | 6-1/2" | 9/16" | WOODGRAIN |
| P1053 | 14 | 6/6 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 9" | 7-1/2" | 9/16" | WOODGRAIN |
| P1053 | 14 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | 9" | 7-1/2" | 9/16" | WOODGRAIN |
| P1053 BIFOLD | 14 | 6/8 | PONDEROSA PINE | 2-3/16" | 4-9/16" | 9" | 6-1/2" | 9/16" | WOODGRAIN |
| P1088 | 13 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | 9/16" | WOODGRAIN |
| P1501 | 18 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1501 | 18 | 7/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1505 | 16 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1509 | 16 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1510 | 17 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1510 | 17 | 7/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1510FC | 18 | 6/8 | PONDEROSA PINE | 4-5/8" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| P1512 | 17 | 8/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1515 | 17 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1515 | 17 | 7/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1515B | 17 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1515FC | 18 | 6/8 | PONDEROSA PINE | 4-5/8" | 4-7/16" | N/A | 9-3/16" | N/A | SIMPSON |
| P1518 | 17 | 8/0 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P1705 BIFOLD | 17 | 6/8 | PONDEROSA PINE | 2-1/8" | 4-9/16" | N/A | 8" | N/A | WOODGRAIN |
| P3915V | 19 | 6/8 | PONDEROSA PINE | 4-17/32' | 4-9/16" | N/A | 9" | N/A | WOODGRAIN |
| P4127 | 15 | 6/8 | PONDEROSA PINE | 5-17/32" | 4-9/16" | N/A | 9" | 1/4" | WOODGRAIN |
| PN108 BIFOLD | 29 | 6/8 | PLANTATION PINE | 1-1/4" | 3-3/16" | 3-5/16" | 3" | 1/4" | RSP |
| PN730 BIFOLD | 29 | 6/8 | PLANTATION PINE | 1-1/4" | 3-3/16" | 3-5/16" | 3" | N/A | RSP |
| PN732 BIFOLD | 29 | 6/8 | PLANTATION PINE | 1-1/4" | 3-3/16" | 3-5/16" | 3" | 1/4" | RSP |
| T001 TRANSOM | 19 | 1/0 | PONDEROSA PINE | 4-1/2" | 2-3/8" | N/A | 2-3/8" | N/A | WOODGRAIN |
| T003 TRANSOM | 19 | 1/0 | PONDEROSA PINE | 4-1/2" | 2-3/8" | N/A | 2-3/8" | N/A | WOODGRAIN |
| T004 TRANSOM | 19 | 1/0 | PONDEROSA PINE | 4-1/2" | 2-3/8" | N/A | 2-3/8" | N/A | WOODGRAIN |
| T005 TRANSOM | 19 | 1/0 | PONDEROSA PINE | 4-1/2" | 2-3/8" | N/A | 2-3/8" | N/A | WOODGRAIN |

Finishing

HANDLING

- 1. Protect door from abuse and mishandling. Take special care with glass.
- 2. Avoid dragging doors across one another and keep doors clean.
- 3. Store flat on a level surface in a dry, well ventilated building.
- 4. Doors should be conditioned to average prevailing relative humidity of the locality before hanging.
- 5. Doors should not be subjected to extreme or rapid changes in heat or humidity. Avoid sudden changes such as forced heat to dry out a building.6. If the doors are to be stored on the job site, all surfaces including ends and edges must be sealed with an effective quality oil-base sealer in order to prevent undue moisture absorption. Primers are not sealants.

GENERAL NOTES

- 1. Before applying the first coat of finish, sand the entire surface lightly with 5/0 sandpaper (180 grit). This is to remove fingerprints and handling marks.
- 2. Adjust or align components if necessary before finishing. Wood panels "float" and may be knocked into alignment with a wood block and hammer. Be careful not to damage door.
- 3. After sanding, clean the door thoroughly with a cloth to remove all dust or foreign material. However, avoid using caustic or abrasive cleaners.
- 4. All surfaces of the door must be properly finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the exterior surface of the door. Doors must be dry before finishing. There can be significant humidity variance in homes from winter to summer and interior millwork will move. Finishing all sides properly protects your doors.
- 5. It is the finisher's responsibility to protect glass prior to and during finishing. If using tape, conduct a test of the tape being used on a small area of the glass before applying to a large surface. After finishing, remove the tape as soon as possible. If the glass has plastic film protection, removal of the plastic film protection immediately after applying the finish is required. Failure to remove the plastic film at this time may cause harm to the glass and will create difficulty in removing the film at a later time. Do not use razor blades or sharp objects to remove the film or clean the glass. These items will scratch the glass.

INTERIOR FINISHING STAIN

All stained products should use a stain controller prior to staining. Some species stain better than others. Please see individual species for stainmeter.

A good preparation is critical for good results. Sand the door and keep it very clean. Use a tack cloth to remove all particulate matter. Apply stain conditioner following manufacturers' instructions. Stain product and let dry. Finish with 2 or more coats of finish. InteriorClear finishes can be varnish, tung/teak oils, lacquers, etc.

VARNISHES

Oil and water based. Oil finishes dry slower and give the finish coat a slight glow in color. Water based varnishes are fast drying and have little or no color and depth.

OILS

Tung and teak oils are wipe on finishes. These dry slow and require many coats (4 or more). They typically give an amber color to the finish.

LACQUERS

Lacquers are fast drying finishes that are durable and give a nice depth and soft color.

A NOTE ABOUT PINE

Pine varies sometimes dramatically in density.

The best stained pine finishes come from Ponderosa Pine. This species has the best consistency in density and finishes nicely. This product is the "best" Pine door species. All exterior Pine doors are Domestic Ponderosa Pine.

The "White" pine product is beautiful in unfinished color consistency but has a characteristic of very pronounced color variation when stained. This product is great for Clear coats and paints. This is Reeb's "better" Pine door.

Plantation Pine has very pronounced grain patterns. The trees it is made from are very fast growing and the growth rings are very large. It can stain inconsistently. This is a "good" pine door that is made very well and good for value stain/paint needs.

PAINT

Follow all manufacturer finishing instructions for the best result. Unprimed doors should be primed with a good quality primer followed by two or more top coats of good quality solvent-base or latex enamel paint. It is recommended that sanding be done between coats of primer and paint.

MAITENANCE

Best results will include light sanding and thorough cleaning between coats of paint. Do not skip light sanding after applying the coat of primer. Take care not to sand any glass. Let paint dry between coats. Always use top quality brushes, rollers and paint.


CHALKBOARD PANEL DOOR

BREAKING IN A NEW CHALKBOARD DOOR

- 1. Wash the chalkboard surface daily with cool water for one week.
- 2. Wash only a small section at a time, immediately rubbing dry with a lintfree cloth
- 3. Repeat until the entire surface of the chalkboard has been washed.
- 4. After washing, hold a stick of chalk flat on the board and cover the entire surface
- 5. Erase evenly. The chalkboard is now ready to use.

MAINTENANCE TIPS

- 1. Clean erasers frequently.
- 2. Use white chalk rather than yellow or colored chalk, as the pigments can make them more difficult to erase.
- 3. Wash the chalkboard weekly if necessary.
- 4. Look for high grade chalk (95% chalk with a 5% binder), as inferior chalk may permanently mark the chalkboard.





Visit the Reeb® Learning Center for education on choosing the proper door unit, new products, and what product options are available.

Visit the Reeb Learning Center at learn.reeb.com



Online Interior Stile & Rail Catalog

For an interactive format of this catalog, please visit **reeb.com/catalogs**



Reeb® Warranty Information

View product warranties visit reeb.com/warranties

Bethlehem, PA

1000 Maloney Cir. Bethlehem, PA 18015 (800) 862-8622 voice (800) 772-7332 fax

■ Barclay, MD

1315 Goldsboro Rd. Barclay, MD 21607 (800) 825-8331 voice (800) 331-9387 fax

■ Mocksville, NC

346 Bethel Church Rd. Mocksville, NC 27028 (800) 642-0886 voice (800) 618-0620 fax

☐ Providence, RI

19 Business Park Dr. | Smithfield, RI 02917 (800) 343-5703 voice (800) 388-5979 fax

☐ Syracuse, NY

7475 Henry Clay Blvd. Liverpool, NY 13088 (800) 422-5224 voice (800) 531-7332 fax



PART# REEBINT24

VERSION 1.0.0

For more information, visit **reeb.com**.

COPYRIGHT © 2024 REEB® MILLWORK ALL RIGHTS RESERVED.