

**THERMA TRU®**  
DOORS

2025 FIBERGLASS & STEEL CATALOG



MANIFEST YOUR OUTER HOME

## Manifest your outer home.

**We reinvented the door,  
so you can reinvent your  
first impression.**

Thanks to decades of material science expertise, Therma-Tru doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.





---

## Table of Contents

2	<b>INTRODUCTION</b>
28	<b>PATIO, STORM &amp; VENT</b>
36	<b>CLASSIC CRAFT.</b>
100	<b>FIBER-CLASSIC. &amp; SMOOTH-STAR.</b>
115	<b>ENLITEN™ FLUSH-GLAZED DESIGNS</b>
208	<b>STEEL</b>
232	<b>FIRE DOORS</b>
236	<b>PULSE.</b>
250	<b>FINISH OPTIONS</b>
257	<b>DOOR SYSTEM COMPONENTS</b>
272	<b>SPECIAL QUOTE PROGRAM</b>
273	<b>3'6" WIDTH OPTIONS CHART</b>
274	<b>7'0" &amp; 6'6" HEIGHT OPTIONS CHARTS</b>
276	<b>PRODUCT DETAILS</b>
278	<b>INDEX</b>
291	<b>TRADE RESOURCES</b>

We've designed the only door you'll ever need.

**Proven to perform, protect and preserve.**

A Therma-Tru® complete door system is the culmination of **more than 60 years of expertise in material science, engineering and manufacturing**. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.



Since we manufacture or specify every part of our complete door system, we can test every part — ensuring that each component meets our highest standards, and yours. A Therma-Tru door system **provides unmatched performance** when it matters most — for exceptional protection against water infiltration, improved energy efficiency and unparalleled durability.

### 1 ENLITEN™ FLUSH-GLAZED GLASS

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency<sup>1</sup> and superior sound dampening.

### 2 BALL-BEARING HINGES

Our ball-bearing hinges have been slam-tested to sustain daily use by a family of four for **more than 150 years**.

### 3 WEATHERSTRIPPING

Provides two points of contact and a form-fitting barrier for extra protection against leaks.

### 4 PRESSURE-INJECTED FOAM CORE

Our fiberglass doors feature a pressure-injected foam core that offers **4X more insulation** than a wood door.<sup>2</sup>

### 5 SILL, SWEEP & CORNER PADS

When the door is closed, an enhanced seal provides elevated protection against water infiltration.

### 6 SILL PAN

Catches and drains water away from the home while offering an added layer of defense for the home's subfloor.



<sup>1</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>2</sup>Comparison of R-values of fiberglass to wood doors (both without glass).

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Homeowners want to be confident that their home is safe and secure — offer a door system that delivers continuous protection against forced entry, **providing invaluable peace of mind.**

### 1 COMPOSITE DOOR FRAME

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.<sup>1</sup>

### 2 MULTI-POINT LOCKING SYSTEM

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

### 3 FIBERGLASS DOORS

Fiberglass entry doors are tough, providing **30% more protection** against forced entry than steel.<sup>2</sup>



Learn more about a Therma-Tru complete door system.

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

A Therma-Tru® entryway offers **exceptional beauty that withstands the test of time**. From our industry-first fiberglass — made from a proprietary blend of advanced materials — to our innovative PrismaGuard finish, our door systems are built to last.

### 1 FLUSH-GLAZED GLASS

Choose beautiful glass built directly into the door, protected by a comprehensive warranty that covers accidental glass breakage during construction or installation.

### 2 PRE-FINISHED PRISMAGUARD. DOORS

Today's homeowners expect perfection — PrismaGuard offers an **impeccable, factory-applied finish** that meets the toughest expectations.

### 3 FIBERGLASS DOORS

A durable fiberglass skin resists dents and dings, providing unsurpassed beauty for a lifetime.



# Tru-Defense: The Ultimate Protection

A Therma-Tru® door system with Tru-Defense system components provides enhanced protection against water infiltration backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider. With a Tru-Defense system, you are eligible for a reimbursement of up to \$2,500 should an issue arise.<sup>1</sup>



## DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility.<sup>2</sup> Look for the (⊕) icon.



## How to choose a Tru-Defense® system:

### 1 SELECT ANY THERMA-TRU FIBERGLASS DOOR SLAB



### 2 CHOOSE YOUR COMPONENTS

**Door Frame**

**Bottom Sweep**  
(Inswing Only)

**Corner Seal Pads**  
(Inswing Only)

**Astragal**  
(Double Doors)

**Composite Adjustable Sill**

**Hinges** (Any)

**Weatherstrip** (Any)

**Rain Guard**  
(Outswing Only)

### 3 ADD ANY RECOMMENDED COMPONENTS FOR ENHANCED PROTECTION

**Multi-Point Locking System**  
(MPLS)

**Sill Pan**

## Tru-Defense Warranty Rider

### LEVELS OF REIMBURSEMENT

System Includes	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan) <sup>3</sup>	\$250	\$500
Latch & Deadbolt with Sill Pan <sup>3</sup>	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

<sup>1</sup>If water infiltrates solely as a result of non-conformities in the Tru-Defense door system.

<sup>2</sup>The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

<sup>3</sup>Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

# Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

## DID YOU KNOW?



On average, a home is burglarized in the U.S. **every 4 minutes**.<sup>1</sup>



More than half of home burglaries occur **during the daytime**.<sup>1</sup>

## THERMA-TRU® COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.<sup>2</sup>

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

<sup>1</sup>Source: FBI Crime Data Explorer.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.



## MATERIAL MYTHS

### Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.<sup>2</sup>
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.<sup>2</sup>
- Wood doors and steel doors may weaken over time with exposure to the elements.

## THERMA-TRU FIBERGLASS DOOR SLAB


Up to 30% more resistant to kick-ins than standard steel doors.<sup>3</sup>

Features durable construction that can withstand impact by absorbing and deflecting the force.<sup>3</sup>

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.


## THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Pendulum Impact Test

# Energy-Efficient Options for Every Home



Therma-Tru has options to meet ENERGY STAR® requirements in all **50 states**.

ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).



## A Therma-Tru® door can help lower your interest rate.

Choosing an ENERGY STAR-certified door from Therma-Tru can help you qualify for an energy-efficient mortgage.<sup>1</sup>

## Year-round comfort, no matter the weather.


Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

**NEW**

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in **gold** starting on page 117.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Scan to view qualifying products.

# Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®



**ADVANTA**  
LITE FRAME



Four-piece design includes two interchangeable frame covers and a two-piece base frame.

**NEW** Advanta lite frame clear and privacy glass now include options that meet ENERGY STAR requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

## A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

## AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS



**LIFETIME**  
LIMITED WARRANTY  
Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

**10 YEAR**  
LIMITED WARRANTY  
Profiles, Traditions,  
Pulse Steel



As Awarded by The Chicago Athenaeum: Museum of Architecture and Design.

## Recently Launched Products

### Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star® Doors

Starting on page 117.



### Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star® Doors

7'0" now available starting on page 125.




### 8'0" Smooth-Star® Doors & Sidelites with Elevated Bottom Rail

Starting on page 117.





A modern, minimalist house with a white exterior and a prominent red door. The house features a mix of materials, including wood paneling on the upper portion and a covered porch area. It is nestled in a dense forest of tall, green trees, with sunlight filtering through the leaves. The overall aesthetic is clean and natural.

Together, let's  
make a world  
of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru. Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

**THERMA ■ TRU**  
THRIVE™



## Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood<sup>1</sup>. Ours feature a polyurethane foam core, an **energy-efficient insulating material**.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard® paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance**. (AAMA 1304)



**GREEN BUILDER**  
SUSTAINABLE  
BRAND LEADER 2024

## Helping take care of our planet.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2024 Brand Leader<sup>2</sup>** by *Green Builder* magazine for offering durable, well-insulated products.

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of **Yellowstone National Park**.

## Being a good neighbor.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

**Building homes** for those in need with Habitat for Humanity.


**Providing entryways** for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.

**Hosting blood and donation drives** to support the American Red Cross.



<sup>1</sup>Comparison of fiberglass to wood doors (both without glass).  
<sup>2</sup>Brand Index, 2024 *Green Builder* magazine.


# Make a Smart Investment



## Make a great first impression.

A front door is nearly impossible to ignore when walking into a home and, for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.<sup>1</sup>



**One in three** homeowners said they were willing to pay a premium for an enhanced entry.<sup>1</sup>

<sup>1</sup>Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.  
Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

# The Beauty of Choice

The architectural beauty of a Therma-Tru® door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



## DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 20–21.



## DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22–25.



## FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® Stain on pages 250–256.



## DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 4–7.

# Designed for peace of mind.

## LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.



Classic Craft  
Transferable



Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

## QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab — approved to perform specific test methods with a third-party witness — as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.



# Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

## The Classic Craft® Series Pages 36–95

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

**LIFETIME**  
LIMITED WARRANTY  
Transferable



**Fir Grain**



**Walnut Grain**




**Mahogany Grain**



**Canvas**





## Fiber-Classic® & Smooth-Star® Collections Pages 100–201


The industry's first fiberglass door delivers the look and feel of real wood grains — or a smooth, paintable surface — with excellent performance and value.



**Mahogany Collection™**



**Oak Collection™**



**Smooth-Star®**

## Steel Pages 208–231

Bring style and affordability together to create very attractive results with our steel doors.



Door & Glass



Door



Glass



Fiberglass



Steel



**Profiles™**



**Traditions**



**Ari**



**Línea**



**Echo**

## Pulse® Pages 236–249

A contemporary series of door styles and glass designs that can be combined to make a bold statement.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Left Page: Classic Craft Walnut Grain Door – CCW8902L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx

# Glass Options

## DECORATIVE & SPECIALTY GLASS


A Therma-Tru® door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.



## TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

## INTERNAL BLINDS

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten™ flush-glazed designs and Impact-rated options.

Available in **Fiber-Classic**., **Smooth-Star**., **Profiles**™ and **Traditions** doors and sidelites.



Right Page: Smooth-Star, Clear Glass with SDLs,  
Door - S6042, Finish - Alpine

## PRIVACY & TEXTURED GLASS

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in **Classic Craft**®, **Fiber-Classic**®, **Smooth-Star**®, **Profiles**™, **Traditions** and **Pulse**® doors and sidelites.

### Glass Privacy Rating Scale

Glass privacy ratings are measured on a scale of 1 to 10, with 1 being clear and 10 being the most opaque, private option.



## LOW-E GLASS

Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

Available in **Classic Craft**, **Fiber-Classic**, **Smooth-Star**, **Profiles**, **Traditions** and **Pulse**. Look for the ☀️ icon.

## DIVIDED LITES

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in **Classic Craft**®, **Fiber-Classic**®, **Smooth-Star**®, **Profiles**™ and **Traditions**.

# EnLiten™ Flush-Glazed Designs

## for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥💧) icons.



### STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



**NEW** Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

<sup>1</sup>Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

<sup>2</sup>Must be installed as part of a Thermo-Tru door system in compliance with a Thermo-Tru product approval. Check product approvals before purchasing. Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven

Left Page Bottom: Smooth-Star, Internal Blinds, Doors – S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door – S83400XN, Sidelites – S85225XNSL, Finish – Peregrine





## DURABLE BY DESIGN

Intentional design for exceptional performance — sleek flush-glazed glass provides increased energy efficiency<sup>1</sup> and superior sound dampening.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.<sup>1</sup>




### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50),<sup>2</sup> (ASTM-E330)

## EnLiten Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 115 for details.

Tough when you need it. Beautiful always.




## Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

**1 Use the map as a guide to find out if you need product for WBDR or HVHZ.**

Always confirm building code requirements in your area before buying.<sup>1</sup>

**2 Use the icons to find available Therma-Tru® product options in this catalog.**



**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

**3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.<sup>1</sup>**

**4 Make sure the product is installed in compliance with the product approval to meet building codes.**

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

<sup>1</sup>Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

**NEW** WBDR full-lite flush-glazed styles starting on page 117.




## IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.<sup>1</sup>




### Doors

Feature a built-in 24-gauge steel plate.



### Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### **NEW** Flush-Glazed Glass

Offers clean style and an increased daylight opening.



### Glass

Features special laminated glass construction.



### Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

## OTHER CONSIDERATIONS



### Fire Doors

See pages 232–235.



### Noise Reduction Doors

See page 197.



### Elevated 10" Bottom Rail

Look for the (E) symbol.

# Hinged Patio Door Systems

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components

### VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
  - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
  - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the ( ● ) symbol.

#### Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

### PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

# Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



<sup>1</sup>Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

<sup>2</sup>Based on average DIY skills and standard door application, widths 32"-36".


<sup>3</sup>Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.




## AVAILABLE SIZES

(Available for most inswing units.)



**Single Door System**  
Widths: 32"-36"  
Heights: 6'6", 6'8", 8'0"



**French Door System**  
Widths: 68"-73"  
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.<sup>2</sup>

## AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.<sup>3</sup>



White






Brown



Black

## AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

## WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

**LIFETIME**  
LIMITED WARRANTY

Classic Craft  
Transferable

**LIFETIME**  
LIMITED WARRANTY

Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

**10 YEAR**  
LIMITED WARRANTY

Profiles, Traditions,  
Pulse Steel

**LIFETIME**  
LIMITED WARRANTY

# Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system<sup>1</sup> integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



**1** Choose a **Therma-Tru® entry door** to create an entry that complements your home's architectural style.



**2** The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard™ composite technology**.



**3** The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould**.

<sup>1</sup>Patent pending.

<sup>2</sup>The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.

<sup>3</sup>Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.






**THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE**

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job.



**Scan the QR code to learn more about storm door panel installation.**



**6 ALUMINUM STORM DOOR OPTIONS**

**Available Sizes & Configurations**

Choose Low-E or clear glass.  
Interchangeable screen panel included.



**IM100**  
3'0" x 6'8"  
2'8" x 6'8"

**IM8100**  
3'0" x 8'0"  
2'8" x 8'0"

**Color Options**

Features a maintenance-free finish.



**White**  
Color-matched to PrismaGuard Alpine.



**Gray**  
Color-matched to PrismaGuard Granite.



**Brown**  
Color-matched to PrismaGuard Elk and complements most stain options.



**Black**  
Color-matched to PrismaGuard Onyx.

**7 QUICKFIT™ HANDLESETS<sup>3</sup>**



**Straight**



**Curved**



Brushed Nickel



Aged Bronze



Matte Black



Brass



Antique Brass

Curved Only



Single



Single with 1 Sidelite<sup>2</sup>



Single with 2 Sidelites<sup>2</sup>

**WARRANTY COVERAGE**

The Impressions integrated storm and entry door system is included in Thermo-Tru's full-system limited warranty.

# Veris™

COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

## THE VERIS™ COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors





## NEW SATIN GLASS

Subtle privacy glass with a smooth, seamless finish, delivering understated elegance.

Veris privacy glass provides optimal performance and privacy while allowing natural light to brighten the interior. Double-pane construction allows for an easy-to-clean surface.



Experience the Veris Collection.



Scan the QR code to view the complete Veris Collection catalog.

Explore options and see it in your home with our visualizer at [veriscollection.com](https://www.veriscollection.com).

Classic Craft<sup>®</sup>

## An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door - CCM81519

Right Page: Classic Craft Mahogany Grain, Clear Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR





## Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.



Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven  
 Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn  
 Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx

## Comprehensive warranties for peace of mind.

**LIFETIME**

LIMITED WARRANTY

Classic Craft  
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

**10 YEAR**

LIMITED WARRANTY

Classic Craft Finish  
Transferable


In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at [thermatru.com/warranty](http://thermatru.com/warranty).



## Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.



## Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



### ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



### DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider<sup>1</sup> to welcome more natural light into the home.



### TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



### THERMA-TRU. DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



<sup>1</sup>Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo





### DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker<sup>1</sup> for added durability and better long-term performance.



### TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



### CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain<sup>®</sup> technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



### BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.<sup>1</sup>



### CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.<sup>2</sup>

## True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain.  
TECHNOLOGY



### FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.




### WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



### MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



### CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.





# Decorative & Specialty Glass Designs


## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray antique glass. An ideal complement for a Transitional home design.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

## Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber antique glass and ⑥ clear bevels.

### GLASS SHAPES



### GLASS PRIVACY RATING



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 52 to see an example on a home.



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

### GLASS SHAPES




Corresponding sidelites feature Granite glass without wrought iron.

### GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 69 to see an example on a home.



Wrought Iron

## Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

### GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

### GLASS PRIVACY RATING



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 36 to see an example on a home.



Wrought Iron

# Decorative & Specialty Glass Designs *Continued*

## Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel


## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

## Zaha®

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features ① oceana and ② seedy glass, ③ clear and ④ multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

# Privacy & Textured Glass



## Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



**GLASS PRIVACY RATING**



## Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



**GLASS PRIVACY RATING**



## Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.



**GLASS PRIVACY RATING**



## Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.



**GLASS PRIVACY RATING**



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.





### Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.



#### GLASS PRIVACY RATING



### Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.



#### GLASS PRIVACY RATING



## Also Available:

### Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.







## Divided Lites


Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

### Simulated Divided Lites (SDLs)



Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (  ) icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (  ) icon.





(40.64 mm / 1.6 in.)  
Look for the (  ) icon.





(107.95 mm / 4.25 in.)  
Look for the (  )  
and (  ) icons.




(139.70 mm / 5.5 in.)  
Look for the (  )  
and (  ) icons.




Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (  ) and (  ) icons.



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)  
Look for the (  ) icon.

Fir Grain

Canvas

Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Top: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress  
Right Page: Classic Craft Fir Grain, Reeded Glass with SDLs, Door – CCA2320XK, Sidelites – CCA2320XKSL, Finish – Rustic Clay

# Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.




**Detailed Sticking**  
Look for the (🔥) icon.



**Square Sticking (Fir Grain)**  
Look for the (💧) icon.



**Square Sticking (Mahogany Grain)**  
Look for the (💧) icon.



**EnLiten™ Flush-Glazed Warranty Riders**  
for Construction & Installation, and Homeowners.  
See page 115 for details.



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



**Classic Craft. Fir Grain 4-Block Dentil Shelf**



**Classic Craft. Fir Grain 4-Block Dentil Shelf<sup>1</sup>**



**Classic Craft. Fir Grain 16-Block Dentil Shelf**



**Classic Craft. Canvas 4-Block Dentil Shelf**



**4-Block Dentil Shelf**  
Shown on 3'6" x 8'0" door.



**4-Block Dentil Shelf**  
Shown on 3'0" x 8'0" door.

<sup>1</sup>Pairs with 3'6" wide doors.

Top: Classic Craft Fir Grain, Arborwatch Glass, Door – CCA9100, Sidelites – CCA1423SL, Finish – Autumn Harvest; Dentil Shelf  
Right Page: Classic Craft Mahogany Grain Door – CCR205, Finish – Raven; Clavos & Strap Hinges



## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



1-1/2"



1-1/4"



1"



1-3/4"



1-1/4"



1"



18"




# Full Lites



Mahogany Grain

Canvas

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

## HOMeward™



Mahogany

CCR9925  
3'0" x 6'8"



Mahogany

CCR9925SL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV9925  
3'0" x 6'8"



Canvas

CCV911SL  
 12" x 6'8"  
14" x 6'8"

## ARBORWATCH™



Mahogany

CCR1423  
3'0" x 6'8"



Mahogany

CCR1423SL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV1423  
3'0" x 6'8"



Canvas

CCV1423SL  
 12" x 6'8"  
14" x 6'8"

## AUGUSTINE™



Mahogany

CCR30027  
3'0" x 6'8"



Mahogany

CCR3400XNSL  
 12" x 6'8"  
14" x 6'8"



Canvas

CCV10027  
3'0" x 6'8"



Canvas

CCV100XNSL  
 12" x 6'8"  
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

**BORRASSA. X**



Mahogany

CCR1528  
3'0" x 6'8"



Mahogany

CCR3400XHSL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV1528  
3'0" x 6'8"



Canvas

CCV100XHSL  
12" x 6'8"  
14" x 6'8"

**PROVINCIAL.™**



Mahogany

CCR30028  
3'0" x 6'8"



Mahogany

CCR3408SL  
12" x 6'8"  
14" x 6'8"

**LONGFORD.™**



Canvas

CCV10028  
3'0" x 6'8"



Canvas

CCV108SL  
12" x 6'8"  
14" x 6'8"



Mahogany

CCR30023  
3'0" x 6'8"



Mahogany

CCR3407SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10023  
3'0" x 6'8"



Canvas

CCV103SL  
12" x 6'8"  
14" x 6'8"

**LUCERNA.™**



Mahogany

CCR10022  
3'0" x 6'8"



Mahogany

CCR3412SL  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10022  
3'0" x 6'8"



Canvas

CCV3412SL  
12" x 6'8"  
14" x 6'8"

# Full Lites


Continued



Fir Grain



Mahogany Grain



Canvas

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XK = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

## ZAHA.



Mahogany

CCR1851  
3'0" x 6'8"



Mahogany

CCR1851SL  
 12" x 6'8"  
14" x 6'8"



Canvas


CCV1851  
3'0" x 6'8"



Canvas

CCV1851SL  
 12" x 6'8"  
14" x 6'8"

## PRIVACY & TEXTURED




Fir

CCA2300  
 3'0" x 6'8"



Fir


CCA82300  
 3'0" x 8'0"



Fir


CCA2310  
 3'0" x 6'8"

CCA82310  
 3'0" x 8'0"



Fir

CCA2330  
 3'0" x 6'8"



Fir


CCA82330  
 3'0" x 8'0"



Fir

CCA2340  
 3'0" x 6'8"

CCA82340  
 3'0" x 8'0"



Fir

CCA2380  
 3'0" x 6'8"

CCA82380  
 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.





Fir

CCA2350\_\*  
 3'0" x 6'8"


CCA82350\_\*  
 3'0" x 8'0"



Fir

CCA2360\_\*  
 3'0" x 6'8"

CCA82360\_\*  
 3'0" x 8'0"



Fir

CCA2370\_\*  
 3'0" x 6'8"


CCA82370\_\*  
 3'0" x 8'0"



Fir

CCA4900\_\*  
 3'0" x 6'8"


CCA84900\_\*  
 3'0" x 8'0"



Fir

CCA4910L\_\*  
 3'0" x 6'8"

CCA4910R\_\*  
 3'0" x 6'8"



Fir

CCA84910L\_\*  
 3'0" x 8'0"


CCA84910R\_\*  
 3'0" x 8'0"



Fir

CCA4920L\_\*  
 3'0" x 6'8"

CCA4920R\_\*  
 3'0" x 6'8"



Fir

CCA84920L\_\*  
 3'0" x 8'0"

CCA84920R\_\*  
 3'0" x 8'0"



Fir

CCA4930\_\*  
 3'0" x 6'8"


CCA84930\_\*  
 3'0" x 8'0"



Fir

CCA4940\_\*  
 3'0" x 6'8"

CCA84940\_\*  
 3'0" x 8'0"



Fir

CCA2400\_\*  
 3'0" x 6'8"

CCA82400\_\*  
 3'0" x 8'0"

# Full Lites

Continued



Fir Grain

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Elevated 10" Bottom Rail Options

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48–49.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

## PRIVACY & TEXTURED



Fir

CCA2300_SL	CCA82300_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2310_SL	CCA82310_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2320_SL	CCA82320_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2330_SL	CCA82330_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2340_SL	CCA82340_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir

CCA2400_SL	CCA82400_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

## LOW-E



Fir

CCA2300	CCA82300
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2310	CCA82310
3'0" x 6'8"	3'0" x 8'0"



Fir

CCA2320	CCA82320
3'0" x 6'8"	3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.


Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA2330  
 ▲ ★ 3  
 3'0" x 6'8"


CCA82330  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA2340  
 ▲ ★ 3  
 3'0" x 6'8"

CCA82340  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA2380  
 ▲ ★ 6  
 3'0" x 6'8"

CCA82380  
 ▲ ★ 6 E  
 3'0" x 8'0"



Fir

CCA2350  
 ▲ ★ 6  
 3'0" x 6'8"

CCA82350  
 ▲ ★ 6 E  
 3'0" x 8'0"



Fir

CCA2360  
 ▲ ★ 6  
 3'0" x 6'8"

CCA82360  
 ▲ ★ 6 E  
 3'0" x 8'0"



Fir

CCA2370  
 ▲ ★ 4  
 3'0" x 6'8"


CCA82370  
 ▲ ★ 4 E  
 3'0" x 8'0"



Fir

CCA4900  
 ▲ ★ 3  
 3'0" x 6'8"

CCA84900  
 ▲ ★ 3 E  
 3'0" x 8'0"



Fir

CCA4910L  
 ▲ ★ 3  
 3'0" x 6'8"

CCA4910R  
 ▲ ★ 3  
 3'0" x 6'8"



Fir

CCA84910L  
 ▲ ★ 3 E  
 3'0" x 8'0"

CCA84910R  
 ▲ ★ 3 E  
 3'0" x 8'0"




Fir

CCA4920L  
 ▲ ★ 6  
 3'0" x 6'8"

CCA4920R  
 ▲ ★ 6  
 3'0" x 6'8"

# Full Lites

Continued



Fir Grain



Mahogany Grain




Canvas

## Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- Elevated 10" Bottom Rail Options


## LOW-E



Fir		Fir	
CCA84920L 3'0" x 8'0"	CCA84920R 3'0" x 8'0"	CCA4930 3'0" x 6'8"	CCA84930 3'0" x 8'0"



Fir		Fir		Fir	
CCA4940 3'0" x 6'8"	CCA84940 3'0" x 8'0"	CCA2400 3'0" x 6'8"	CCA82400 3'0" x 8'0"	CCA2300SL 12" x 6'8" 14" x 6'8"	CCA82300SL 12" x 8'0" 14" x 8'0"



Fir		Fir		Fir	
CCA2310SL 12" x 6'8" 14" x 6'8"	CCA82310SL 12" x 8'0" 14" x 8'0"	CCA2320SL 12" x 6'8" 14" x 6'8"	CCA82320SL 12" x 8'0" 14" x 8'0"	CCA2330SL 12" x 6'8" 14" x 6'8"	CCA82330SL 12" x 8'0" 14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelite - CCA2400SL, Finish - Rustic Clay



Fir

CCA2340SL  
 12" x 6'8"  
 14" x 6'8"

CCA82340SL  
 12" x 8'0"  
 14" x 8'0"



Fir

CCA2400SL  
 12" x 6'8"  
 14" x 6'8"

CCA82400SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

CCR30020  
 3'0" x 6'8"



Mahogany

CCR2025SL  
 12" x 6'8"  
 14" x 6'8"



Mahogany

CCR3400SL  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV10020  
 3'0" x 6'8"



Canvas

CCV950SL  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV100SL  
 12" x 6'8"  
 14" x 6'8"





Mahogany Grain

Canvas

Key

- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)



Mahogany

CCM2801 | CCM82801  
 ▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCM9923  
 3'0" x 6'8"



Mahogany

CCR9925SL | CCR89925SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Canvas

CCV9922 | CCV89922  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV911SL | CCV8111SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

ARBORWATCH. ◆ ■■



Mahogany

CCM81418  
 3'0" x 8'0"



Mahogany

CCM1419  
 3'0" x 6'8"



Mahogany

CCR1423SL | CCR81423SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Canvas

CCV1418 | CCV81418  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1423SL | CCV81423SL  
 ▲ 12" x 6'8" | ▲ 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

AUGUSTINE. ✕



Mahogany

CCM805027  
 3'0" x 8'0"



Mahogany

CCM1485  
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany  
CCM1495  
3'0" x 6'8"

Mahogany  
CCR3400XNSL | CCR8000XNSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas  
CCV05027 | CCV805027  
3'0" x 6'8" | 3'0" x 8'0"

Canvas  
CCV100XNSL | CCV8100XNSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

**BORRASSA. X**



Mahogany  
CCM81519  
3'0" x 8'0"

Mahogany  
CCM1475  
3'0" x 6'8"

Mahogany  
CCM1465  
3'0" x 6'8"

Mahogany  
CCR3400XHSL | CCR8000XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Canvas  
CCV1519 | CCV81519  
3'0" x 6'8" | 3'0" x 8'0"

**LONGFORD™** ◆



Canvas  
CCV100XHSL | CCV8100XHSL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

Mahogany  
CCM892  
3'0" x 8'0"

Mahogany  
CCM203  
3'0" x 6'8"

Mahogany  
CCM303  
3'0" x 6'8"

# 3/4 Lites

Continued



Mahogany Grain

## Canvas

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDLF6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.


- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

## LONGFORD™ ◆ ❏




Mahogany	Mahogany		Canvas		Canvas	
CCM3303SL ▲ 12" x 6'8" 14" x 6'8"	CCR3407SL ▲ 12" x 6'8" 14" x 6'8"	CCR8007SL ▲ 12" x 8'0" 14" x 8'0"	CCV05023 3'0" x 6'8"	CCV805023 3'0" x 8'0"	CCV103SL ▲ 12" x 6'8" 14" x 6'8"	CCV8103SL ▲ 12" x 8'0" 14" x 8'0"

## LUCERNA◆ ◆ ❏



Mahogany		Mahogany		Mahogany
CCM2802 ▲ 3'0" x 6'8"	CCM82802 ▲ 3'0" x 8'0"	CCR3412SL ▲ 12" x 6'8" 14" x 6'8"	CCR8102SL ▲ 12" x 8'0" 14" x 8'0"	CCM204 3'0" x 6'8"



Mahogany	Mahogany	Canvas		Canvas	
CCM302 3'0" x 6'8"	CCM3302SL ▲ 12" x 6'8" 14" x 6'8"	CCV05022 3'0" x 6'8"	CCV805022 3'0" x 8'0"	CCV3412SL ▲ 12" x 6'8" 14" x 6'8"	CCV8102SL ▲ 12" x 8'0" 14" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Chinchilla (XJ) glass.

Note: See page 277 for important product details that may help with your purchase decision.






Mahogany

CCR3408SL	CCR8008SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Canvas

CCV05028	CCV805028
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV108SL	CCV8108SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Mahogany

CCM2803	CCM82803
▲ 3'0" x 6'8"	▲ 3'0" x 8'0"



Mahogany

CCR1851SL	CCR81851SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"



Mahogany

CCM1844
3'0" x 6'8"



Mahogany

CCM1842
3'0" x 6'8"




Mahogany

CCM1843SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV1843	CCV81843
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV1851SL	CCV81851SL
▲ 12" x 6'8"	▲ 12" x 8'0"
▲ 14" x 6'8"	▲ 14" x 8'0"

PRIVACY & TEXTURED



Mahogany

CCM2804_*	CCM82804_*
▲ 6 3'0" x 6'8"	▲ 6 3'0" x 8'0"



Mahogany

CCM2806_*	CCM82806_*
▲ 6 3'0" x 6'8"	▲ 6 3'0" x 8'0"



Mahogany

CCM2812_*	CCM82815_*
▲ 6 3'0" x 6'8"	▲ 6 3'0" x 8'0"



Mahogany

CCM2800_*	CCM82800_*
▲ 3'0" x 6'8"	▲ 3'0" x 8'0"

# 3/4 Lites




Continued



Mahogany Grain

## Canvas

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDL6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch**      **XR = Rainglass**
- XC = Chord**        **XN = Granite**
- XJ = Chinchilla**

## PRIVACY & TEXTURED



Mahogany

CCM200XC  
CCM200XN  
3'0" x 6'8"







Mahogany

CCM300XC  
CCM300XN  
3'0" x 6'8"





Mahogany

CCR2025\_SL    CCR82035\_SL  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Mahogany

CCR3400\_SL    CCR8000\_SL  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Canvas

CCV05020XC  
CCV05020XN  
3'0" x 6'8"





Canvas

CCV950\_SL    CCV8950\_SL\*  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"



Canvas

CCV100\_SL    CCV8100\_SL\*  
        
12" x 6'8"      12" x 8'0"  
14" x 6'8"      14" x 8'0"

## LOW-E



Mahogany

CCM2804    CCM82804  
          
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2806    CCM82806  
          
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2812    CCM82815  
          
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2800  
 3'0" x 6'8"

CCM82800  
 3'0" x 8'0"



Mahogany

CCR2025SL  
 12" x 6'8"  
 14" x 6'8"

CCR82035SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

CCR3400SL  
 12" x 6'8"  
 14" x 6'8"

CCR8000SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

CCM200  
 3'0" x 6'8"



Mahogany

CCM300  
 3'0" x 6'8"



Mahogany

CCM3300SL  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV05020  
 3'0" x 6'8"

CCV805020  
 3'0" x 8'0"



Canvas

CCV950SL  
 12" x 6'8"  
 14" x 6'8"

CCV8950SL  
 12" x 8'0"  
 14" x 8'0"



Canvas

CCV100SL  
 12" x 6'8"  
 14" x 6'8"

CCV8100SL  
 12" x 8'0"  
 14" x 8'0"





Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

Optional Accessories



Clavos



Strap Hinge

HOMEWARD™ ◆ ▣



Mahogany

CCR9921 3'0" x 6'8"  
 CCR89921 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR9919 3'0" x 6'8"  
 CCR89919 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8"  
 CCR89918 3'0" x 8'0"



Mahogany

CCR822218 3'0" x 8'0"  
 3'6" x 8'0"



Canvas

CCV9919 3'0" x 6'8"  
 CCV89919 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8"  
 CCV89918 3'0" x 8'0"

ARBORWATCH® ◆ ▣



Mahogany

CCR1417 3'0" x 6'8"  
 CCR81417 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR1415 3'0" x 6'8"  
 CCR81415 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR1414 3'0" x 6'8"  
 CCR81414 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527, Finish – New Earth

**AUGUSTINE. X**



Mahogany

CCR822214  
3'0" x 8'0"  
3'6" x 8'0"



Canvas

CCV1415 | CCV81415  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCV81414  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR04027 | CCR804027  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20527 | CCR820527  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20027 | CCR820027  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822227  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR04037 | CCR804037  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"

**AUGUSTINE** *Continues on next page.*



**AUGUSTINE. X**



Mahogany

CCR20537 3'0" x 6'8"  
 CCR820537 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20037 3'0" x 6'8"  
 CCR820037 3'0" x 8'0"



Mahogany

CCR20537A 3'0" x 6'8"  
 CCR820537A 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20037A 3'0" x 6'8"  
 CCR820037A 3'0" x 8'0"



Canvas

CCV20527 3'0" x 6'8"  
 CCV820527 3'0" x 8'0"



Canvas

CCV22027 3'0" x 6'8"  
 CCV822027 3'0" x 8'0"

2/3 Lites

Continued



Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

Optional Accessories



Clavos



Strap Hinge

**BORRASSA. X**



Canvas

CCV20537 3'0" x 6'8"  
 CCV820537 3'0" x 8'0"



Mahogany

CCR1518 3'0" x 6'8"  
 CCR81518 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR1516 3'0" x 6'8"  
 CCR81516 3'0" x 8'0"  
 3'6" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR1515 | CCR81515  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822215  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1514 | CCR81514  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1512 | CCR81512  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511 | CCR81511  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR1512A | CCR81512A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511A | CCR81511A  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1516 | CCV81516  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1515 | CCV81515  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1512 | CCV81512  
3'0" x 6'8" | 3'0" x 8'0"

PROVINCIAL™ ◆



Mahogany

CCR804028  
3'0" x 8'0"



Mahogany

CCR820528  
3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

- ◆ Black Nickel Caming (1D)
- ▣ Brushed Nickel Caming (1C)

Optional Accessories



Clavos



Strap Hinge

PROVINCIAL™ ◆ ▣



Mahogany

CCR820028  
3'0" x 8'0"



Mahogany

CCR822228  
3'0" x 8'0"



Canvas

CCV820528  
3'0" x 8'0"



Canvas

CCV822028  
3'0" x 8'0"

LONGFORD™ ◆ ▣



Mahogany

CCR04023 | CCR804023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20523 | CCR820523  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20023 | CCR820023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822223  
3'0" x 8'0"



Canvas

CCV20523 | CCV820523  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023  
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.





Mahogany

CCR04022 | CCR804022  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20522 | CCR820522  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20022 | CCR820022  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822222  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR804032  
3'0" x 8'0"



Mahogany

CCR820532  
3'0" x 8'0"



Mahogany

CCR820032  
3'0" x 8'0"



Mahogany

CCR820532A  
3'0" x 8'0"



Mahogany

CCR820032A  
3'0" x 8'0"

ZAHA. ◆ ::



Canvas

CCV20522 | CCV820522  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22022 | CCV822022  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820532  
3'0" x 8'0"



Mahogany

CCR1841 | CCR81841  
3'0" x 6'8" | 3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch      XR = Rainglass
- XG = Chord          XN = Granite

Optional Accessories



Clavos




Strap Hinge



Mahogany		Mahogany		Mahogany
CCR1839	CCR81839	CCR1838	CCR81838	CCR822238
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"



Mahogany	Mahogany	Mahogany	Mahogany
CCR81847	CCR81846	CCR81845	CCR81846A
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"



Mahogany	Canvas		Canvas		Canvas
CCR81845A	CCV1839	CCV81839	CCV1838	CCV81838	CCV81846
3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) or Rainglass (XR) glass.

Note: See page 277 for important product details that may help with your purchase decision.

**PRIVACY & TEXTURED**



Mahogany

CCR04020\_\* | CCR804020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20520\_\* | CCR820520\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20020\_\* | CCR820020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822220\_\*  
3'0" x 8'0"



Mahogany

CCR804030\_\*  
3'0" x 8'0"



Mahogany

CCR820530\_\*  
3'0" x 8'0"



Mahogany

CCR820030\_\*  
3'0" x 8'0"



Mahogany

CCR820530A\_\*  
3'0" x 8'0"



Canvas

CCV20520\_\* | CCV820520\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020\_\* | CCV822020\_\*  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820530\_\*  
3'0" x 8'0"



Mahogany

CCM302L\_\* | CCM302R\_\*  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L\_\* | CCM8302R\_\*  
3'0" x 8'0" | 3'0" x 8'0"

**PRIVACY & TEXTURED**

2/3 Lites

Continued



**Mahogany Grain**

**Key**

Flush-Glazed Glass with Square Sticking (FG)

Low-E Glass (LE)

Simulated Divided Lites (SDLF6)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

**XE = Satin Etch      XR = Rainglass**  
**XC = Chord          XN = Granite**



Mahogany

CCM304L\_\_ | CCM304R\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8304L\_\_ | CCM8304R\_\_  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L\_\_ | CCM303R\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L\_\_ | CCM8303R\_\_  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL\_\_ | CCM301CAR\_\_  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL\_\_ | CCM8301CAR\_\_  
 3'0" x 8'0" | 3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM305CAL\_ CCM305CAR\_  
 3'0" x 6'8" 3'0" x 6'8"



Mahogany

CCM8305CAL\_ CCM8305CAR\_  
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCM306CAL\_ CCM306CAR\_  
 3'0" x 6'8" 3'0" x 6'8"

LOW-E



Mahogany

CCM8306CAL\_ CCM8306CAR\_  
 3'0" x 8'0" 3'0" x 8'0"



Mahogany

CCR04020 CCR804020  
 3'0" x 6'8" 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20520 CCR820520  
 3'0" x 6'8" 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR20020 CCR820020  
 3'0" x 6'8" 3'0" x 8'0"



Mahogany

CCR822220  
 3'0" x 8'0"  
 3'6" x 8'0"



Mahogany

CCR804030  
 3'0" x 8'0"



Mahogany

CCR820530  
 3'0" x 8'0"



Mahogany

CCR820030  
 3'0" x 8'0"

Continued



Mahogany Grain

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

LOW-E




Mahogany

CCR820530A  
  
 3'0" x 8'0"



Mahogany

CCR820030A  
  
 3'0" x 8'0"



Canvas

CCV20520 | CCV820520  
 |   
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22020 | CCV822020  
 |   
 3'0" x 6'8" | 3'0" x 8'0"






Canvas

CCV820530  
  
 3'0" x 8'0"



Mahogany

CCM302L | CCM302R  
  |    
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L | CCM8302R  
  |    
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM304L | CCM304R  
   |     
 3'0" x 6'8" | 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCM8304L | CCM8304R  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL | CCM301CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR  
3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR  
3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL | CCM8306CAR  
3'0" x 8'0" | 3'0" x 8'0"

1/2 Lites



Mahogany Grain

Canvas

**Key**

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

**XE = Satin Etch**

**HOMEWARD™**



Mahogany

CCM9926  
3'0" x 6'8"



Canvas

CCV9926  
3'0" x 6'8"

**ARBORWATCH™**



Mahogany

CCM1424  
3'0" x 6'8"



Canvas

CCV1424  
3'0" x 6'8"

**PROVINCIAL™**



Canvas

CCV06028  
3'0" x 6'8"

**LONGFORD™**



Mahogany

CCM603  
3'0" x 6'8"



Canvas

CCV06023  
3'0" x 6'8"

**LUCERNA™**



Mahogany

CCM612  
3'0" x 6'8"



Canvas

CCV06022  
3'0" x 6'8"

**PRIVACY & TEXTURED**



Mahogany

CCM600XE  
3'0" x 6'8"



Canvas

CCV06020XE  
3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Lucerna Glass, Door – CCV06022, Finish – Cabernet



LOW-E



Mahogany

CCM600

☀️  
3'0" x 6'8"



Canvas

CCV06020

☀️  
3'0" x 6'8"



# Craftsman



Fir Grain

HOMEWARD™ ◆ ■■



Fir

CCA231  
▲  
3'0" x 6'8"

CCA8231  
▲  
3'0" x 8'0"



Fir

CCA87132  
▲  
3'6" x 8'0"



Fir

CCA211  
▲  
3'0" x 6'8"

CCA8211  
▲  
3'0" x 8'0"

## Canvas

### Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XC = Chord
- XR = Rainglass
- XJ = Chinchilla
- XN = Granite

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf  
Pairs with 3'6" wide doors.



4-Block Dentil Shelf



Fir

CCA87112  
▲  
3'6" x 8'0"



Fir


CCA3401SL  
▲  
12" x 6'8"  
14" x 6'8"

CCA3501SL  
▲  
12" x 8'0"  
14" x 8'0"




Fir

CCA211SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV931  
▲  
3'0" x 6'8"



Canvas

CCV911  
▲  
3'0" x 6'8"



Canvas

CCV911SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV9011SL  
▲  
12" x 6'8"  
14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Fir

CCA9300  
▲ 3'0" x 6'8"

CCA89300  
▲ 3'0" x 8'0"



Fir

CCA87131  
▲ 3'6" x 8'0"



Fir

CCA9100  
▲ 3'0" x 6'8"

CCA89100  
▲ 3'0" x 8'0"



Fir

CCA87111  
▲ 3'6" x 8'0"



Fir

CCA1423SL  
▲ 12" x 6'8"

CCA81423SL  
▲ 14" x 6'8"



Fir

CCA9100SL  
▲ 12" x 6'8"

▲ 14" x 6'8"



Canvas

CCV4300  
▲ 3'0" x 6'8"



Canvas

CCV4100  
▲ 3'0" x 6'8"



Canvas

CCV1423SL  
▲ 12" x 6'8"

▲ 14" x 6'8"



Canvas

CCV4100SL  
▲ 12" x 6'8"

▲ 14" x 6'8"

PRIVACY & TEXTURED



Fir

CCA220\_▲  
▲ 3'0" x 6'8"

CCA8220\_▲  
▲ 3'0" x 8'0"



Fir

CCA87200XR  
▲ 3'6" x 8'0"



Fir

CCA230\_▲  
▲ 3'0" x 6'8"

CCA8230\_▲  
▲ 3'0" x 8'0"



Fir

CCA87300XR  
▲ 3'6" x 8'0"





Continued



Fir Grain

## Canvas

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 48-49.

- XE = Satin Etch      XR = Rainglass
- XC = Chord          XN = Granite
- XJ = Chinchilla

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf  
Pairs with 3'6" wide doors.






4-Block Dentil Shelf

## PRIVACY & TEXTURED



Fir

CCA240\_\_\*    CCA8240\_\_\*  
  3'0" x 6'8"      3'0" x 8'0"



Fir

CCA87400XR  
  3'6" x 8'0"





Fir

CCA260\_\_\*    CCA8260\_\_\*  
  3'0" x 6'8"      3'0" x 8'0"



Fir

CCA87600XR  
  3'6" x 8'0"



Fir

CCA210\_\_\*    CCA8210\_\_\*  
 3'0" x 6'8"      3'0" x 8'0"




Fir

CCA87100XR  
 3'6" x 8'0"



Fir

CCA3450\_\_SL\*    CCA3560\_\_SL\*  
  12" x 6'8"      12" x 8'0"  
  14" x 6'8"      14" x 8'0"



Fir

CCA3400\_\_SL\*    CCA3500\_\_SL\*  
  12" x 6'8"      12" x 8'0"  
  14" x 6'8"      14" x 8'0"





Fir

CCA220\_\_SL\*  
  12" x 6'8"  
  14" x 6'8"



Fir

CCA210\_\_SL\*  
 12" x 6'8"  
 14" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) glass.

Note: See page 277 for important product details that may help with your purchase decision.



Canvas

CCV920\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV930\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV940\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV960\_\*  
 ▲ ■ 3'0" x 6'8"



Canvas

CCV910\_\*  
 ▲ 3'0" x 6'8"



Canvas

CCV950\_SL  
 ▲ ■ 12" x 6'8"  
 14" x 6'8"



Canvas

CCV8950\_SL\*  
 ▲ ■ 12" x 8'0"  
 14" x 8'0"



Canvas

CCV100\_SL  
 ▲ 12" x 6'8"  
 14" x 6'8"



Canvas

CCV8100\_SL\*  
 ▲ 12" x 8'0"  
 14" x 8'0"

CCV920\_SL\*  
 ▲ ■ 12" x 6'8"  
 14" x 6'8"

CCV910\_SL\*  
 ▲ 12" x 6'8"  
 14" x 6'8"

LOW-E



Fir

CCA220  
 ▲ ■ 3'0" x 6'8"

CCA8220  
 ▲ ■ 3'0" x 8'0"



Fir

CCA87200  
 ▲ ■ 3'6" x 8'0"



Fir

CCA230  
 ▲ ■ 3'0" x 6'8"

CCA8230  
 ▲ ■ 3'0" x 8'0"



Fir

CCA87300  
 ▲ ■ 3'6" x 8'0"



Fir

CCA240  
 ▲ ■ 3'0" x 6'8"


CCA8240  
 ▲ ■ 3'0" x 8'0"

# Craftsman

Continued



Fir Grain



Canvas

## Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

## Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

## LOW-E



Fir  
 CCA87400  
 3'6" x 8'0"  
 CCA260  
 3'0" x 6'8"  
 CCA8260  
 3'0" x 8'0"  
 CCA87600  
 3'6" x 8'0"



Fir  
 CCA210  
 3'0" x 6'8"  
 CCA8210  
 3'0" x 8'0"  
 CCA87100  
 3'6" x 8'0"  
 CCA3450SL  
 12" x 6'8"  
 14" x 6'8"  
 CCA3560SL  
 12" x 8'0"  
 14" x 8'0"  
 CCA3400SL  
 12" x 6'8"  
 CCA3500SL  
 12" x 8'0"  
 14" x 8'0"



Fir  
 CCA220SL  
 12" x 6'8"  
 14" x 6'8"  
 CCA210SL  
 12" x 6'8"  
 14" x 6'8"  
 Canvas  
 CCAV920  
 3'0" x 6'8"  
 Canvas  
 CCAV930  
 3'0" x 6'8"  
 Canvas  
 CCAV940  
 3'0" x 6'8"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven



Canvas

CCV960

▲ ★ 🏠  
3'0" x 6'8"



Canvas

CCV910

▲ ★ 🏠  
3'0" x 6'8"



Canvas

CCV950SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"

CCV8950SL

▲ ★ 🏠  
12" x 8'0"  
14" x 8'0"



Canvas

CCV100SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"

CCV8100SL

▲ ★ 🏠  
12" x 8'0"  
14" x 8'0"



Canvas

CCV9020SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"



Canvas

CCV9010SL

▲ ★ 🏠  
12" x 6'8"  
14" x 6'8"











# Solid Panels



Fir Grain

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Fir

CCA1125  3'0" x 6'8"	CCA81125  3'0" x 8'0"
--	---



Fir

CCA1149  3'0" x 6'8"	CCA81149  3'0" x 8'0"
--	---




Fir

CCA1127  3'0" x 6'8"	CCA81127  3'0" x 8'0"
--	---




Fir

CCA4905  3'0" x 6'8"	CCA84905  3'0" x 8'0"
--	---



Fir

CCA4915L  3'0" x 6'8"	CCA4915R  3'0" x 6'8"
---	--



Fir

CCA84915L  3'0" x 8'0"	CCA84915R  3'0" x 8'0"
--	--



Fir

CCA4925L  3'0" x 6'8"	CCA4925R  3'0" x 6'8"
--	---

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.





Fir

CCA84925L CCA84925R  
  
 3'0" x 8'0" | 3'0" x 8'0"



Fir

CCA4935 CCA84935  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA4945 CCA84945  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1166 CCA81166  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1158 CCA81158  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1147 CCA81147  
  
 3'0" x 6'8" | 3'0" x 8'0"

HOMeward™



Fir

CCA2420SL CCA82420SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

ARBORWATCH™



Fir

CCA2410SL CCA82410SL  
  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Fir

CCA1100 CCA81100  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1133 CCA81133  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1145 CCA81145  
  
 3'0" x 6'8" | 3'0" x 8'0"



Fir

CCA1150 CCA81150  
  
 3'0" x 6'8" | 3'0" x 8'0"




# Solid Panels

Continued







Walnut Grain

## Key

-  Low-E Glass (LE)
-  WBDR Options
-  Elevated 10" Bottom Rail Options





Walnut

<b>CCW1000</b>	<b>CCW81000</b>
 	 
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

<b>CCW900L</b>	<b>CCW8900L</b>
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

<b>CCW900R</b>	<b>CCW8900R</b>
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"






Walnut

<b>CCW901L</b>	<b>CCW8901L</b>
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Walnut

<b>CCW901R</b>	<b>CCW8901R</b>
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW902L</b>	<b>CCW8902L</b>
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS2131SL, Transoms – 19200T, 19210T, Finish – Shale

Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Driftwood


For transoms, see page 94.

Note: Product images show exterior side of door.




Walnut

<b>CCW902R</b> 6	<b>CCW8902R</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW903</b> 6	<b>CCW8903</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW904L</b> 6	<b>CCW8904L</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Walnut

<b>CCW904R</b> 6	<b>CCW8904R</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Walnut

<b>CCW905</b> 9E	<b>CCW8905</b> 9E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW906L</b> 9	<b>CCW8906L</b> 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW906R</b> 9	<b>CCW8906R</b> 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW907L</b> 9	<b>CCW8907L</b> 9
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW907R</b> 6	<b>CCW8907R</b> 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"

LOW-E



Direct Set

<b>DRS2131SL</b> *	<b>DRS82131SL</b> *
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

# Solid Panels

Continued



**Mahogany Grain**



Mahogany

CCR100 | CCR8100  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890  
3'0" x 8'0"



Mahogany

CCR8222  
3'0" x 8'0"  
3'6" x 8'0"

## Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)
-  WBDR Options
-  WBDR / HVHZ Options

### Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100R | CCR8100R  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR8005A  
3'0" x 8'0"



Mahogany

CCR205A | CCR8205A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR200A | CCR8200A  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR8005  
3'0" x 8'0"

For transoms, see page 94.

Note: Product images show exterior side of door.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

CCR040  
3'0" x 6'8"

CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR205  
3'0" x 6'8"

CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR200  
3'0" x 6'8"

CCR8200  
3'0" x 8'0"



Mahogany

CCM60  
3'0" x 6'8"

**HAMMERED**



Mahogany

CCR2025XHSL  
12" x 6'8"  
14" x 6'8"

CCR82035XHSL  
12" x 8'0"  
14" x 8'0"



Canvas

CCV200  
3'0" x 6'8"



Canvas

CCV205  
3'0" x 6'8"

CCV8205  
3'0" x 8'0"



Canvas

CCV220  
3'0" x 6'8"

CCV8220  
3'0" x 8'0"



Canvas

CCV831  
3'0" x 8'0"



Canvas

CCV060  
3'0" x 6'8"



Canvas

CCV050  
3'0" x 6'8"

**HAMMERED**



Canvas

CCV950XHSL  
12" x 6'8"  
14" x 6'8"

CCV8950XHSL  
12" x 8'0"  
14" x 8'0"

# Transoms

Transoms can be stained or painted to match Classic Craft. door systems.

## HOMeward™ ◆ ❏



**HWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**HW30T**  
3'0" Door Only

## ARBORWATCH. ◆ ❏



**ABRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**AB30T**  
3'0" Door Only

## LONGFORD™ ◆ ❏



**LFET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LFRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LF30T**  
3'0" Door Only

## PROVINCIAL™ ◆ ❏



**CC040T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC420T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC400T**  
3'0" Door Only

## LUCERNA. ◆ ❏



**LCET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LCRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LC30T**  
3'0" Door Only

## ZAHA. ◆ ❏



**ZHRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## LOW-E



Grille Sticks Applied



**19020T**  
\*  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19220T**  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
\*  
3'0" Door Only



**19210T**  
\*  
12" & 14"  
Sidelite Only

### Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ❏ Brushed Nickel Caming (1C)

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9925, Sidelites - CCV911SL, Transom - HWRT



# Classic Craft® Hinged Patio Doors


## A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.






## GRAIN & TEXTURE OPTIONS



**Fir Grain**



**Mahogany Grain**




**Canvas**

## GLASS OPTIONS



**Low-E Glass**




**Flush-Glazed Glass**

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### EnLiten™ Flush-Glazed Warranty Riders

See page 115 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

## AVAILABLE CONFIGURATIONS



■ = Available	Classic Craft
<b>Door Selections</b>	
Material	Fiberglass
Warranty	1x Transferable Lifetime
Finish Options	Stain or Paint
<b>Flush-Glazed Glass Selections</b>	
Low-E Glass with and without Divided Lites 🔥	■
Privacy & Textured Glass with and without Divided Lites 🔥	■
<b>Lip-Lite Glass Selections</b>	
Low-E Glass with and without Divided Lites	■
Privacy & Textured Glass with and without Divided Lites	■
<b>Available Sizes</b>	
Heights	6'8", 8'0"
Single Widths	3'0"
Double Widths	6'0"
Triple Widths	9'0"
Retrofit Openings	
<b>Additional Options</b>	
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame
<b>Impact-Rated Options</b>	
Tru-Defense Eligible	■

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Left Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth


## EnLiten™ Flush-Glazed Low-E Glass




### AVAILABLE COLLECTIONS

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




### AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


# Low-E Glass




## AVAILABLE COLLECTIONS

- Classic Craft® Mahogany Grain
- Classic Craft® Canvas

## AVAILABLE DOOR STYLES



## AVAILABLE CONFIGURATIONS



# Fiber-Classic® & Smooth-Star®

## Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Oak Collection, Salinas Glass, Door - FC115, Sidelite - FC115SL, Finish - Raven  
Bottom: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Finish - New Earth  
Right Page: Smooth-Star, Calix Glass, Door - S4521, Finish - Estuary





## Grain Options



### FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



### FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



### SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

## See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



## Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of fiberglass to wood doors (both without glass).

# Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



## 1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

## 2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.<sup>1</sup> Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

## 3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.




## 4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood<sup>2</sup>, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



**NEW** Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

## Additional Options



-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.<sup>1</sup>
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>
-  Fire-Rated Options: Available on solid-panel doors. See pages 232–235.

### FLUSH-GLAZED OPTIONS

Look for these icons () to find doors styles with flush-glazed glass. See pages 116–129.

## Warranties

**LIFETIME** LIMITED WARRANTY Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 277 for more information.

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 115 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense. Warranty Rider when properly assembled and installed with all Therma-Tru® specified system components, in accordance with the Rider. See page 8–9 for details.

	Fiber-Classic Mahogany Collection	Fiber-Classic Oak Collection	Smooth-Star
<b>■ = Available</b> <b>▪ = Not Applicable</b> <b>S = Stain</b> <b>P = Paint</b>			
<b>Door Widths</b>			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	▪	▪	■
<b>Door Heights</b>			
6'6"	▪	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
<b>Glass Options</b>			
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	▪	▪	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
<b>Additional Options</b>			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

## RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 28–29.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors



<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door – S8140  
Right Page: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL





## Vented Sidelites

Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. **In fact, only Therma-Tru offers vented sidelites with decorative glass.** Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens — available in bronze and white — are designed for worry-free use.



### AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■

Note: Impact-rated options not available for vented sidelites. Advanta lite frame only available with 14" vented sidelites.

### AVAILABLE CONFIGURATIONS



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)


# Decorative & Specialty Glass Designs

## Blackstone®

Traditional English design meets

1 clear curved bevels, 2 rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.

### PRIVACY RATING



Black Nickel




Brushed Nickel

## Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with

1 slump glass, 2 clear bevels, 3 clear antique glass and coming.

### PRIVACY RATING



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

### PRIVACY RATING



Wrought Iron

## Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and coming. The geometric pattern bridges both modern and traditional designs.

### PRIVACY RATING



Black Nickel



Brushed Nickel

## Texas Star

Beautifully crafted with ① clear bevels, ② curved bevels, ③ clear waterglass, ④ granite glass, ⑤ glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

### PRIVACY RATING



Black Nickel



Brushed Nickel


## Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses ① clear baroque glass, ② clear curved bevels, ③ waterglass, ④ granite glass and coming to add beauty to any entry.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass


## Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

### PRIVACY RATING



Wrought Iron



<sup>1</sup>Brass coming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

1 Glue chip glass, 2 clear curved bevels, 3 clear glass and caming make up its Old World charm.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

## Kensington™


Kensington speaks European elegance while offering modest privacy with its

1 clear bevels, 2 glue chip glass, 3 granite glass and caming.

### PRIVACY RATING



Black Nickel



Brushed Nickel


## Pembridge™

Simplistic in its design, Pembridge features a field of 1 hammered glass framed by 2 gray baroque glass and 3 multifaceted bevels. A central diamond shape adds a decorative touch.

### PRIVACY RATING



Black Nickel



Brushed Nickel




Brass<sup>1</sup>

Note: The use of gray baroque glass varies based on glass size.

## Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.

### PRIVACY RATING



Black Nickel

## Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass

## Latitude

Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

### PRIVACY RATING



Black Nickel



Brushed Nickel



Brass


<sup>1</sup>See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.


### PRIVACY RATING



## Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



## Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



## Privacy & Textured Glass



### REEDED

Privacy Rating: 7



### SATIN ETCH

Privacy Rating: 10



### CHORD

Privacy Rating: 10



### CHINCHILLA

Privacy Rating: 10



### RAINGLASS

Privacy Rating: 8



### GRANITE

Privacy Rating: 10

Also Available: **Low-E & Clear Glass**

# Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Therma-Tru seller for details.

## SIMULATED DIVIDED LITES (SDLs) WITH GRILLES BETWEEN GLASS (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (     ) icons.

Shown with flat bronze GBGs (recommended).



## SIMULATED DIVIDED LITES (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (    ) icons.



## GRILLES BETWEEN GLASS (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (    ) icons.



## FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the (  ) icon.



Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with SDLs, Door - S82103, Sidelites - S8000SL






### SDL BAR OPTIONS

Grained

Smooth




(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained


Smooth




(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained

Smooth




(88.9 mm / 3.5 in.)  
Look for the (  ) icon.

Smooth SDL bars are color-matched to PrismaGuard® Alpine.

### GBG BAR OPTIONS

Flat

Contour



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

### GBG Color Options



White Almond<sup>1</sup> Bronze<sup>1</sup> Black Tan<sup>2</sup> Stone<sup>2</sup>

<sup>1</sup>Almond and Bronze GBGs available in flat bars only.

<sup>2</sup>Available in Special Quote Program.

 Simulated Divided Lites (SDL)

 Simulated Divided Lites (SDLF1)

 Simulated Divided Lites (SDLF2)

 Flat or Contour White Grilles  
Between Glass (GBGF / GBGC)

 Flat Almond Grilles  
Between Glass (GBGF)

 Flat Bronze Grilles  
Between Glass (GBGF)

 Flat or Contour Black Grilles  
Between Glass (GBGF / GBGC)

 Fixed Grilles (FXG)

## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



1-1/2"    1-1/4"    1"            1-3/4"    1-1/4"    1"



18"



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf<sup>1</sup>



Smooth-Star. 4-Block Dentil Shelf<sup>1</sup>



<sup>1</sup>Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


<sup>2</sup>EnLiten flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf

# EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%<sup>2</sup> — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.




## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the ( 🔥 ) symbol.



**Flush-Glazed Glass with Square Sticking**  
Look for the ( 💧 ) symbol.



**Lip-Lite Frame**

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.















## TRANSOMS

For transoms, see page 201.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak			
<b>FC1205_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC1207_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2010_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2050_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2050_SL</b> ▲▲ 12" x 6'8" 14" x 6'8"	<b>FC5700_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85700_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
									
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
<b>FC5710_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85710_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5720_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC85720_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC691_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8691_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685L_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685L_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC685R_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>FC8685R_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

\*Not available with Reeded (XK) glass.








Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star

						
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC5700_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>FC5710_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>FC5720_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S1205_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S1207_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2010_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S2050_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5705_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85705_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5715_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85715_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5725_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲
<b>S85725_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2010_SL</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	<b>S85226_SL</b> ▲ 12" x 8'0" 14" x 8'0"	<b>S2000_SL-2C*</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2000_SL-4C*</b> ▲ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S5700_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85700_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5710_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85710_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	<b>S5720_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S85720_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S691_</b> ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8691_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continues on next page.*

▲ Flush-Glazed Glass with Detailed Sticking (FG)  
▲ Flush-Glazed Glass with Square Sticking (FG)

★ Low-E Glass (LE)  
■ Simulated Divided Lites (SDL)  
■ Simulated Divided Lites (SDLFI)

■ Simulated Divided Lites (SDLF2)  
● Vented Sidelite Options  
Ⓞ WBDR Options



■ Elevated 10" Bottom Rail Options  
▲ 6'6" Height Available

**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold .

Fiber-Classic & Smooth-Star





Smooth

<b>S3400L_</b> 	<b>S83400L_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"





Smooth

<b>S3400R_</b> 	<b>S83400R_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"





Smooth

<b>S3300_</b> 	<b>S83300_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"





Smooth

<b>S3500L_</b> 	<b>S83500L_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"













Smooth

<b>S3500R_</b> 	<b>S83500R_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"













Smooth

<b>S685L_</b> 	<b>S8685L_</b> 
26" x 6'8" 	26" x 8'0" 
28" x 6'8" 	28" x 8'0" 
210" x 6'8" 	210" x 8'0" 
30" x 6'8" 	30" x 8'0" 





Smooth

<b>S685R_</b> 	<b>S8685R_</b> 
26" x 6'8" 	26" x 8'0" 
28" x 6'8" 	28" x 8'0" 
210" x 6'8" 	210" x 8'0" 
30" x 6'8" 	30" x 8'0" 





Smooth

<b>S3600L_</b> 	<b>S83600L_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"










Smooth

<b>S3600R_</b> 	<b>S83600R_</b> 
26" x 6'8"	26" x 8'0"
28" x 6'8"	28" x 8'0"
210" x 6'8"	210" x 8'0"
30" x 6'8"	30" x 8'0"










Smooth

<b>S5700_SL</b> 	<b>S85227_SL</b> 
10" x 6'8" 	12" x 8'0" 
12" x 6'8" 	14" x 8'0" 
14" x 6'8" 	










Smooth

<b>S5710_SL</b> 	<b>S85228_SL</b> 
10" x 6'8" 	12" x 8'0" 
12" x 6'8" 	14" x 8'0" 
14" x 6'8" 	



Smooth

<b>S5720_SL</b> 	<b>S85229_SL</b> 
10" x 6'8" 	12" x 8'0" 
12" x 6'8" 	14" x 8'0" 
14" x 6'8" 	

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

## PRIVACY & TEXTURED GLASS



Oak

2000\_  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

8000\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

2000\_SL  
 12" x 6'8"  
 14" x 6'8"



Smooth

S2000\_  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S8000\_  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S2000\_SL  
 10" x 6'8"  
 12" x 6'8" (70")  
 14" x 6'8" (70")

S85225\_SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S2600  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S82600  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

## INTERNAL BLINDS

## CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1205SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM1206SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM1204SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

FCM2009SL  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

FC1205  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1206  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1207  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

2010  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

FC1204  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

2050  
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Oak

8000-12  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

8000-18  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

FC1205SL  
 12" x 6'8"  
 14" x 6'8"



Oak

FC1206SL  
 12" x 6'8"  
 14" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)



































































- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)

- Flat Bronze Grilles Between Glass (GBGF)
- Vented Sidelite Options
- WBDR Options
















- Elevated 10" Bottom Rail Options
- 6'6" Height Available



















**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR<sup>®</sup> requirements in all 50 states indicated in gold .





















Fiber-Classic & Smooth-Star

						
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
<b>FC1204SL</b>  12" x 6'8" 14" x 6'8"	<b>2050SL</b>  12" x 6'8" 14" x 6'8"	<b>2009</b>  20" x 6'8" 26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>8000-9</b>  20" x 8'0" 26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>2009SL</b>  12" x 6'8" 14" x 6'8"	<b>FC5700</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85700</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"
						
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
<b>FC5720</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC85720</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC691</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC8685L</b>  26" x 6'8" 28" x 6'8" 30" x 6'8"	<b>FC8685L</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC5700SL</b>  12" x 6'8" 14" x 6'8"	<b>FC5710SL</b>  12" x 6'8" 14" x 6'8"
						
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC5720SL</b>  12" x 6'8" 14" x 6'8"	<b>S1205</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S1206</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S1207</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S2010</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S1204</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 	<b>S2050</b>  26" x 6'8"  28" x 6'8"  210" x 6'8"  30" x 6'8" 





					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S8000-12</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000-18</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5705</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85705</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5715</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85715</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>S5725</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85725</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1205SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")			




								
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S1206SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S1204SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S2010SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S85226SL</b>  12" x 8'0" 14" x 8'0"	<b>S2000SL-2C</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S2000SL-4C</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")	<b>S2009</b>  2'0" x 6'8" ⚠ 2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S8000-9</b>  2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2009SL</b>  10" x 6'8" ⚠ 12" x 6'8" ⚠ (70") 14" x 6'8" ⚠ (70")

									
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S5700</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85700</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5710</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85710</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5720</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S85720</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S691</b>  2'6" x 6'8" ⚠ 2'8" x 6'8" ⚠ 2'10" x 6'8" ⚠ 3'0" x 6'8" ⚠	<b>S8691</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3400L</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83400L</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*










-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)

-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)










-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options

-  WBDR Options
-  Elevated 10" Bottom Rail Options
-  6'6" Height Available












**Smooth**  
**S3400R**  
 2'6" x 6'8"  
 **S83400R**  
 2'6" x 8'0"  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 2'10" x 8'0"  
 3'0" x 6'8"  
 3'0" x 8'0"












**Smooth**  
**S3300**  
 2'6" x 6'8"  
 **S83300**  
 2'6" x 8'0"  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 2'10" x 8'0"  
 3'0" x 6'8"  
 3'0" x 8'0"



















**Smooth**  
**S3500L**  
 2'6" x 6'8"  
 **S83500L**  
 2'6" x 8'0"  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 2'10" x 8'0"  
 3'0" x 6'8"  
 3'0" x 8'0"



















**Smooth**  
**S3500R**  
 2'6" x 6'8"  
 **S83500R**  
 2'6" x 8'0"  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 2'10" x 8'0"  
 3'0" x 6'8"  
 3'0" x 8'0"












**Smooth**  
**S685L**  
 2'6" x 6'8"  **S8685L**  
 2'6" x 8'0"  **S8685L**  
 2'8" x 6'8"  **S8685L**  
 2'8" x 8'0"  **S8685L**  
 2'10" x 6'8"  **S8685L**  
 2'10" x 8'0"  **S8685L**  
 3'0" x 6'8"  **S8685L**  
 3'0" x 8'0"  **S8685L**












**Smooth**  
**S685R**  
 2'6" x 6'8"  **S8685R**  
 2'6" x 8'0"  **S8685R**  
 2'8" x 6'8"  **S8685R**  
 2'8" x 8'0"  **S8685R**  
 2'10" x 6'8"  **S8685R**  
 2'10" x 8'0"  **S8685R**  
 3'0" x 6'8"  **S8685R**  
 3'0" x 8'0"  **S8685R**











**Smooth**  
**S3600L**  
 2'6" x 6'8"  
 **S83600L**  
 2'6" x 8'0"  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 2'10" x 8'0"  
 3'0" x 6'8"  
 3'0" x 8'0"











**Smooth**  
**S3600R**  
 2'6" x 6'8"  
 **S83600R**  
 2'6" x 8'0"  
 2'8" x 6'8"  
 2'8" x 8'0"  
 2'10" x 6'8"  
 2'10" x 8'0"  
 3'0" x 6'8"  
 3'0" x 8'0"











**Smooth**  
**S5700SL**  
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")  
**S85227SL**  
 12" x 8'0"  
 14" x 8'0"











**Smooth**  
**S5710SL**  
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")  
**S85228SL**  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS** 



**Smooth**  
**S5720SL**  
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")  
**S85229SL**  
 12" x 8'0"  
 14" x 8'0"


















**Oak**  
**2000**  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"  
**8000**  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 3'0" x 8'0"











**Oak**  
**2000SL**  
 12" x 6'8"  
 14" x 6'8"



**Smooth**  
**S2000**  
 2'0" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"   
**S8000**  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**  
**S2000SL**  
 10" x 6'8"   
 12" x 6'8"  (70")  
 14" x 6'8"  (70")  
**S85225SL**  
 12" x 8'0"  
 14" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- |                        |                        |                       |
|------------------------|------------------------|-----------------------|
| <b>XK = Reeded</b>     | <b>XC = Chord</b>      | <b>XR = Rainglass</b> |
| <b>XE = Satin Etch</b> | <b>XJ = Chinchilla</b> | <b>XN = Granite</b>   |

Note: See page 277 for important product details that may help with your purchase decision.

Right Page, Top: Smooth-Star, Chinchilla Glass with SDLs, Door - S2104XJ, Finish - Granite



## TRANSOMS

For transoms, see page 201.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES













Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S2103_</b> ▲▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82103_</b> ▲▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2104_</b> ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82105_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S82106_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2250_</b> ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82107_</b> ▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S84886_SL</b> ▲▲ 12" x 8'0" 14" x 8'0"













## PRIVACY & TEXTURED GLASS

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S2103_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S2104_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S2250_SL</b> ▲ 12" x 6'8" 14" x 6'8"	<b>S2200_</b> ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200_</b> ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000_SL</b> ▲ 12" x 8'0" 14" x 8'0"	<b>S2200_SL</b> ▲ 12" x 6'8" 14" x 6'8"







- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Low-E Glass (LE)
- ▲ Simulated Divided Lites (SDL)
- ▲ Simulated Divided Lites (SDLF1)
- ▲ Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDR Options
- Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

**CLEAR GLASS WITH DIVIDED LITES** 

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2103</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82103</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2104</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82104</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2105</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82105</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S84886SL</b>  12" x 8'0" 14" x 8'0"	<b>S2103SL</b>  12" x 6'8" 14" x 6'8"	<b>S2104SL</b>  12" x 6'8" 14" x 6'8"	<b>S92SL</b>  12" x 6'8" 14" x 6'8"	<b>S1401</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81401</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**CLEAR GLASS** 

		
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>S2200</b>  2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200</b>  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8000SL</b>  12" x 8'0" 14" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite
- XC = Chord
- XR = Rainglass


Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Impressions Storm & Entry Door System - IM100, Finish - Brown; Smooth-Star, Clear Glass with SDLs, Door - S2150, Finish - Elk



**TRANSOMS**

For transoms, see page 201.



**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S4200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S84200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S6200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S86200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S9200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S89200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S4200\_SL   
 12" x 6'8" (70")  
 14" x 6'8" (70")

S84200\_SL   
 12" x 8'0"  
 14" x 8'0"



Smooth

S6200\_SL   
 12" x 6'8" (70")  
 14" x 6'8" (70")

S86200\_SL   
 12" x 8'0"  
 14" x 8'0"


**PRIVACY & TEXTURED GLASS**



Smooth

S3200\_   
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

S83200\_   
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S3200\_SL   
 12" x 6'8" (70")  
 14" x 6'8" (70")

S83200\_SL   
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

S1350   
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Smooth

S2150   
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"



Smooth

S1409   
 26" x 6'8"  
 28" x 6'8"  
 30" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLFI)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)


- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options

**CLEAR GLASS WITH DIVIDED LITES** *Continued* 



**Smooth**

**S4200**

 **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")


**S84200**

 **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S6200**

 **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")


**S86200**

 **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S9200**

 **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")


**S89200**

 **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4200SL**

 **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S84200SL**

 **E**  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S6200SL**

 **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S86200SL**

 **E**  
 12" x 8'0"  
 14" x 8'0"

**CLEAR GLASS** 



**Smooth**


**S2100**

 **E**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**Smooth**

**S3200**

 **E**  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")


**S83200**

 **E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S3200SL**

 **E**  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**S83200SL**

 **E**  
 12" x 8'0"  
 14" x 8'0"



**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door - S4200, Sidelite - S3200SL, Finish - Canyon


Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Sidelites - FCM6201SL, Transom - 19750T, Finish - Sweet Date



## TRANSOMS

For transoms, see page 201.

### OPTIONAL DENTIL SHELVES\*\*



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

## SARATOGA™



Mahogany

<b>FCM6240</b>	<b>FCM86240</b>
▲ <b>E</b>	▲
28" x 6'8" (7'0")	28" x 8'0"
210" x 6'8" (7'0")	210" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

<b>FCM6201SL</b>	<b>FCM86201SL</b>
▲	▲
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"



Mahogany

<b>FCM6240SL</b>	<b>FCM86240SL</b>
▲	▲
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"



Smooth

<b>S6240</b>	<b>S86240</b>
▲ <b>E</b>	▲
28" x 6'8" (7'0")	28" x 8'0"
210" x 6'8" (7'0")	210" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

<b>S6201SL</b>	<b>S86201SL</b>
▲	▲
10" x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Smooth

<b>S6240SL</b>	<b>S86240SL</b>
▲	▲
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Mahogany

<b>FCM4812_*</b>	<b>FCM84812_*</b>
▲ <b>E</b>	▲
28" x 6'8" (7'0")	28" x 8'0"
210" x 6'8" (7'0")	210" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

<b>FCM4813_*</b>	<b>FCM84813_*</b>
▲ <b>E</b>	▲
28" x 6'8" (7'0")	28" x 8'0"
210" x 6'8" (7'0")	210" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

<b>FCM4814_*</b>	<b>FCM84814_*</b>
▲ <b>E</b>	▲
28" x 6'8" (7'0")	28" x 8'0"
210" x 6'8" (7'0")	210" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

<b>FCM4816_*</b>	<b>FCM84816_*</b>
▲ <b>E</b>	▲
28" x 6'8" (7'0")	28" x 8'0"
210" x 6'8" (7'0")	210" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

<b>FCM2050_SL</b>	<b>FCM84886_SL</b>
▲	▲
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ▲ Low-E Glass (LE)

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E** Elevated 10" Bottom Rail Options

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continued*



**Mahogany**

FCM4812\_SL\*    FCM84812\_SL\*  
 ▲ E    ▲ E  
 12" x 6'8" (70")    12" x 8'0"  
 14" x 6'8" (70")    14" x 8'0"



**Smooth**

S4812\_\*    S84812\_\*  
 ▲ R E    ▲ R E  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Smooth**

S4813\_\*    S84813\_\*  
 ▲ R E    ▲ R E  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Smooth**

S4814\_\*    S84814\_\*  
 ▲ R E    ▲ R E  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Smooth**

S4816\_\*    S84816\_\*  
 ▲ R E    ▲ R E  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Smooth**

S2010\_SL    S84886\_SL  
 ▲ R E    ▲ R E  
 10" x 6'8" ▲    12" x 8'0"  
 12" x 6'8" ▲ (70")    14" x 8'0"  
 14" x 6'8" ▲ (70")



**Smooth**

S4812\_SL\*    S84812\_SL\*  
 ▲ R E    ▲ R E  
 12" x 6'8" (70")    12" x 8'0"  
 14" x 6'8" (70")    14" x 8'0"



**Mahogany**

FCM4810\_\*    FCM84810\_\*  
 ▲ E    ▲  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Mahogany**

FCM2000\_SL    FCM8000\_SL  
 ▲ R E    ▲  
 12" x 6'8" (70")    12" x 8'0"  
 14" x 6'8" (70")    14" x 8'0"



**Mahogany**

FCM4810\_SL\*    FCM84810\_SL\*  
 ▲    ▲  
 12" x 6'8" (70")    12" x 8'0"  
 14" x 6'8" (70")    14" x 8'0"

**PRIVACY & TEXTURED GLASS**



**Smooth**

S4810\_\*    S84810\_\*  
 ▲ E    ▲  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Smooth**

S2000\_SL    S8000\_SL  
 ▲ R E    ▲  
 10" x 6'8" ▲    12" x 8'0"  
 12" x 6'8" ▲ (70")    14" x 8'0"  
 14" x 6'8" ▲ (70")



**Smooth**

S4810\_SL\*    S84810\_SL\*  
 ▲    ▲  
 12" x 6'8" (70")    12" x 8'0"  
 14" x 6'8" (70")    14" x 8'0"



**Mahogany**

FCM4812    FCM84812  
 ▲ R E    ▲ R E  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"



**Mahogany**

FCM4813    FCM84813  
 ▲ R E    ▲ R E  
 2'8" x 6'8" (70")    2'8" x 8'0"  
 2'10" x 6'8" (70")    2'10" x 8'0"  
 3'0" x 6'8" (70")    3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.





**Mahogany**

**FCM4814**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84814**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM4816**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84816**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2050SL**  
 ▲ ★ R E  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84886SL**  
 ▲ ★ R E  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4812SL**  
 ▲ ★ R E  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84812SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84812**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4813**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84813**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4814**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84814**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S4816**  
 ▲ ★ R E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84816**  
 ▲ ★ R  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2010SL**  
 ▲ ★ R E  
 10" x 6'8" ▲ (70")  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S84886SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4812SL**  
 ▲ ★ R  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S84812SL**  
 ▲ ★ R  
 12" x 8'0"  
 14" x 8'0"


**CLEAR GLASS**



**Mahogany**

**FCM4810**  
 ▲ ★ E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**FCM84810**  
 ▲ ★  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Mahogany**

**FCM2000SL**  
 ▲ ★  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM8000SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Mahogany**

**FCM4810SL**  
 ▲ ★  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM84810SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810**  
 ▲ ★ E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**S84810**  
 ▲ ★  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**Smooth**

**S2000SL**  
 ▲ ★  
 10" x 6'8" ▲  
 12" x 6'8" ▲ (70")  
 14" x 6'8" ▲ (70")

**S8000SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"



**Smooth**

**S4810SL**  
 ▲ ★  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**S84810SL**  
 ▲ ★  
 12" x 8'0"  
 14" x 8'0"


- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ▲ Flush-Glazed Glass with Square Sticking (FG)
- ★ Low-E Glass (LE)
- Simulated Divided Lites (SDLFI)

- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

# Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.

 For Impact-rated lite frame, see page 27.







## Advanta® Lite Frame<sup>1</sup>

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (   ) symbols.

## Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
<b>Flat Option</b>		
<b>Scrolled Option</b>		
<b>Plugless Design</b>	■	
<b>Buff Option</b>	■	■
<b>White Option</b> (Alpine Color-Matched)	■	■
<b>Durable Weather-Resistant Material</b>	■	■
<b>Decorative &amp; Privacy Glass<sup>1</sup></b>	■	
<b>Clear &amp; Specialty Glass<sup>1</sup></b>	■	■

<sup>1</sup>See your Therma-Tru seller for details on product availability.

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.


# Full Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star







## BLACKSTONE. ◆ ❖







<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>FCM108</b> 6 28" x 68" 210" x 68" 30" x 68"	<b>FCM871</b> 6 28" x 80" 210" x 80" 30" x 80"	<b>FCM310</b> 6E 26" x 68" (70")* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FCM816</b> 6E 26" x 80" 28" x 80" 210" x 80" 30" x 80"	<b>FCM871SL</b> 6 12" x 80" 14" x 80"	<b>FCM808SL</b> 6E 10" x 68"* 12" x 68" (70") 14" x 68" (70")
<b>FCM81918SL</b> 6E 12" x 80" 14" x 80"	<b>FC108</b> 6E 26" x 68"* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>81918P</b> 6 28" x 80" 210" x 80" 30" x 80"	<b>FC310</b> 6E 26" x 68" Δ (70")* 28" x 68" Δ (70") 210" x 68" Δ (70") 30" x 68" Δ (70")	<b>FC816</b> 6E 26" x 80"* 28" x 80" 210" x 80" 30" x 80"	
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC108SL</b> 6 10" x 68"* 12" x 68" 14" x 68"	<b>81918PSL</b> 6 12" x 80" 14" x 80"	<b>FC808SL</b> 6E 12" x 68" Δ (70") 14" x 68" Δ (70")	<b>81918SL</b> 6E 12" x 80" 14" x 80"	<b>S6002</b> 6E 26" x 68"* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>S85892</b> 6E 26" x 80"* 28" x 80" 210" x 80" 30" x 80"
<b>S310</b> 6E 26" x 68" Δ* 28" x 68" Δ (70") 210" x 68" Δ (70") 30" x 68" Δ (70") 36" x 68"	<b>S816</b> 6E 26" x 80"* 28" x 80" 210" x 80" 30" x 80" 36" x 80"	<b>S6002SL</b> 6E 12" x 68" 14" x 68"	<b>S85892SL</b> 6E 12" x 80" 14" x 80"	<b>S4570SL</b> 6E 10" x 68"* 12" x 68" Δ (70") 14" x 68" Δ (70")	<b>S85927SL</b> 6E 12" x 80" 14" x 80"

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Vented Sidelite Options
- 9 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6"6" Height Available







CRYSTALLINE™ ◆ ◆

Fiber-Classic & Smooth-Star







					
Mahogany		Mahogany		Oak	
<b>FCM16</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM8114</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM668</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FCM814</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM8114SL</b> 12" x 8"0" 14" x 8"0"	<b>FCM18101SL</b> 10" x 68" 12" x 68" (70") 14" x 68" (70")
<b>FCM1800SL</b> 12" x 8"0" 14" x 8"0"	<b>FC16</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>81800P</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FC668</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FC814</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	

					
Oak		Smooth		Smooth	
<b>FC46SL</b> 10" x 68" 12" x 68" 14" x 68"	<b>81800PSL</b> 12" x 8"0" 14" x 8"0"	<b>18101SL</b> 12" x 68" (70") 14" x 68" (70")	<b>81800SL</b> 12" x 8"0" 14" x 8"0"	<b>S916</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>S814</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"
<b>S668</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	<b>S815</b> 28" x 8"0" 210" x 8"0" 30" x 8"0" 36" x 8"0"	<b>S916SL</b> 12" x 68" 14" x 68"	<b>S814SL</b> 12" x 8"0" 14" x 8"0"	<b>S6130SL</b> 10" x 68" 12" x 68" (70") 14" x 68" (70")	<b>S84586SL</b> 12" x 8"0" 14" x 8"0"







SEDONA ◆ ◆







					
Mahogany		Mahogany		Oak	
<b>FCM100</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM872</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM241</b> 26" x 68" (70")* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FCM822</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FCM872SL</b> 12" x 8"0" 14" x 8"0"	<b>FCM816SL</b> 10" x 68" 12" x 68" (70") 14" x 68" (70")
<b>FCM81968SL</b> 12" x 8"0" 14" x 8"0"	<b>FC100</b> 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>81968P</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	<b>FC241</b> 26" x 68" (70")* 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	<b>FC822</b> 28" x 8"0" 210" x 8"0" 30" x 8"0"	

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.

							
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>		
<b>FC100SL</b> 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81968PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC816SL</b> 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>81968SL</b> 12" x 8'0" 14" x 8'0"	<b>S139</b> 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S241</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	<b>S139SL</b> 12" x 6'8" 14" x 6'8"	<b>S604SL</b> 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")



**SALINAS. X**

										
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>					
<b>FCM113</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM873</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM369</b> 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM817</b> 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM814SL</b> 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>FCM81919SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM873SL</b> 12" x 8'0" 14" x 8'0"	<b>FCI13</b> 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81919P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC369</b> 2'6" x 6'8" Δ (7'0")* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	<b>FC817</b> 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

											
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>						
<b>FCI13SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>81919PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC814SL</b> 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>81919SL</b> 12" x 8'0" 14" x 8'0"	<b>S6008</b> 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S85893</b> 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S369</b> 2'6" x 6'8" Δ* 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	<b>S817</b> 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S6008SL</b> 12" x 6'8" 14" x 6'8"	<b>S85893SL</b> 12" x 8'0" 14" x 8'0"	<b>S6134SL</b> 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	<b>S85931SL</b> 12" x 8'0" 14" x 8'0"








- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- ⤵ WBDR Options
- ⤵ WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

MAPLE PARK. ◆ ◆








							
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Smooth
<b>FCM900</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM1006</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM812SL</b> 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	<b>FC900</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC1006</b> 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70")	<b>FC900SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>FC812SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S6100</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")

Fiber-Classic & Smooth-Star

SARATOGA.™ ◆ ◆

							
Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany	
<b>S1006</b> 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"	<b>S6100SL</b> 12" x 6'8" 14" x 6'8"	<b>S6131SL</b> 10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FCM905</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM6093</b> 26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FCM815SL</b> 10" x 6'8"* 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM81986SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM893SL</b> 12" x 8'0" 14" x 8'0"

									
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth			
<b>FC905</b> 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC6093</b> 26" x 6'8" (70")* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70")	<b>FC905SL</b> 10" x 6'8"* 12" x 6'8" 14" x 6'8"	<b>81986PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC815SL</b> 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>81986SL</b> 12" x 8'0" 14" x 8'0"	<b>S154</b> 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S6093</b> 26" x 6'8" Δ* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"	<b>S154SL</b> 12" x 6'8" 14" x 6'8"	<b>S8602SL</b> 12" x 8'0" 14" x 8'0"

\*Not available with Advanta lite frame.  
Note: See page 277 for important product details that may help with your purchase decision.

TEXAS STAR ◆◆



Smooth

S602SL

10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")

S85932SL

12" x 8'0"  
 14" x 8'0"



Mahogany

FCM142

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM1029

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Mahogany

FCM817SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

FC142

2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

FC1029

2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")



Oak

FC142SL

10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

FC817SL

12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Smooth

S6070


2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Smooth

S1029

2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"



Smooth

S6070SL

12" x 6'8"  
 14" x 6'8"



Smooth

S6135SL

10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Mahogany

FCM104

2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM874

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM6094

2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

FCM821

2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM818SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

FCM81921SL

12" x 8'0"  
 14" x 8'0"



Mahogany

FCM874SL

12" x 8'0"  
 14" x 8'0"



Oak

FC104

2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

81921P

2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC6094

2'6" x 6'8" Δ (70")\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")

FC821

2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

WELLESLEY™ ◆◆◆
















WELLESLEY Continues on next page.

- No Stile Lines
- Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- Brass Caming (IA)

- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Δ 6'6" Height Available

				
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC104SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81921PSL</b>  12" x 8'0" 14" x 8'0"	<b>S155</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>S6094</b>  26" x 6'8" Δ* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	<b>S155SL</b>  12" x 6'8" 14" x 6'8"
<b>FC104SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81921PSL</b>  12" x 8'0" 14" x 8'0"	<b>S85896</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>S821</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S85896SL</b>  12" x 8'0" 14" x 8'0"

**RISERVA **

				
<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>S5870SL</b>  10" x 6'8" 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FCM574</b>  28" x 6'8" 210" x 6'8" 3'0" x 6'8"	<b>FCM571</b>  26" x 6'8" (70")* 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM572SL</b>  10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	<b>FCM8573SL</b>  12" x 8'0" 14" x 8'0"
<b>S5870SL</b>  10" x 6'8" 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85934SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM8574</b>  28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM8571</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FCM8572SL</b>  12" x 8'0" 14" x 8'0"

				
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FC574</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>FC8574</b>  28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FC571</b>  26" x 6'8" Δ (70")* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")	<b>FC8571</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>S574</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")
<b>FC574</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>FC8574</b>  28" x 8'0" 210" x 8'0" 3'0" x 8'0"	<b>FC573SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC8573SL</b>  12" x 8'0" 14" x 8'0"	<b>S8574</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"
<b>FC572SL</b>  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>FC8572SL</b>  12" x 8'0" 14" x 8'0"	<b>S574</b>  26" x 6'8" 28" x 6'8" (70") 210" x 6'8" (70") 3'0" x 6'8" (70")	<b>S8574</b>  26" x 8'0" 28" x 8'0" 210" x 8'0" 3'0" x 8'0"	

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.





Smooth

S571



26" x 6'8"  $\Delta$ \*  
28" x 6'8"  $\Delta$  (70")  
210" x 6'8"  $\Delta$  (70")  
30" x 6'8"  $\Delta$  (70")  
36" x 6'8"

S8571



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"  
36" x 8'0"



Smooth

S573SL



12" x 6'8"  
14" x 6'8"

S8573SL



12" x 8'0"  
14" x 8'0"



Smooth

S572SL



10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S8572SL



12" x 8'0"  
14" x 8'0"



Mahogany

FCM910



28" x 6'8"  
210" x 6'8"  
30" x 6'8"

FCM890



28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Mahogany

FCM6095



26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

FCM820



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Mahogany

FCM809SL



10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

FCM81928SL



12" x 8'0"  
14" x 8'0"



Mahogany

FCM890SL



12" x 8'0"  
14" x 8'0"



Oak

FC910



26" x 6'8"\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

81928P



28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC6095



26" x 6'8"  $\Delta$  (70")\*  
28" x 6'8" (70")  
210" x 6'8"  $\Delta$  (70")  
30" x 6'8"  $\Delta$  (70")

FC820



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC910SL



10" x 6'8"\*  
12" x 6'8"  
14" x 6'8"

81928PSL



12" x 8'0"  
14" x 8'0"



Oak

FC809SL



12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

81928SL



12" x 8'0"  
14" x 8'0"



Smooth

S6090



26" x 6'8"\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

S85895



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S6095



26" x 6'8"  $\Delta$ \*  
28" x 6'8"  $\Delta$  (70")  
210" x 6'8"  $\Delta$  (70")  
30" x 6'8"  $\Delta$  (70")  
36" x 6'8"

S820



26" x 8'0"\*  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"  
36" x 8'0"



Smooth

S416SL



12" x 6'8"  
14" x 6'8"

S85895SL



12" x 8'0"  
14" x 8'0"



Smooth

S4070SL



10" x 6'8"\*  
12" x 6'8"  $\Delta$  (70")  
14" x 6'8"  $\Delta$  (70")

S85930SL



12" x 8'0"  
14" x 8'0"

- No Stile Lines
- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- ◆ Brass Caming (IA)

- ✕ Wrought Iron (IW)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options
- $\Delta$  6'6" Height Available



Mahogany

**FCM148**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM626**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Mahogany

**FCM813SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

**FC148**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC626**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC148SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC813SL**  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Smooth

**S160**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

PEMBRIDGE™ ◆ ◆ ◆



Smooth

**S626**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 36" x 6'8"



Smooth

**S160SL**  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S6132SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

**FCM6550**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM6500**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Mahogany

**FCM86550**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**FCM86550SL**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM6500SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Oak

**FCM86500SL**  
 12" x 8'0"  
 14" x 8'0"

**FC6550**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC86550**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**FC6500**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC6550SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**FC86550SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC6500SL**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FC86500SL**  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

**S6550**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S86550**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6500**  
 28" x 6'8" ⚠ (70")  
 210" x 6'8" ⚠ (70")  
 30" x 6'8" ⚠ (70")  
 36" x 6'8"

**S86500**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"  
 36" x 8'0"



Smooth

**S6550SL**  
 12" x 6'8"  
 14" x 6'8"

**S86550SL**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S6500SL**  
 10" x 6'8"\*  
 12" x 6'8" ⚠ (70")  
 14" x 6'8" ⚠ (70")

**S86500SL**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM1652**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM81652**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM1651**  
 24" x 6'8"\*  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FCM81651**  
 26" x 8'0"\*  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM1651SL**  
 10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**FCM81651SL**  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM1652SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC1652**  
 26" x 6'8"\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC81652**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**FC1651**  
 24" x 6'8" ⚠\*  
 26" x 6'8" ⚠ (70")\*  
 28" x 6'8" ⚠ (70")  
 210" x 6'8" ⚠ (70")  
 30" x 6'8" ⚠ (70")



Oak

**FC1652SL**  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**FC81652SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC1651SL**  
 12" x 6'8" ⚠ (70")  
 14" x 6'8" ⚠ (70")

**FC81651SL**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S1652**  
 26" x 6'8"\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81652**  
 26" x 8'0"\*  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1651**  
 24" x 6'8" ⚠\*  
 26" x 6'8" ⚠\*  
 28" x 6'8" ⚠ (70")  
 210" x 6'8" ⚠ (70")  
 30" x 6'8" ⚠ (70")  
 36" x 6'8"

**S81651**  
 26" x 8'0"\*  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"  
 36" x 8'0"



Smooth

**S1652SL**  
 12" x 6'8"  
 14" x 6'8"

**S81652SL**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S1651SL**  
 10" x 6'8"\*  
 12" x 6'8" ⚠ (70")  
 14" x 6'8" ⚠ (70")

**S81651SL**  
 12" x 8'0"  
 14" x 8'0"

- No Stile Lines
- ♦ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- ◆ Brass Caming (IA)

- ▤ Flat Lite Frame
- ▤ Scrolled & Flat Advanta Lite Frame  
 Not available for 24" and 26" doors or 10" sidelites.

- Vented Sidelite Options
- 6 WBDL Options
- 6 WBDL / HVHZ Options

- E Elevated 10" Bottom Rail Options
- ⚠ 6'6" Height Available



Mahogany

**FCM2223**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82223**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2389**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82389**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2389SL**  
  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM82389SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM82223SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2223**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82223**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC2389**  
  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82389**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC2223SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**FC82223SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2389SL**  
  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**FC82389SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2223**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S82223**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S2389**  
  
 2'8" x 6'8" Δ (7'0")  
 2'10" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")  
 3'6" x 6'8"

**S82389**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

LATITUDE ◆ ◆ ◆ ◆



Smooth

**S2223SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S82223SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2389SL**  
  
 10" x 6'8"  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**S82389SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM2213**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM82213**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2382**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82382**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2382SL**  
  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**FCM82382SL**  
  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Mahogany

**FCM82213SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2213**  
  
 28" x 6'8" (7'0")  
 21'0" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82213**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"



Oak

**FC2382**  
  
 28" x 6'8" Δ (7'0")  
 21'0" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82382**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"



Oak

**FC2213SL**  
  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"

**FC82213SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2382SL**  
  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**FC82382SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2213**  
  
 28" x 6'8" (7'0")  
 21'0" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S82213**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"



Smooth

**S2382**  
  
 28" x 6'8" Δ (7'0")  
 21'0" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")  
 3'6" x 6'8"

**S82382**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



Smooth

**S2213SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S82213SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2382SL**  
  
 10" x 6'8"\*  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**S82382SL**  
  
 12" x 8'0"  
 14" x 8'0"

**ECHELON** ◆ ◆ ◆



Mahogany

**FCM2385**  
  
 28" x 6'8"  
 21'0" x 6'8"  
 3'0" x 6'8"

**FCM82233**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2385**  
  
 28" x 6'8" (7'0")  
 21'0" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FCM82385**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM2385SL**  
  
 10" x 6'8"\*  
 12" x 6'8" Δ (7'0")  
 14" x 6'8" Δ (7'0")

**FCM82385SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM82233SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2233**  
  
 28" x 6'8" (7'0")  
 21'0" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC82233**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"



Oak

**FC2385**  
  
 28" x 6'8" Δ (7'0")  
 21'0" x 6'8" Δ (7'0")  
 3'0" x 6'8" Δ (7'0")

**FC82385**  
  
 28" x 8'0"  
 21'0" x 8'0"  
 3'0" x 8'0"

**ECHELON** Continues on next page.

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.

Vented Sidelite Options

Elevated 10" Bottom Rail Options

WBDR Options
















WBDR / HVHZ Options

6'6" Height Available

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold .

Fiber-Classic & Smooth-Star

									
Oak	Oak	Smooth	Smooth	Smooth					
FC2233SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC82233SL  12" x 8'0" 14" x 8'0"	FC2385SL  12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	FC82385SL  12" x 8'0" 14" x 8'0"	S2233  2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	S82233  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2385  2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70") 3'6" x 6'8"	S82385  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S2233SL  12" x 6'8" 14" x 6'8"	S82233SL  12" x 8'0" 14" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

						
Smooth	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	
S2385SL  10" x 6'8" 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	S82385SL  12" x 8'0" 14" x 8'0"	FCM138  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285  2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FCM18  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1284  2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	FCM12102_SL  10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")

						
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM6124_SL**  10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	FCM6125_SL**  10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	FCM6126_SL**  10" x 6'8" 12" x 6'8" (70") 14" x 6'8" (70")	FC138  2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	1285  2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")	FC18  2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	1284  2'8" x 6'8" Δ (70") 2'10" x 6'8" Δ (70") 3'0" x 6'8" Δ (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

\*Not available with Advanta lite frame.  
\*\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
<b>FC18_SL</b> ☀️ 🗡️ 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8"	<b>12102_SL</b> ☀️ 🗡️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>FC06188_SL**</b> ☀️ 🗡️ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC06184_SL**</b> ☀️ 🗡️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>FC06189_SL**</b> ☀️ 🗡️ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC06185_SL**</b> ☀️ 🗡️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>FC06190_SL**</b> ☀️ 🗡️ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC06186_SL**</b> ☀️ 🗡️ 🟢 🟡 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S128</b> ☀️ 🗡️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S141</b> ☀️ 🗡️ E 2'8" x 6'8" ⚠️ (70") 2'10" x 6'8" ⚠️ (70") 3'0" x 6'8" ⚠️ (70") 3'6" x 6'8"	<b>S108</b> ☀️ 🗡️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>S6063</b> ☀️ 🗡️ E 2'8" x 6'8" ⚠️ (70") 2'10" x 6'8" ⚠️ (70") 3'0" x 6'8" ⚠️ (70") 3'6" x 6'8"	<b>S308_SL</b> ☀️ 🗡️ 12" x 6'8" 14" x 6'8"	<b>S1170_SL</b> ☀️ 🗡️ 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>S605_SL**</b> ☀️ 🗡️ 12" x 6'8" 14" x 6'8"

Smooth	Smooth	Smooth	Smooth	Smooth
<b>S6124_SL**</b> ☀️ 🗡️ 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>S606_SL**</b> ☀️ 🗡️ 12" x 6'8" 14" x 6'8"	<b>S6125_SL**</b> ☀️ 🗡️ 🟢 🟡 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")	<b>S607_SL**</b> ☀️ 🗡️ 12" x 6'8" 14" x 6'8"	<b>S6126_SL**</b> ☀️ 🗡️ 🟢 🟡 10" x 6'8" 12" x 6'8" ⚠️ (70") 14" x 6'8" ⚠️ (70")

**PRIVACY & TEXTURED GLASS**

Mahogany	Mahogany	Mahogany	Mahogany
<b>FCM10</b> ☀️ 🗡️ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM870</b> ☀️ 🗡️ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1283</b> ☀️ 🗡️ E 2'8" x 6'8" (70") 2'10" x 6'8" (70") 3'0" x 6'8" (70")	<b>FCM81200</b> ☀️ 🗡️ 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"






PRIVACY & TEXTURED GLASS *Continues on next page.*

- No Stile Lines
- ☀️ Low-E Glass (LE)
- 🗡️ Simulated Divided Lites (SDL)
- 🗡️ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🗡️ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 🟢 Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 🌀 WBDR Options
- 🌀 WBDR / HVHZ Options
- ⚠️ 6'6" Height Available


**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.




Fiber-Classic & Smooth-Star

				
Mahogany	Mahogany	Oak	Oak	Oak
FCM870_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"	FCM12101_SL ★☆☆☆☆ 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81200_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"	FC10 ★☆☆☆☆E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81200P_ ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
			1283 ★☆☆☆☆E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	81200 ★☆☆☆☆ 2'6" x 8'0"* 2'10" x 8'0" 3'0" x 8'0"
				FC47_SL ★☆☆☆☆ 10" x 6'8"* 12" x 6'8" 14" x 6'8"
				81200P_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"

				
Oak	Smooth	Smooth	Smooth	Smooth
12101_SL ★☆☆☆☆ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81200_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"	S118 ★☆☆☆☆E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S818 ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S140 ★☆☆☆☆E 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"
			S8140 ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S100_SL ★☆☆☆☆ 12" x 6'8" 14" x 6'8"
				S8601_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"
				S601_SL ★☆☆☆☆ 10" x 6'8"* 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")
				S81086_SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"

**INTERNAL BLINDS**

				
Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM141 ★☆☆☆☆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1286 ★☆☆☆☆E 2'4" x 6'8"* 2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81225 ★☆☆☆☆ 2'6" x 8'0"* 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM8115SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"
				FCM1286SL ★☆☆☆☆ 10" x 6'8"* 12" x 6'8" (7'0") 14" x 6'8" (7'0")
				FCM81225SL ★☆☆☆☆ 12" x 8'0" 14" x 8'0"
				FC141 ★☆☆☆☆E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				81225P ★☆☆☆☆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded      XC = Chord      XR = Rainglass  
XE = Satin Etch      XJ = Chinchilla      XN = Granite

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.





Oak

1286

- 24" x 6'8"  $\Delta$ \*
- 26" x 6'8"  $\Delta$  (70")\*
- 28" x 6'8"  $\Delta$  (70")
- 210" x 6'8"  $\Delta$  (70")
- 30" x 6'8"  $\Delta$  (70")

81225

- 26" x 8'0"\*
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Oak

FC141SL

- 10" x 6'8"\*
- 12" x 6'8"
- 14" x 6'8"

81225PSL

- 12" x 8'0"
- 14" x 8'0"



Oak

1286SL

- 12" x 6'8"  $\Delta$  (70")
- 14" x 6'8"  $\Delta$  (70")

81225SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S130

- 26" x 6'8"\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")

S829

- 26" x 8'0"\*
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S6061

- 24" x 6'8"  $\Delta$ \*
- 26" x 6'8"  $\Delta$ \*
- 28" x 6'8"  $\Delta$  (70")
- 210" x 6'8"  $\Delta$  (70")
- 30" x 6'8"  $\Delta$  (70")
- 36" x 6'8"

S81225

- 26" x 8'0"\*
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"
- 36" x 8'0"



Smooth

S130SL

- 12" x 6'8"
- 14" x 6'8"

S829SL

- 12" x 8'0"
- 14" x 8'0"



Smooth

S6128SL

- 10" x 6'8"\*
- 12" x 6'8"  $\Delta$  (70")
- 14" x 6'8"  $\Delta$  (70")

S85928SL

- 12" x 8'0"
- 14" x 8'0"

### CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1201

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM1211

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1202

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM1212

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1203

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM138

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1285

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM1208

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Mahogany

FCM1200

- 26" x 6'8" (70")\*
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")



Mahogany

FCM18

- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

- No Stile Lines
    - ☀ Low-E Glass (LE)
    - ▭ Simulated Divided Lites (SDL)
    - ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
  - ◇ Flat Almond Grilles Between Glass (GBGF)
    - ◇ Flat Bronze Grilles Between Glass (GBGF)
    - ▭ Flat Lite Frame
  - ▭ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
    - ▭ Standard Lite Frame Available
  - Vented Sidelite Options
    - 6 WBDR Options
    - 6 WBDR / HVHZ Options
    - E Elevated 10" Bottom Rail Options
- $\Delta$  6" Height Available

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star



Mahogany

**FCM1284**  
 6E  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Mahogany

**FCM828**  
 6E  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM81828**  
 6E  
 26" x 80"\*  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM81208P**  
 6E  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM81829**  
 6E  
 26" x 80"\*  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

**FCM1201SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM1202SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM1200SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM12102SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM81208PSL**  
 6E  
 12" x 80"  
 14" x 80"



Mahogany

**FCM81208SL**  
 6E  
 12" x 80"  
 14" x 80"



Mahogany

**FCM6124SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM6125SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM6126SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Mahogany

**FCM198**  
 6E  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM1289**  
 6E  
 26" x 68" (70")\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Mahogany

**FCM1289SL**  
 6E  
 10" x 68"\*  
 12" x 68" Δ (70")  
 14" x 68" Δ (70")



Oak

**FC1209**  
 6E  
 26" x 68"\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Oak

**FC1201**  
 6E  
 26" x 68" Δ (70")\*  
 28" x 68" Δ (70")  
 210" x 68" Δ (70")  
 30" x 68" Δ (70")



Oak

**FC1211**  
 6E  
 26" x 68"\*  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



Oak

**FC1202**  
 6E  
 26" x 68" Δ (70")\*  
 28" x 68" Δ (70")  
 210" x 68" Δ (70")  
 30" x 68" Δ (70")

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Oak

**FC1212**  
 \*♦♦♦♦♦E  
 26" x 6'8"\*/  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC1203**  
 \*♦♦♦♦♦E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")



Oak

**FC138**  
 \*♦♦♦♦♦E  
 26" x 6'8"\*/  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**1285**  
 \*♦♦♦♦♦E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")



Oak

**FC1208**  
 \*♦♦♦♦♦E  
 26" x 6'8"\*/  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**FC1200**  
 \*♦♦♦♦♦E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")



Oak

**FC18**  
 \*♦♦♦♦♦E  
 26" x 6'8"\*/  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



Oak

**1284**  
 \*♦♦♦♦♦E  
 26" x 6'8" Δ (70")\*  
 28" x 6'8" Δ (70")  
 210" x 6'8" Δ (70")  
 30" x 6'8" Δ (70")



Oak

**FC828**  
 \*♦♦♦♦♦E  
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



Oak

**81828**  
 \*♦♦♦♦♦E  
 26" x 8'0"\*/  
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"




Oak

**81208P**  
 \*♦♦♦♦♦E  
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"




Oak

**81208**  
 \*♦♦♦♦♦E  
 26" x 8'0"\*/  
 28" x 8'0"  
 210" x 8'0"  
 3'0" x 8'0"



Oak

**FC1209SL**  
 \*♦♦♦♦♦E  
 10" x 6'8"\*/  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1201SL**  
 \*♦♦♦♦♦E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Oak

**FC1211SL**  
 \*♦♦♦♦♦E  
 10" x 6'8"\*/  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1202SL**  
 \*♦♦♦♦♦E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Oak

**FC1208SL**  
 \*♦♦♦♦♦E  
 10" x 6'8"\*/  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC1200SL**  
 \*♦♦♦♦♦E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Oak

**FC18SL**  
 \*♦♦♦♦♦E  
 10" x 6'8"\*/  
 12" x 6'8"  
 14" x 6'8"



Oak

**12102SL**  
 \*♦♦♦♦♦E  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Oak

**81208PSL**  
 \*♦♦♦♦♦E  
 12" x 8'0"  
 14" x 8'0"



Oak

**81208SL**  
 \*♦♦♦♦♦E  
 12" x 8'0"  
 14" x 8'0"


**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- No Stile Lines
- ☀ Low-E Glass (LE)
- ▭ Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ▭ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▭ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▭ Standard Lite Frame Available
- Vented Sidelite Options
- 6 WBDL Options
- 6 WBDL / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 66" Height Available

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star



Oak

**FC06188SL**

10" x 6'8"\*

12" x 6'8"

14" x 6'8"



Oak

**FC06184SL**

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Oak

**FC06189SL**

10" x 6'8"\*

12" x 6'8"

14" x 6'8"



Oak

**FC06185SL**

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Oak

**FC06190SL**

10" x 6'8"\*

12" x 6'8"

14" x 6'8"



Oak

**FC06186SL**

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Oak

**FC198**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Oak


**1289**

2'6" x 6'8" Δ (70")\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")




Oak

**FC198SL**

10" x 6'8"\*

12" x 6'8"

14" x 6'8"



Oak

**FC1289SL**

12" x 6'8" Δ (70")

14" x 6'8" Δ (70")



Smooth

**S1209**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

**S1201**

2'6" x 6'8" Δ\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")



Smooth

**S1211**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

**S1202**

2'6" x 6'8" Δ\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")



Smooth

**S1212**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

**S1203**

2'6" x 6'8" Δ\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

3'6" x 6'8"



Smooth

**S128**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")

3'6" x 6'8"



Smooth

**S141**

2'6" x 6'8" Δ\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

3'6" x 6'8"



Smooth

**S1208**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

**S1200**

2'6" x 6'8" Δ\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

3'6" x 6'8"



Smooth

**S108**

2'6" x 6'8"\*

2'8" x 6'8" (70")

2'10" x 6'8" (70")

3'0" x 6'8" (70")



Smooth

**S6063**

2'6" x 6'8" Δ\*

2'8" x 6'8" Δ (70")

2'10" x 6'8" Δ (70")

3'0" x 6'8" Δ (70")

3'6" x 6'8"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
<b>S828</b>  26" x 80"* 28" x 80" 210" x 80" 30" x 80"	<b>S81828</b>  26" x 80"* 28" x 80" 210" x 80" 30" x 80" 36" x 80"	<b>S808</b>  26" x 80"* 28" x 80" 210" x 80" 30" x 80"	<b>S81208</b>  26" x 80"* 28" x 80" 210" x 80" 30" x 80" 36" x 80"	<b>S1209SL</b>  12" x 6'8" 14" x 6'8"	<b>S1201SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S1211SL</b>  12" x 6'8" 14" x 6'8"	<b>S1202SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")		
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1208SL</b>  12" x 6'8" 14" x 6'8"	<b>S1200SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S308SL</b>  12" x 6'8" 14" x 6'8"	<b>S1170SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S808SL</b>  12" x 8'0" 14" x 8'0"	<b>S81186SL</b>  12" x 8'0" 14" x 8'0"	<b>S605SL</b>  12" x 6'8" 14" x 6'8"	<b>S8605SL</b>  12" x 8'0" 14" x 8'0"	<b>S6124SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85924SL</b>  12" x 8'0" 14" x 8'0"
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S606SL</b>  12" x 6'8" 14" x 6'8"	<b>S8606SL</b>  12" x 8'0" 14" x 8'0"	<b>S6125SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85925SL</b>  12" x 8'0" 14" x 8'0"	<b>S607SL</b>  12" x 6'8" 14" x 6'8"	<b>S8607SL</b>  12" x 8'0" 14" x 8'0"	<b>S6126SL</b>  10" x 6'8"* 12" x 6'8" Δ (70") 14" x 6'8" Δ (70")	<b>S85926SL</b>  12" x 8'0" 14" x 8'0"	<b>S198</b>  26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S6062</b>  26" x 6'8" Δ* 28" x 6'8" Δ (70") 210" x 6'8" Δ (70") 30" x 6'8" Δ (70") 36" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

No Stile Lines	Flat Almond Grilles Between Glass (GBGF)	Fixed Grilles (FXG)	Scrolled Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.	WBDR Options
Low-E Glass (LE)	Flat Bronze Grilles Between Glass (GBGF)	Scrolled & Flat Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.	Vented SideLite Options	WBDR / HVHZ Options
Simulated Divided Lites (SDL)	Flat or Contour Black Grilles Between Glass (GBGF / GBGC)	Standard Lite Frame Available		6'6" Height Available
Flat or Contour White Grilles Between Glass (GBGF / GBGC)				Elevated 10" Bottom Rail Options

**CLEAR GLASS WITH DIVIDED LITES** *Continued*

**CLEAR GLASS**



Smooth

**S198SL**  
  
 12" x 6'8"  
 14" x 6'8"



Smooth

**S6062SL**  
  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")



Mahogany

**FCM10**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM870**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM1283**  
  
 2'4" x 6'8"\*  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Mahogany

**FCM81200**  
  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM12101SL**  
  
 10" x 6'9"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Mahogany

**FCM81200SL**  
  
 12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM870SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC10**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

**81200P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**1283**  
  
 2'4" x 6'8" Δ\*  
 2'6" x 6'8" Δ (70")\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")



Oak

**81200**  
  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC47SL**  
  
 10" x 6'8"\*  
 12" x 6'8"  
 14" x 6'8"



Oak

**81200PSL**  
  
 12" x 8'0"  
 14" x 8'0"




Oak

**12101SL**  
  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")





Oak

**81200SL**  
  
 12" x 8'0"  
 14" x 8'0"





Smooth

**S118**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")





Smooth

**S818**  
  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"





Smooth

**S140**  
  
 2'0" x 6'8"\*  
 2'4" x 6'8" Δ\*\*  
 2'6" x 6'8" Δ\*\*  
 2'8" x 6'8" Δ (70")  
 2'10" x 6'8" Δ (70")  
 3'0" x 6'8" Δ (70")  
 3'6" x 6'8"





Smooth

**S8140**  
  
 2'0" x 8'0"\*  
 2'4" x 8'0"\*  
 2'6" x 8'0"\*  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"





Smooth

**S100SL**  
  
 12" x 6'8"  
 14" x 6'8"





Smooth

**S8601SL**  
  
 12" x 8'0"  
 14" x 8'0"





Smooth

**S601SL**  
  
 10" x 6'8"\*  
 12" x 6'8" Δ (70")  
 14" x 6'8" Δ (70")





Smooth

**S81086SL**  
  
 12" x 8'0"  
 14" x 8'0"




Direct Set

**DRS2131SL**  
  
 12" x 6'8" (70")  
 14" x 6'8" (70")



Direct Set

**DRS82131SL**  
  
 12" x 8'0"  
 14" x 8'0"

\*Not available with Advanta lite frame.

\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.


# 3/4 Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

## BLACKSTONE. ◆ ■

<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC765</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>FC765SL</b> 6 12" x 6'8" 14" x 6'8"	<b>81952PSL</b> 6 12" x 8'0" 14" x 8'0"
					<b>S975</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## CRYSTALLINE™ ◆ ■

<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>S979</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S894</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S975SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S894SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM38SL</b> 6 12" x 6'8" 14" x 6'8"
				<b>FCM8105SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC38</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>FC772</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>81953P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





CRYSTALLINE Continues on next page.



- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ⬇ Flat Lite Frame
- ▮ Standard Lite Frame Available
- ▮ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⬆ Elevated 10" Bottom Rail Options
- ⬆ 6'6" Height Available





**CRYSTALLINE™** ♦ ■ ■ Continued

**SEDONA** ♦ ■ ■







Fiber-Classic & Smooth-Star

			
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC38SL</b> 12" x 6'8" 14" x 6'8"	<b>81953PSL</b> 12" x 8'0" 14" x 8'0"	<b>S977</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S981</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
<b>S888</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S758SL</b> 12" x 6'8" 14" x 6'8"	<b>S888SL</b> 12" x 8'0" 14" x 8'0"	

	
<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM131</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM131SL</b> 12" x 6'8" 14" x 6'8"
	<b>FCM883SL</b> 12" x 8'0" 14" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FC131</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC773</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81954P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC131SL</b> 12" x 6'8" 14" x 6'8"	<b>81954PSL</b> 12" x 8'0" 14" x 8'0"	<b>S95</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>S91</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				<b>S887</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S91SL</b> 12" x 6'8" 14" x 6'8"
					<b>S887SL</b> 12" x 8'0" 14" x 8'0"

**SALINAS. X**

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM115</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM115SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM884SL</b> 12" x 8'0" 14" x 8'0"	<b>FC115</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC775</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81955P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					<b>FC115SL</b> 12" x 6'8" 14" x 6'8"
					<b>81955PSL</b> 12" x 8'0" 14" x 8'0"
					<b>S6009</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



MAPLE PARK. ◆ ■ ■



Smooth

S6010  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S895  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S6009SL  
 12" x 6'8"  
 14" x 6'8"

S895SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM902  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

FCM902SL  
 12" x 6'8"  
 14" x 6'8"

FCM887SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC902  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Oak

FC777  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

81957P  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

SARATOGA. ◆ ■ ■



Oak

FC902SL  
 12" x 6'8"  
 14" x 6'8"

81957PSL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6102  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

S6103  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S85898  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S6102SL  
 12" x 6'8"  
 14" x 6'8"

S85898SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM907  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

FCM907SL  
 12" x 6'8"  
 14" x 6'8"

FCM889SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC907  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Oak

FC776  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

81956P  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

FC907SL  
 12" x 6'8"  
 14" x 6'8"

81956PSL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6092  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

S982  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

S891  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

S6092SL  
 12" x 6'8"  
 14" x 6'8"

S891SL  
 12" x 8'0"  
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- ■ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)

- ▣ Scrolled & Flat Advanta Lite Frame  
 Not available for 24" and 26" doors or 10" sidelites.

- 6 WBDP Options
- 6 WBDP / HVHZ Options

TEXAS STAR ◆ ◆



<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM143</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM143SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8103SL</b> 12" x 8'0" 14" x 8'0"	<b>FC143</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FC778</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>81958P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"
<b>FC143SL</b> 12" x 6'8" 14" x 6'8"	<b>81958PSL</b> 12" x 8'0" 14" x 8'0"	<b>S6071</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"			

Fiber-Classic & Smooth-Star

WELLESLEY™ ◆ ◆ ◆



<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>S6072</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S85901</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S6071SL</b> 12" x 6'8" 14" x 6'8"	<b>85901SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM147</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM147SL</b> 12" x 6'8" 14" x 6'8"
<b>FCM885SL</b> 12" x 8'0" 14" x 8'0"	<b>FC147</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FC779</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>81959P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"		

RISERVA® X




<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FC147SL</b> 12" x 6'8" 14" x 6'8"	<b>81959PSL</b> 12" x 8'0" 14" x 8'0"	<b>S6091</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S983</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S892</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S6091SL</b> 12" x 6'8" 14" x 6'8"
<b>S892SL</b> 12" x 8'0" 14" x 8'0"	<b>S6091SL</b> 12" x 6'8" 14" x 6'8"	<b>S892SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM543</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM545SL</b> 12" x 6'8" 14" x 6'8"	<b>81959P</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"
		<b>FCM8545SL</b> 12" x 8'0" 14" x 8'0"			



**CONCORDE™** ◆ ■ ❖



**KENSINGTON™** ◆ ■ ■



**KENSINGTON** *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ WBDR Options
- ◆ WBDR Options





Oak

**FC1442SL**  **81961PSL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



Smooth

**S20042**  **S902**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"



Smooth

**S156**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




Smooth

**S1442SL**  **S902SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



Mahogany

**FCM6582**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6580SL**  **FCM86580SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"






Oak

**FC6582**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





Oak

**FC6580**  **FC86580**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"




Oak

**FC6580SL**  **FC86580SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"





Smooth

**S6582**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




Smooth

**S6580**  **S86580**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"



Smooth

**S6580SL**  **S86580SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"

**AXIS** 





Mahogany

**FCM1647**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM1646SL**  **FCM81646SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"





Oak

**FC1647**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC1646**  **FC81646**   
 2'8" x 6'8"    2'8" x 8'0"  
 2'10" x 6'8"    2'10" x 8'0"  
 3'0" x 6'8"    3'0" x 8'0"




Oak

**FC1646SL**  **FC81646SL**   
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



Smooth

**S1647**   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

CALIX ◆ ◆ ◆ ◆



Smooth

S1646  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S81646  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth


S1646SL  
 12" x 6'8"  
 14" x 6'8"

S81646SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM4521SL  
 12" x 6'8"  
 14" x 6'8"

FCM84521SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




Oak

FC4521  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC84521  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

LATITUDE ◆ ◆ ◆ ◆



Oak

FC4521SL  
 12" x 6'8"  
 14" x 6'8"

FC84521SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S389  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S4521  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84521  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4521SL  
 12" x 6'8"  
 14" x 6'8"

S84521SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM4525SL  
 12" x 6'8"  
 14" x 6'8"

FCM84525SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC4525  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC84525  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak


FC4525SL  
 12" x 6'8"  
 14" x 6'8"

FC84525SL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S476  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S4525  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84525  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth


S4525SL  
 12" x 6'8"  
 14" x 6'8"

S84525SL  
 12" x 8'0"  
 14" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)


- ◆ Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDOR Options





**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

**NEW** Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

















**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded      XC = Chord      XR = Rainglass  
XE = Satin Etch      XJ = Chinchilla      XN = Granite

### PRIVACY & TEXTURED GLASS

							
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak		
<b>S82_SL</b>  12" x 6'8" 14" x 6'8"	<b>S881_SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM32_</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM32_SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM881_SL</b>  12" x 8'0" 14" x 8'0"	<b>FC32_</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC766_</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81943P_</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### INTERNAL BLINDS

									
Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany				
<b>FC32_SL</b>  12" x 6'8" 14" x 6'8"	<b>81943P_SL</b>  12" x 8'0" 14" x 8'0"	<b>S80_</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S90_</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S880_</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S751_SL</b>  12" x 6'8" 14" x 6'8"	<b>S880_SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM5425</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM5425SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8110SL</b>  12" x 8'0" 14" x 8'0"
									
Oak	Oak	Oak	Smooth	Smooth	Smooth				
<b>FC5425</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1964P</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81964P</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC5425SL</b>  12" x 6'8" 14" x 6'8"	<b>81964PSL</b>  12" x 8'0" 14" x 8'0"	<b>S5425</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S682</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8682</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S5425SL</b>  12" x 6'8" 14" x 6'8"	<b>S8682SL</b>  12" x 8'0" 14" x 8'0"


-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat Lite Frame

-  Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 24" and 2'6" doors or 10" sidelites.

-  Standard Lite Frame Available
-  WBDR Options
-  WBDR / HVHZ Options

CLEAR GLASS WITH DIVIDED LITES

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR<sup>®</sup> requirements in all 50 states indicated in gold .

Fiber-Classic & Smooth-Star



Mahogany

**FCM2106**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM2107**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany



**FCM2108**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM82**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

**FCM1089SL**

   
 12" x 68"  
 14" x 68"



Mahogany

**FCM8311SL**

   
 12" x 80"  
 14" x 80"

**FCM2101SL**

   
 12" x 68"  
 14" x 68"

**FCM8313SL**

   
 12" x 80"  
 14" x 80"



Mahogany

**FCM92SL**

   
 12" x 68"  
 14" x 68"



Mahogany

**FCM8310SL**

   
 12" x 80"  
 14" x 80"



Mahogany

**FCM8101SL**

   
 12" x 80"  
 14" x 80"



Mahogany

**FCM81900SL**

   
 12" x 80"  
 14" x 80"



Mahogany

**FCM81947SL**

   
 12" x 80"  
 14" x 80"



Mahogany

**FCM81949SL**

   
 12" x 80"  
 14" x 80"



Mahogany

**FCM1402**

   
 28" x 68"  
 210" x 68"  
 30" x 68"

**FCM1400SL**

   
 12" x 68"  
 14" x 68"

**FCM81944SL**

   
 12" x 80"  
 14" x 80"



Oak

**FC2106**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC2107**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak



**FC2108**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC82**

   
 28" x 68"  
 210" x 68"  
 30" x 68"



Oak

**FC1089**

   
 28" x 68"  
 210" x 68"  
 30" x 68"

**FC8311**

   
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

**FC2101**

   
 28" x 68"  
 210" x 68"  
 30" x 68"

**FC8313**

   
 28" x 80"  
 210" x 80"  
 30" x 80"





Oak

**FC2102**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC8316**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**81945P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC92**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC8310**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**81946P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC1089SL**  
 12" x 6'8"  
 14" x 6'8"

**FC8311SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC2101SL**  
 12" x 6'8"  
 14" x 6'8"

**FC8313SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC92SL**  
 12" x 6'8"  
 14" x 6'8"

**FC8310SL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**81946PSL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**81900PSL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**81947PSL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**81949PSL**  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC1402**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC1400**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81944P**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC1400SL**  
 12" x 6'8"  
 14" x 6'8"

**81944PSL**  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S2106**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S2107**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S2108**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S82**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S1089**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8311**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options

- WBDR / HVHZ Options

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold.

Fiber-Classic & Smooth-Star



<b>S2101</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8313</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S2102</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8316</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S881</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S92</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8310</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S882</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"
---	---	---	---	--	---	---	--



<b>S1089SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S8311SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S2101SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S8313SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S82SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S8310SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S881SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S8207SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S8202SL</b> Smooth 12" x 8'0" 14" x 8'0"	<b>S8204SL</b> Smooth 12" x 8'0" 14" x 8'0"
--	--	--	--	--	--	---	--	--	--



<b>S1402</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S1400</b> Smooth 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S898</b> Smooth 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S1400SL</b> Smooth 12" x 6'8" 14" x 6'8"	<b>S898SL</b> Smooth 12" x 8'0" 14" x 8'0"
---	---	--	--	---


**CLEAR GLASS**



<b>FCM32</b> Mahogany 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM32SL</b> Mahogany 12" x 6'8" 14" x 6'8"	<b>FCM881SL</b> Mahogany 12" x 8'0" 14" x 8'0"
---	--	---

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley



- ☀️ Low-E Glass (LE)
- 🏠 Turtle Glass
- 🏠 Simulated Divided Lites (SDL)
- 🏠 Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- 🏠 Flat Almond Grilles Between Glass (GBGF)
- 🏠 Flat Bronze Grilles Between Glass (GBGF)
- 🏠 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- 🏠 Fixed Grilles (FXG)
- 🏠 Flat Lite Frame
- 🏠 Scrolled & Flat Advanta Lite Frame Not available for 24" and 2'6" doors or 10" sidelites.
- 🏠 Scrolled Advanta Lite Frame Not available for 24" and 2'6" doors or 10" sidelites.
- 🏠 Standard Lite Frame Available
- 🏠 WBDROptions
- 🏠 WBDROptions

# Oval Lites


Note: Product images show exterior side of door.

Fiber-Classic & Smooth-Star



## TRANSOMS

For transoms, see page 201.



### BLACKSTONE. ◆ ◆



Mahogany

**FCM110**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM164**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC714**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC164**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC794**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

**S771**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

**S6085**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

### WELLESLEY. ◆ ◆ ◆



Smooth

**S997**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM106**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM163**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC713**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC163**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC796**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

Note: See page 277 for important product details that may help with your purchase decision.

**CONCORDE™** ◆ ◆ ◆



Smooth

**S774**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S6082**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S999**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM916**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM915**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC916**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC915**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC797**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S773**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S6084**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S1000**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM151**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM789**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC709**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**KENSINGTON™** ◆ ◆ ◆



Oak

**FC151**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

**FC798**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S709**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S163**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S1001**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM6577**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM6575**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**PEMBRIDGE™** ◆ ◆ ◆

**PEMBRIDGE** *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)

- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.



Oak

**FC6577**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC06575**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC6576**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6577**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"






Smooth

**S6575**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6576**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS**



Mahogany

**FCM80**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM160**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC710**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC160**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

**FC789**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S770**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S6080**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S992**  
    
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.


Bottom: Smooth-Star, Pembriidge Glass, Door S6576

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door - FCM114, Sidelites - FCM814SL, Transom - SART, Finish - Raven



**TRANSOMS**

For transoms, see page 201.



**BLACKSTONE. ◆◆**

 <b>Mahogany</b> <b>FCM109</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Mahogany</b> <b>FCM863</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Mahogany</b> <b>FCM6032</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Mahogany</b> <b>FCM6052</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Mahogany</b> <b>FCM109SL</b> 12" x 68" 14" x 68"		 <b>Oak</b> <b>FCM863SL</b> 12" x 80" 14" x 80"		 <b>Oak</b> <b>FC109</b> 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")		 <b>Oak</b> <b>81933P</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Oak</b> <b>81975P</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Oak</b> <b>FC109SL</b> 12" x 68" 14" x 68"		 <b>Oak</b> <b>81933PSL</b> 12" x 80" 14" x 80"	
 <b>Smooth</b> <b>S6000</b> 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")		 <b>Smooth</b> <b>S81933P</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S6032</b> 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")		 <b>Smooth</b> <b>S86032</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S4314</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Smooth</b> <b>S84314</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S6052</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Smooth</b> <b>S972</b> 28" x 68" 210" x 68" 30" x 68"		 <b>Smooth</b> <b>S85905</b> 28" x 80" 210" x 80" 30" x 80"		 <b>Smooth</b> <b>S6000SL</b> 12" x 68" 14" x 68"		 <b>Smooth</b> <b>S85912SL</b> 12" x 80" 14" x 80"	

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



Mahogany

FCM898

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM898SL

12" x 8'0"  
14" x 8'0"



Oak

81935P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

81977P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

81935PSL

12" x 8'0"  
14" x 8'0"



Smooth

S81935P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S86027

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

SEDONA ◆ ❖



Smooth

S84319

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S85907

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S85914SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM101

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM864

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6025

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6045

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM101SL

12" x 6'8"  
14" x 6'8"



Mahogany

FCM864SL

12" x 8'0"  
14" x 8'0"



Oak

FC101

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

81978P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC101SL

12" x 6'8"  
14" x 6'8"



Oak

81936PSL

12" x 8'0"  
14" x 8'0"



Smooth

S211

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S81936P

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.





Smooth

S6025

▲ 6 E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S86025

▲ 6 E  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4328

▲ 6 E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84328

▲ 6 E  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6045

▲ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S35

▲ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S833

▲ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S294SL

▲ 6  
 12" x 6'8"  
 14" x 6'8"

S85915SL

▲ 6  
 12" x 8'0"  
 14" x 8'0"

## SALINAS X



Mahogany

FCM114

▲ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM865

▲ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM6031

▲ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM6051

▲ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM114SL

▲ 6  
 12" x 6'8"  
 14" x 6'8"

FCM865SL

▲ 6  
 12" x 8'0"  
 14" x 8'0"



Oak

FC114

▲ 6 E  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

81937P

▲ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

81980P

▲ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FCM114SL

▲ 6  
 12" x 6'8"  
 14" x 6'8"

81937PSL

▲ 6  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6006

▲ 6 E  
 2'6" x 6'8"\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S81937P

▲ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6031

▲ 6 E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

S86031

▲ 6 E  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S4325

▲ 6 E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S84325

▲ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6051

▲ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

SALINAS Continues on next page.

- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- X Wrought Iron (IW)

- ▲ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

**SALINAS** ✕ *Continued*



Smooth

**S973**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S893**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**S6006SL**

12" x 6'8"  
 14" x 6'8"

**S85916SL**

12" x 8'0"  
 14" x 8'0"

**MAPLE PARK** ◆ ◆



Mahogany

**FCM901**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM886**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**FCM6107**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM6108**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM901SL**

12" x 6'8"  
 14" x 6'8"

**FCM886SL**

12" x 8'0"  
 14" x 8'0"



Oak

**FC901**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**81939P**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**81982P**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC901SL**

12" x 6'8"  
 14" x 6'8"

**81939PSL**

12" x 8'0"  
 14" x 8'0"



Smooth

**S6101**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81939P**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6107**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S86107**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S4324**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S84324**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

**SARATOGA** ◆ ◆



Smooth

**S6108**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

**S6106**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S85897**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6101SL**

12" x 6'8"  
 14" x 6'8"

**S85918SL**

12" x 8'0"  
 14" x 8'0"



Mahogany

**FCM906**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM888**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM6029**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"









Mahogany

**FCM6049**







28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"








\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

					
<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM906SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM888SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC906</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81938P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81981P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC906SL</b> 6 12" x 6'8" 14" x 6'8"
			<b>81938PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S213</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81938P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>S6029</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86029</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**TEXAS STAR** ◆ ❖

					
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>S4327</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84327</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6049</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S41</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85908</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S291SL</b> 6 12" x 6'8" 14" x 6'8"
				<b>S85917SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM144</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				<b>FCM899</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6074</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM6075</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM899SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC144</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81983P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81940PSL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6073</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					<b>S81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6074</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						<b>S86074</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**TEXAS STAR** *Continues on next page.*

- ◆ Black Nickel Caming (ID)
- ❖ Brushed Nickel Caming (IC)
- ✕ Wrought Iron (IW)

- ▣ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ▣ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options


TEXAS STAR  *Continued*

WELLESLEY™ 

Fiber-Classic & Smooth-Star



Smooth

**S4329**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**S84329**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

**S6075**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

**S6076**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**S81983**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"





Smooth

**85919SL**  
  
12" x 8'0"  
14" x 8'0"




Mahogany

**FCM105**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**FCM866**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"




Mahogany

**FCM6030**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM6050**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"




Mahogany

**FCM105SL**  
  
12" x 6'8"  
14" x 6'8"

**FCM866SL**  
  
12" x 8'0"  
14" x 8'0"



Oak

**FC105**  
  
26" x 6'8"  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

**81941P**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

**81984P**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"




Oak

**FC105SL**  
  
12" x 6'8"  
14" x 6'8"

**81941PSL**  
  
12" x 8'0"  
14" x 8'0"




Smooth

**S214**  
  
26" x 6'8"  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

**S81941P**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"




Smooth


**S6030**  
  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")

**S86030**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

**S4330**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**S84330**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

**S6050**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

**S42**  
  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**S85909**  
  
28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth







**S292SL**  
  
12" x 6'8"  
14" x 6'8"






**S85922SL**  
  
12" x 8'0"  
14" x 8'0"

\*Not available with Advanta lite frame.







Note: See page 277 for important product details that may help with your purchase decision.

**RISERVA X**

					
Mahogany		Mahogany		Oak	Oak
<b>FCM581</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM8581</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FCM575</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM577</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM583SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8583SL</b> 12" x 8'0" 14" x 8'0"
<b>FC581</b> 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>FC8581</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>FC8579</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"			

				
Oak	Smooth	Smooth	Smooth	Smooth
<b>FC583SL</b> 12" x 6'8" 14" x 6'8"	<b>FC8583SL</b> 12" x 8'0" 14" x 8'0"	<b>S581</b> 26" x 6'8"* 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")	<b>S8581</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S575</b> 28" x 6'8" (70") 210" x 6'8" (70") 30" x 6'8" (70")
<b>S8575</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S4326</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S84326</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S577</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	

**CONCORDE**

					
Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany
<b>S579</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>S8579</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>S583SL</b> 12" x 6'8" 14" x 6'8"	<b>S8583SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM911</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM891</b> 28" x 8'0" 210" x 8'0" 30" x 8'0"
<b>FCM6026</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM6046</b> 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>FCM911SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM891SL</b> 12" x 8'0" 14" x 8'0"		

CONCORDE Continues on next page.

-  Black Nickel Caming (ID)
-  Brushed Nickel Caming (IC)
-  Brass Caming (IA)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

Fiber-Classic & Smooth-Star



Oak

**FC911**  


2'6" x 6'8"  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**81942P**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**81985P**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC911SL**  


12" x 6'8"  
14" x 6'8"

**81942PSL**  


12" x 8'0"  
14" x 8'0"



Smooth

**S426**  


2'6" x 6'8"  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**S81942P**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6026**  


2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**S86026**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S4316**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S84316**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6046**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S37**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S837**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S430SL**  


12" x 6'8"  
14" x 6'8"

**S85920SL**  


12" x 8'0"  
14" x 8'0"

KENSINGTON™  



Mahogany

**FCM149**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM8149**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

**FCM6036**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM6056**  


2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

**FCM149SL**  


12" x 6'8"  
14" x 6'8"

**FCM867SL**  


12" x 8'0"  
14" x 8'0"



Oak

**FC149**  


2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**FC8149**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC89701**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC149SL**  


12" x 6'8"  
14" x 6'8"

**FC8867SL**  


12" x 8'0"  
14" x 8'0"



Smooth

**SI61**  


2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

**S8149**  


2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



Smooth

S6036



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86036



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S4320



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84320



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6056



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S43



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S89701



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S161SL



12" x 6'8"

S867SL



12" x 8'0"

**PEMBRIDGE™** ◆ ◆ ◆



Mahogany

FCM6560



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM86560



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6565



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6568



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6565SL



12" x 6'8"  
14" x 6'8"

FCM86560SL



12" x 8'0"  
14" x 8'0"



Oak

FC6560



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

FC86560



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC86536



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC6565SL



12" x 6'8"  
14" x 6'8"

FC86560SL



12" x 8'0"  
14" x 8'0"



Smooth

S6560



2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86560



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6565



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S86565



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S4323



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S84323



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6568



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

PEMBRIDGE *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR Options

- ◆ WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options

**PEMBRIDGE™** ◆ ◆ ◆ Continued



Smooth

**S6536**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S86536**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S6565SL**

12" x 6'8"  
 14" x 6'8"

**S86560SL**

12" x 8'0"  
 14" x 8'0"

**AXIS.** ◆



Mahogany

**FCM1654**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM81654**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM1656**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM1658**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Mahogany

**FCM1656SL**

12" x 6'8"  
 14" x 6'8"

**FCM81654SL**

12" x 8'0"  
 14" x 8'0"

Fiber-Classic & Smooth-Star



Oak

**FC1654**

26" x 6'8"  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC81654**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC81653**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC1656SL**

12" x 6'8"  
 14" x 6'8"

**FC81654SL**

12" x 8'0"  
 14" x 8'0"



Smooth

**S1654**

26" x 6'8"  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81654**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1656**

28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S81656**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S4311**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S84311**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1658**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



Smooth

**S1653**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**S81653**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S1656SL**

12" x 6'8"  
 14" x 6'8"

**S81654SL**

12" x 8'0"  
 14" x 8'0"

**CALIX** ◆ ◆ ◆



Mahogany

**FCM386**

28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8386**

28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM387**






28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.



									
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>				
<b>FCM394</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FCM8386SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC386</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC8386</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8392</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FC8386SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S386</b> 6E 2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8386</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>				
<b>S387</b> 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8387</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4310</b> 6E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84310</b> 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S394</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S392</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8392</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S387SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S8386SL</b> 6 12" x 8'0" 14" x 8'0"

**LATITUDE** ◆ ◆ ◆

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
<b>FCM8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM8498SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FC8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8489</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC8498SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S8498</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8467</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

LATITUDE *Continues on next page.*

- ◆ Black Nickel Caming (1D)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDR / HVHZ Options
- ◆ Brushed Nickel Caming (1C)
- ◆ E Elevated 10" Bottom Rail Options
- ◆ Brass Caming (1A)
- ◆ WBDR Options



Smooth

S84322

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S8489

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S8498SL

  12" x 8'0"  
14" x 8'0"



Mahogany

FCM65\_

  28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6022\_

  28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6042\_

  28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Mahogany

FCM8321\_

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Mahogany

FCM65\_SL

  12" x 6'8"  
14" x 6'8"



Mahogany




FCM3487\_SL

  12" x 8'0"  
14" x 8'0"



Oak

FC65\_

   28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")



Oak

FC8321\_

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Oak

FC832\_

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Oak

FC63\_SL

  12" x 6'8"  
14" x 6'8"



Oak




FC3487\_SL

  12" x 8'0"  
14" x 8'0"



Smooth




S262\_

   28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")



Smooth

S6022\_

   28" x 6'8" (70")  
210" x 6'8" (70")  
3'0" x 6'8" (70")



Smooth

S6042\_

  28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Smooth

S32\_

  28" x 6'8"  
210" x 6'8"  
3'0" x 6'8"



Smooth

S8321\_

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S86022\_

   28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"



Smooth

S832\_

  28" x 8'0"  
210" x 8'0"  
3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

## PRIVACY & TEXTURED GLASS



Smooth

S263\_SL

12" x 6'8"  
14" x 6'8"



Smooth

S3487\_SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM62\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM862\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6021\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6041\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM62\_SL

12" x 6'8"  
14" x 6'8"



Mahogany

FCM862\_SL

12" x 8'0"  
14" x 8'0"



Oak

FC62\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

81929P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

81971P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC48\_SL

12" x 6'8"  
14" x 6'8"



Oak

81929P\_SL


12" x 8'0"  
14" x 8'0"



Smooth

S206\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S81929P\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6021\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S86021\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S4305\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S84305\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S6041\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S104\_

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S30\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S830\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S210\_SL

12" x 6'8"  
14" x 6'8"



Smooth

S85910\_SL

12" x 8'0"  
14" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

# INTERNAL BLINDS

Fiber-Classic & Smooth-Star



Mahogany

**FCM678**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM8678**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




Mahogany

**FCM6035**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM6055**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM116**  
  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

**FCM678SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FCM8678SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC678**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**FC8678**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC116**  
  
 2'6" x 6'8" (7'0")\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

**FC8971**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC678SL**  
  
 12" x 6'8"  
 14" x 6'8"

**FC8678SL**  
  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S132**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S8132**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6035**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**S86035**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S4308**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S84308**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6055**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S131**  
  
 2'6" x 6'8"\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

**S971**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8971**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S132SL**  
  
 12" x 6'8"  
 14" x 6'8"

**S8132SL**  
  
 12" x 8'0"  
 14" x 8'0"

## SCREEN VENTED LITES\*\*



Smooth

**S243**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

**S6034**  
  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

\*Not available with Advanta lite frame.

\*\*Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.


CLEAR GLASS WITH DIVIDED LITES



Smooth

S6054

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S137

2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM65

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6022

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6042

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8675SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM65SL FCM7125SL

12" x 6'8"  
14" x 6'8"



Mahogany

FCM3487SL

12" x 8'0"  
14" x 8'0"



Mahogany

FCM1408

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8145

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM1405

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1406

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1405SL FCM8145SL

12" x 6'8"  
14" x 6'8"

12" x 8'0"  
14" x 8'0"



Oak

FC8322

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8323

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8324

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC65

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC8321

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Contour or Flat White Grilles  
Between Glass (GBGF / GBGC)

Contour or Flat Almond Grilles  
Between Glass (GBGF / GBGC)

Contour or Flat Bronze Grilles  
Between Glass (GBGF / GBGC)

Scrolled & Flat  
Advanta Lite Frame  
Not available for 2'4" and  
2'6" doors or 10" sidelites.

Standard Lite  
Frame Available

WBDR Options

WBDR / HVHZ Options

Elevated 10" Bottom  
Rail Options

**CLEAR GLASS WITH DIVIDED LITES** *Continued*



Oak

**FC8318**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8319**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8320**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC832**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8675SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC63SL** | **FC7125SL**  
  
 12" x 6'8"  
 14" x 6'8"



Oak

**FC3487SL**  
  
 12" x 8'0"  
 14" x 8'0"



Oak

**FC1408**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



Oak

**FC8145**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

**FC8144** | **FC1408SL** | **FC8145SL**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 12" x 6'8"  
 14" x 6'8"  
 12" x 8'0"  
 14" x 8'0"



Smooth

**S8322**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8326**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S84318**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8323**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8327**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S84313**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8324**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S8328**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S84309**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S262**  
  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")





































Smooth



















**S6022**  
  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S4307</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6042</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8321</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8325</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S84312</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8318</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8319</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"




									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S8320</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S32</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S832</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S115</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8675SL</b>  12" x 8'0" 14" x 8'0"	<b>S263SL</b>  12" x 6'8" 14" x 6'8"	<b>S7125SL</b>  12" x 8'0" 14" x 8'0"	<b>S3487SL</b>  12" x 8'0" 14" x 8'0"	<b>S1408</b>  2'6" x 6'8"* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S8145</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
<b>S1405</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81405</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S4321</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S84321</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1406</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1407</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8144</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1405SL</b>  12" x 6'8" 14" x 6'8"	<b>S8145SL</b>  12" x 8'0" 14" x 8'0"

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)

-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
-  Standard Lite Frame Available

-  WBDRO Options
-  WBDRO / HVHZ Options
-  Elevated 10" Bottom Rail Options

CLEAR GLASS



<p><b>Mahogany</b></p> <p><b>FCM62</b>   28" x 6'8"                  210" x 6'8"                  30" x 6'8"</p>		<p><b>Mahogany</b></p> <p><b>FCM862</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>		<p><b>Mahogany</b></p> <p><b>FCM6021</b>   28" x 6'8"                  210" x 6'8"                  30" x 6'8"</p>		<p><b>Mahogany</b></p> <p><b>FCM6041</b>   28" x 6'8"                  210" x 6'8"                  30" x 6'8"</p>		<p><b>Mahogany</b></p> <p><b>FCM670</b>   26" x 6'8" (70")*                  28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Mahogany</b></p> <p><b>FCM62SL</b>   12" x 6'8"                  14" x 6'8"</p>		<p><b>Oak</b></p> <p><b>FCM862SL</b>   12" x 8'0"                  14" x 8'0"</p>		<p><b>Oak</b></p> <p><b>FC62</b>   26" x 6'8"*                  28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Oak</b></p> <p><b>81929P</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>	
--	--	---	--	--	--	--	--	--	--	---	--	---	--	---	--	--	--



<p><b>Oak</b></p> <p><b>FC670</b>   26" x 6'8" (70")*                  28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Oak</b></p> <p><b>81971P</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>		<p><b>Oak</b></p> <p><b>FC48SL</b>   12" x 6'8"                  14" x 6'8"</p>		<p><b>Oak</b></p> <p><b>81929PSL</b>   12" x 8'0"                  14" x 8'0"</p>		<p><b>Smooth</b></p> <p><b>S206</b>   26" x 6'8"*                  28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Smooth</b></p> <p><b>S81929P</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>		<p><b>Smooth</b></p> <p><b>S6021</b>   28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Smooth</b></p> <p><b>S86021</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>		<p><b>Smooth</b></p> <p><b>S4315</b>   28" x 6'8"                  210" x 6'8"                  30" x 6'8"</p>		<p><b>Smooth</b></p> <p><b>S84315</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>	
--	--	--	--	---	--	---	--	--	--	--	--	--	--	---	--	--	--	---	--



<p><b>Smooth</b></p> <p><b>S6041</b>   28" x 6'8"                  210" x 6'8"                  30" x 6'8"</p>		<p><b>Smooth</b></p> <p><b>S104</b>   26" x 6'8"*                  28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Smooth</b></p> <p><b>S105</b>   26" x 6'8"*                  28" x 6'8" (70")                  210" x 6'8" (70")                  30" x 6'8" (70")</p>		<p><b>Smooth</b></p> <p><b>S30</b>   28" x 6'8"                  210" x 6'8"                  30" x 6'8"</p>		<p><b>Smooth</b></p> <p><b>S830</b>   28" x 8'0"                  210" x 8'0"                  30" x 8'0"</p>		<p><b>Smooth</b></p> <p><b>S210SL</b>   12" x 6'8"                  14" x 6'8"</p>		<p><b>Smooth</b></p> <p><b>S85910SL</b>   12" x 8'0"                  14" x 8'0"</p>	
--	--	--	--	--	--	--	--	---	--	--	--	--	--

\*Not available with Advanta lite frame.  
 Note: See page 277 for important product details that may help with your purchase decision.  
 Right Page: Smooth-Star, Clear Glass, Door - S289, Finish - Onyx





## TRANSOMS

For transoms, see page 201.



### BLACKSTONE. ◆ ◆



Smooth

S6013

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SEDONA ◆ ◆



Smooth

S294

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SALINAS. ✕



Smooth

S6014

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### MAPLE PARK. ◆ ◆



Smooth

S6104

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SARATOGA.™ ◆ ◆



Smooth

S291

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### WELLESLEY.™ ◆ ◆ ◆



Smooth

S292

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### RISERVA. ✕



Smooth

S585

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### CONCORDE.™ ◆ ◆ ◆



Smooth

S430

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)

- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- Standard Lite Frame Available
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDR Options
- 6 WBDR / HVHZ Options

- E Elevated 10" Bottom Rail Options

**KENSINGTON™** ◆ ◆ ◆



Smooth

S162

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Smooth

S6572

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**AXIS** ◆



Smooth

S1661

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CALIX** ◆ ◆ ◆ ◆



Smooth

S398

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S807\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**PRIVACY & TEXTURED GLASS**



Smooth

S289\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

S807

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S1411

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS**



Smooth

S289

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 277 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Salinas Glass, Door - S9353, Sidelites - S6008SL, Finish - Canyon


# Center Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



Fiber-Classic & Smooth-Star

## BLACKSTONE. ◆ ◆

Oak	Oak	Smooth	Smooth
FC80943 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86243 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9343 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83143 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## SEDONA ◆ ◆

Oak	Oak	Smooth
FC80952 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86252 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9352 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## SALINAS. X

Smooth	Oak	Oak	Smooth
S83152 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80953 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86253 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9353 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## MAPLE PARK. ◆ ◆

Oak	Oak
FC80955 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86255 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)
- ◆ Brushed Nickel Caming (IC)
- ◆ Brass Caming (IA)
- ✗ Wrought Iron (IW)
- 🗑 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame Not available for 24" and 26" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

**MAPLE PARK** ◆ ◆



**S9355**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83155**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SARATOGA**™ ◆ ◆



**FC80954**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86254**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S9354**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83154**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**WELLESLEY**™ ◆ ◆ ◆



**FC80949**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86249**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S9349**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83149**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**RISERVA** ✕



**FC507**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC549**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S507**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CONCORDE**™ ◆ ◆ ◆



**S549**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC80947**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86247**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S9347**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83147**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**KENSINGTON**™ ◆ ◆



**FC80942**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC86242**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded**      **XC = Chord**      **XR = Rainglass**
- XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

**PEMBRIDGE™** ◆ ◆ ◆ ◆



Smooth

S9342

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S83142

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC6534

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC86533

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S6534

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S86533

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

**AXIS.◆**



Oak

FC1655

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC81649

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S1655

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S81649

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC393

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC8390

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S393

28" x 6'8"  
210" x 6'8"  
30" x 6'8"

**CALIX◆◆◆◆**

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S8390

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

FC809203

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

FC862203

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Smooth

S93203

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Smooth

S831203

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ WBDP / HVHZ Options

## PRIVACY & TEXTURED GLASS

			
Oak	Oak	Smooth	Smooth
<b>FC80920_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9320_</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120_</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## INTERNAL BLINDS

		
Oak	Oak	Smooth
<b>FC925</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8972</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S925</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## CLEAR GLASS WITH DIVIDED LITES

						
Smooth	Oak	Oak	Smooth	Smooth	Oak	Oak
<b>S8972</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC809203</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC862203</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S93203</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S831203</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1404</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8141</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

## CLEAR GLASS

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
<b>S1404</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8141</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC80920</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S9320</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83120</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*\*Available with Advanta flat lite frame only.

\*\*\*Available with Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.


Right Page: Smooth-Star, Calix Glass, Door- S3540, Finish - Arctic Ice



## TRANSOMS

For transoms, see page 201.

### OPTIONAL DENTIL SHELVES\*



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Fiber-Classic Mahogany Collection doors.



#### 4-Block Dentil Shelf

Available for all Craftsman-lite Smooth-Star doors.

## SEDONA ◆◆



<b>S2650**</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82650**</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM604</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S604</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8604</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---

## MAPLE PARK ◆◆



<b>S2630***</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82630***</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM609</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S609</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8609</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	--	---

## SARATOGA ◆◆



<b>FCM602</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2660***</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82660***</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S602</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8602</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	--	---

## RISERVA ✕



<b>FCM508</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S2670***</b> LE 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82670***</b> LE 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--

**RISERVA** Continues on next page.

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)
- ◆◆ Brushed Nickel Caming (IC)
- ◆◆ Brass Caming (IA)
- 🏠 Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- ◆ WBDP / HVHZ Options

**RISERVA** X Continued



Smooth

**S508**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8508**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**PEMBRIDGE** ◆ ◆ ◆ ◆



Mahogany

**FCM6520**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S2640\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82640\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6520**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S86520**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**AXIS** ◆



Mahogany

**FCM1650**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CALIX** ◆ ◆ ◆ ◆



Smooth

**S2620\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82620\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth


**S1650**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S81650**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

**FCM6975**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S3540\***  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S83540\***  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

**S6975**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S86975**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Mahogany

**FCM605**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM606**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM607**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

**FCM608**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S605**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

**S606**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8606**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XE = Satin Etch**  
**XC = Chord**

**XJ = Chinchilla**  
**XR = Rainglass**

**XN = Granite**

\*Available with Advanta flat lite frame or Impact-rated lite frame only.  
 Note: See page 277 for important product details that may help with your purchase decision.



## PRIVACY & TEXTURED GLASS



Smooth

S607\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8607\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S608\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8608\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM601\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S2610\_\*

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S82610\_\*

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S601\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8600\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM605

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM606

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM607

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM608

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S605

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8605

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S606

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8606

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S607

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8607

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S608

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8608

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## CLEAR GLASS



Mahogany

FCM601

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S2610\*

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S82610\*

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S601

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8601

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)

- Simulated Divided Lites (SDL)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- Standard Lite Frame Available
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

# Minimal Lites

Note: Product images show exterior side of door.



## TRANSOMS

For transoms, see page 201.



### MAPLE PARK. ◆ ◆

					
Mahogany		Oak		Smooth	
FCM736	FCM8736	FC736	FC8736	S736	S8736
28" x 6'8"	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"
210" x 6'8"	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"

### SARATOGA™ ◆ ◆

			
Mahogany		Oak	
FCM707	FCM8707	FC707	FC8707
28" x 6'8"	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"
210" x 6'8"	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"

### WELLESLEY™ ◆ ◆ ◆

							
Smooth		Mahogany		Oak		Smooth	
S707	S8707	FCM721	FCM8721	FC721	FC8721	S721	S8721
28" x 6'8" (70")	28" x 8'0"	28" x 6'8"	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"	28" x 6'8" (70")	28" x 8'0"
210" x 6'8" (70")	210" x 8'0"	210" x 6'8"	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"	210" x 6'8" (70")	210" x 8'0"
3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"	3'0" x 6'8" (70")	3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Concorde Glass, Door – FC917, Sidelite – FC910SL



Mahogany

**FCM735**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8735**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC735**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8735**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S735**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8735**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM745**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8745**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC745**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8745**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

CLEAR GLASS WITH DIVIDED LITES



Smooth

**S745**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8745**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM752**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8752**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC752**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8752**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S752**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8752**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM704**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8704**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

CLEAR GLASS



Oak

**FC704**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8704**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S704**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8704**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Mahogany

**FCM708**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**FCM8708**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Oak

**FC708**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**FC8708**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



Smooth

**S708**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**S8708**  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

- Low-E Glass (LE)
- Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)
- Brass Caming (IA)

- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Elevated 10" Bottom Rail Options

**CONCORDE™** ◆ ◆ ◆



Oak

**FC917**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S454**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Oak

**FC23**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S255**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS**



Oak

**FC803**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S256**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

**S236**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

**S237**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

(Scalloped Lite Frame)

**S8317**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**PEMBRIDGE™** ◆ ◆ ◆



Mahogany

**FCM6570**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM86570**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC6570**

2'6" x 6'8" (7'0")\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC86570**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S6570**

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S86570**

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**AXIS.◆**



Mahogany

**FCM1645**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM81645**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

**FC1645**

2'6" x 6'8" (7'0")\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**FC81645**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

**S1645**

2'6" x 6'8"\*  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**S81645**

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

\*Not available with Advanta lite frame.

Note: See page 277 for important product details that may help with your purchase decision.

## PRIVACY & TEXTURED GLASS



Mahogany

FCM61\_

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC61\_

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC861\_

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S296\_

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S896\_

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## CLEAR GLASS



Mahogany

FCM61

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC61

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

FC861

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S296

2'6" x 6'8"\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S896

2'6" x 8'0"\*  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



## Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

S8140STC

2'6" x 8'0"\*  
2'8" x 8'0"  
3'0" x 8'0"



Smooth

S141STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")



Smooth

S6063STC

2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (ID)
- Brushed Nickel Caming (IC)

- ◆ Brass Caming (IA)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)

- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Fixed Grilles (FXG)

- ◆ Scrolled & Flat Advanta Lite Frame Not available for 24" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available

- Elevated 10" Bottom Rail Options


# Solid Panel

Note: Product images show exterior side of door.



## TRANSOMS


For transoms, see page 201.



Mahogany

**FCM31**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM220**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM205**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM755**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany

**FCM600**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Mahogany


**FCM60**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



**FCM860**

28" x 8'0"  
210" x 6'8"  
30" x 8'0"



Mahogany

**FCM1000**

20" x 6'8"  
24" x 6'8"  
26" x 6'8" (70")  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")



Oak

**FC31**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC809**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC755**

28" x 6'8"  
210" x 6'8"  
30" x 6'8"



Oak

**FC862**

28" x 8'0"  
210" x 8'0"  
30" x 8'0"



Oak

**FC60**

26" x 6'8" (70")  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")



**FC860**

28" x 8'0"  
210" x 8'0"  
30" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



Oak

1000

- 6E**
- 20" x 6'8"
- 24" x 6'8" **△**
- 26" x 6'8" **△** (70")
- 28" x 6'8" **△** (70")
- 210" x 6'8" **△** (70")
- 30" x 6'8" **△** (70")

81000

- 6**
- 20" x 8'0"
- 24" x 8'0"
- 26" x 8'0"
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S93

- 6**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Smooth

S45

- 6**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"



Smooth

S220

- 6E**
- 28" x 6'8" (70")
- 210" x 6'8" (70")
- 30" x 6'8" (70")




Smooth

S1100

- 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S81100

- 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3301

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83301

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3401L

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83401L

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3401R

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83401R

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3501L

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83501L

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3501R

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83501R

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3601L

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83601L

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S3601R

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S83601R

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S5701

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"

S85701

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



Smooth

S5721

- 2 6E**
- 28" x 6'8"
- 210" x 6'8"
- 30" x 6'8"


S85721

- 2 6**
- 28" x 8'0"
- 210" x 8'0"
- 30" x 8'0"



SOLID PANEL *Continues on next page.*

- No Stile Lines
- 6** WBDR / HVHZ Options
- 2** Door Divider Bars (DDBF2)
- △** 6'6" Height Available
- 6** WBDR Options
- E** Elevated 10" Bottom Rail Options

**SOLID PANEL** *Continued*



Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.



**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

- XK = Reeded**      **XC = Chord**      **XR = Rainglass**
- XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**



# Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

## BLACKSTONE. ♦ ■■



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ■■



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ■■



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA.™ ♦ ■■



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY.™ ♦ ■■ ❖



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## CONCORDE.™ ♦ ■■ ❖



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON.™ ♦ ■■



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE.™ ♦ ■■ ❖



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ♦



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX. ♦ ■■ ❖



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE. ♦ ■■ ❖



**LTRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON. ♦ ■■ ❖



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied




**19020T**

3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied




**19220T**

3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
3'0" Door Only



**19210T**  
12" & 14" Sidelite Only

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀️ Low-E Glass (LE)

■ Simulated Divided Lites (SDLF2)

♦ Black Nickel Caming (1D)

■ Brushed Nickel Caming (1C)

❖ Brass Caming (1A)

✕ Wrought Iron (1W)

6 WBDR Options

6 WBDR / HVHZ Options

⤴️ 6'6" Height Available

E Elevated 10" Bottom Rail Options

# Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

## Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S118

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine, Onyx


## DOOR SELECTIONS



**Fiber-Classic®  
Mahogany  
Collection™**



**Fiber-Classic®  
Oak Collection™**



**Smooth-Star**




**Profiles™  
& Traditions**

(Wood-grained images shown in Driftwood stain.)

## GLASS SELECTIONS



Internal Blinds



Low-E / Clear

### Divided Lites

For details on divided lite options, see pages 112–113.



Simulated  
Divided  
Lites



Grilles  
Between  
Glass



Fixed  
Grilles

### Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30–31 for details.

### Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### EnLiten™ Flush-Glazed Warranty Riders

See page 115 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available

	Fiber-Classic	Smooth-Star	Profiles	Traditions
<b>Door Selections</b>				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
<b>Flush-Glazed Glass Selections</b>				
Internal Blinds ▲		■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
<b>Lip-Lite Glass Selections</b>				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
<b>Available Sizes</b>				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
<b>Additional Options</b>				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

# EnLiten™ Flush-Glazed

## Internal Blinds




### AVAILABLE COLLECTIONS

- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



Hinged Patio Doors

## Colonial Style Divided Lites




### AVAILABLE COLLECTIONS

- Fiber-Classic. Oak
- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




### Prairie Style Divided Lites




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



### Low-E / Clear Glass




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



# Lite Frames


## Internal Blinds




### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## Colonial Style Divided Lites




### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



### Prairie Style Divided Lites




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



### Low-E / Clear Glass




#### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

#### AVAILABLE DOOR STYLES



#### AVAILABLE CONFIGURATIONS



# Profiles™ Steel Doors

## Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Screen Vented Glass, Door - 1004HD  
Bottom: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL





# Traditions Steel Doors

## Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.


Top: Traditions, Clear Glass, Door - TS118, Sidelites - 100SL  
Bottom: Traditions Door - TS210




# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.<sup>1</sup>

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.

	Profiles	Traditions
■ = Available		
▪ = Not Applicable		
P = Paint		

## Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	▪

## Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	▪
8'0"	▪	■

## Glass Options

Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

## Frame Options

Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

## Additional Options

Finish	P	P
--------	---	---



## Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



## RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

5'0" Patio Opening = (2) 2'4" Doors  
6'0" Patio Opening = (2) 2'10" Doors


<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

<sup>2</sup>Decorative glass designs are shown in Profiles only.

<sup>3</sup>Brass caming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

# Decorative & Specialty Glass Designs<sup>2</sup>



**Blackstone**  
Glass Privacy Rating: 7



**Crystalline**  
Glass Privacy Rating: 7



**Sedona**  
Glass Privacy Rating: 7



**Salinas**  
Glass Privacy Rating: 10



**Maple Park**  
Glass Privacy Rating: 6



**Saratoga**  
Glass Privacy Rating: 7



**Texas Star**  
Glass Privacy Rating: 5



**Wellesley**  
Glass Privacy Rating: 6



**Riserva**  
Glass Privacy Rating: 10




**Concorde**  
Glass Privacy Rating: 8



**Kensington**  
Glass Privacy Rating: 8



**Pembroke**  
Glass Privacy Rating: 7



**Axis**  
Glass Privacy Rating: 7



**Calix**  
Glass Privacy Rating: 1



**Latitude**  
Glass Privacy Rating: 2



**Echelon**  
Glass Privacy Rating: 1

Also Available:  
**Internal Blinds**  
**Screen Vented**

## Glass Privacy Rating Scale



## Privacy & Textured Glass



**Reeded (XK)**  
Glass Privacy Rating: 7



**Satin Etch (XE)**  
Glass Privacy Rating: 10



**Chord (XC)**  
Glass Privacy Rating: 10



**Chinchilla (XJ)**  
Glass Privacy Rating: 10



**Rainglass (XR)**  
Glass Privacy Rating: 8



**Granite (XN)**  
Glass Privacy Rating: 10

### Glass Privacy Rating Scale



Also Available:

**Divided Lites**  
**Clear Glass**



\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

# Full Lites

## BLACKSTONE. ◆ ◆



310  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

310SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## CRYSTALLINE™ ◆ ◆



916  
◆ ◆

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

916SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SEDONA ◆ ◆



139  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

139SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SALINAS. ✕



369  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

369SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## MAPLE PARK. ◆ ◆



1006  
◆ ◆

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

1006SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## SARATOGA™ ◆ ◆



610  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

610SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## TEXAS STAR ◆ ◆



1029  
◆ ◆

28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

1029SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## WELLESLEY™ ◆ ◆ ◆



620  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

620SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

## RISERVA. ✕



571  
◆ ◆

26" x 6'8" (70")\*  
28" x 6'8" (70")  
210" x 6'8" (70")  
30" x 6'8" (70")  
36" x 6'8" (70")

TS572SL  
◆ ◆

10" x 6'8"\*  
12" x 6'8" (70")  
14" x 6'8" (70")

- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ WBD / HVHZ Options
- ▲ 6'6" Height Available



**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states indicated in gold .


Profiles & Traditions Steel

**CONCORDE™**   





**1028**  
   
2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")





**416SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**KENSINGTON™**  





**626**  
   
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")



**626SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**PEMBRIDGE™**   





**6500HD**  
   
2'4" x 6'8"\*\*\*  
2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")



**6500SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**AXIS™** 





**1651HD**  
   
2'4" x 6'8"\*\*\*  
2'6" x 6'8" (70")\*  
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")





**1651SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**CALIX™**   





**2389HD**  
   
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")





**2389SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**LATITUDE™**   





**2382HD**  
   
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")





**2382SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**ECHELON™**   





**2385HD**  
   
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")



**2385SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**128**  
   
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")



**108**  
   
2'8" x 6'8" (70")  
2'10" x 6'8" (70")  
3'0" x 6'8" (70")  
3'6" x 6'8" (70")



**6184 SL\*\***  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")



**6185 SL\*\***  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")



**6186 SL\*\***  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")



**632 SL**  
   
10" x 6'8"\*\*\*  
12" x 6'8" (70")  
14" x 6'8" (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**


\*Not available with Advanta Lite Frame.

\*\*Not available with Reeded (XK) glass.

\*\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

## PRIVACY & TEXTURED GLASS



118

28" x 6'8" (70")\*  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



100\_SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## INTERNAL BLINDS



130

24" x 6'8"\*  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



130SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## CLEAR GLASS WITH DIVIDED LITES



1201

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1202

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1203

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



128

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1200

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



108

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



1201SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



1202SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



1200SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



632SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



6184SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## CLEAR GLASS



6185SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



6186SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



198

26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



198SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")



118

2'0" x 6'8"\*\*\*\*  
 24" x 6'8"\*\*\*\*  
 26" x 6'8" (70")\*\*\*\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")  
 3'6" x 6'8" (70")



100SL

10" x 6'8"\*  
 12" x 6'8" (70")  
 14" x 6'8" (70")

Low-E Glass (LE)

Turtle Glass

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat Almond Grilles Between Glass (GBGF)

Flat Bronze Grilles Between Glass (GBGF)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Fixed Grilles (FXG)

Flat Lite Frame

Standard Lite Frame Available

Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

WBDR / HVHZ Options

6'6" Height Available

# 3/4 Lites

## BLACKSTONE. ♦ ♦



**1037HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1037SLHD**  
 12" x 6'8"  
 14" x 6'8"

## CRYSTALLINE.™ ♦ ♦



**1042HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**956SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SEDONA ♦ ♦



**965HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**965SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SALINAS. ✕



**968HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**971SLHD**  
 12" x 6'8"  
 14" x 6'8"

## MAPLE PARK. ♦ ♦



**1009HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1009SLHD**  
 12" x 6'8"  
 14" x 6'8"

## SARATOGA.™ ♦ ♦



**1039HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1039SLHD**  
 12" x 6'8"  
 14" x 6'8"

## TEXAS STAR ♦ ♦



**1040HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1040SLHD**  
 12" x 6'8"  
 14" x 6'8"

## WELLESLEY.™ ♦ ♦ ♦



**1041HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**1041SLHD**  
 12" x 6'8"  
 14" x 6'8"

## RISERVA. ✕



**544HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**546SLHD**  
 12" x 6'8"  
 14" x 6'8"

## CONCORDE.™ ♦ ♦ ♦



**967HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**967SLHD**  
 12" x 6'8"  
 14" x 6'8"

## KENSINGTON.™ ♦ ♦



**03142HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**966SLHD**  
 12" x 6'8"  
 14" x 6'8"

## PEMBRIDGE.™ ♦ ♦ ♦



**6582HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

**6580SLHD**  
 12" x 6'8"  
 14" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**



### AXIS



**1644HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1644SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

### CALIX



**391HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**391SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

### LATITUDE



**469HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**469SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

### PRIVACY & TEXTURED GLASS



**961HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**959HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**6720HD\_SL**  
  
 12" x 6'8"  
 14" x 6'8"

**959HD\_SL**  
  
 12" x 6'8"  
 14" x 6'8"

### INTERNAL BLINDS



**5425**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**5425SL**  
  
 12" x 6'8"  
 14" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



**2109HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**2110HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**2111HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**961HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1089SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

**4572SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

**6720SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

**1403HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1400SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

### CLEAR GLASS



**959HD**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**959SLHD**  
  
 12" x 6'8"  
 14" x 6'8"

- Low-E Glass (LE)
- Wrought Iron (IW)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Brushed Nickel Caming (1C)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- Brass Caming (1A)
- WBDR / HVHZ Options

# Oval Lites

## BLACKSTONE™



**1025HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## WELLESLEY™



**1022HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## CONCORDE™



**1024HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## KENSINGTON™



**630HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## PEMBRIDGE™



**6578HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

## CLEAR GLASS



**1020HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"

# 1/2 Lites


## BLACKSTONE™



**309HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1001HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1117HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**311SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## SEDONA™



**211HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**996HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1114HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**294SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## SALINAS™



**374HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1002HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1115HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**371SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

## MAPLE PARK™



**1007HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1011HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1116HD**  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1007SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

**SARATOGA™** ◆ ◆



**613HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**988HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1112HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**615SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**TEXAS STAR ◆ ◆**



**1032HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1035HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1111HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**WELLESLEY™** ◆ ◆ ◆



**623HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**989HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1120HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**625SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**RISERVA® X**



**582HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**576HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**578HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**584SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CONCORDE™** ◆ ◆ ◆



**426HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**999HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**1118HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**430SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**KENSINGTON™** ◆ ◆ ◆



**627HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**631HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")





**1113HD**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**628SLHD**  
 12" x 6'8" (70")  
 14" x 6'8" (70")

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Standard Lite Frame Available
- 6 WBDP / HVHZ Options

**PEMBRIDGE**   



<b>6560HD</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>6565HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6568HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>6565SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	--	--	--





**AXIS** 



<b>1660HD</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>1657HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1659HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1657SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	---	--	--





**CALIX**   



<b>835HD</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>395HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>397HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>395SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	---	---	---






**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



<b>262HD</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>982HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1123HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>263SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
---	---	---	--



**PRIVACY & TEXTURED GLASS**



<b>206HD</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>980HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1101HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>104</b>  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>210SLHD</b>  12" x 6'8" (7'0") 14" x 6'8" (7'0")
---	--	---	---	--

**INTERNAL BLINDS**



<b>132HD</b>  2'6" x 6'8" (7'0")* 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>984HD</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK** = Reeded  
**XE** = Satin Etch

**XC** = Chord  
**XJ** = Chinchilla

**XR** = Rainglass  
**XN** = Granite

\*Not available with Advanta Lite Frame.


\*\*Features a gliding operation and sash locking system.

Note: See page 277 for important product details that may help with your purchase decision.

## SCREEN VENTED LITES\*\*



**1121HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**131**  
 \*LE  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**132SLHD**  
 \*LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**243HD**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**1004HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1102HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**137**  
 E  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

## CLEAR GLASS WITH DIVIDED LITES




**262HD**  
 \*LE  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**982HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1123HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**115HD**  
 \*LE  
 2'6" x 6'8" (70")  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**263SLHD**  
 \*LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")



**1408HD**  
 \*LE  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**1405HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1406HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## CLEAR GLASS



**1405SLHD**  
 \*LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")




**206HD**  
 \*LE  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")




**980HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101HD**  
 \*LE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**  
 \*LE  
 2'6" x 6'8" (70")\*  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**105**  
 E  
 2'6" x 6'8" (70")  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")



**210SLHD**  
 \*LE  
 12" x 6'8" (70")  
 14" x 6'8" (70")

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

# Twin 1/2 Lites

## BLACKSTONE.™



**311HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## SEDONA



**294HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## SALINAS. X



**371HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## MAPLE PARK.™



**1008HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## SARATOGA.™



**615HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## WELLESLEY.™



**625HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## RISERVA. X



**588HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## CONCORDE.™



**430HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## KENSINGTON.™



**628HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## PEMBRIDGE.™



**6572HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## AXIS.™



**1662HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## CALIX



**396HD**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

## PRIVACY & TEXTURED GLASS



**263HD\_**  
 26" x 6'8" (70")\*  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")



**289HD\_**  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 3'0" x 6'8" (70")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Advanta Lite Frame.  
 \*\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.

**CLEAR GLASS WITH DIVIDED LITES**



**263HD**  
  
 26" x 6'8" (7'0")\*  
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**1411HD**  
  
 26" x 6'8" (7'0")\*  
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CLEAR GLASS**



**289HD**  
  
 26" x 6'8" (7'0")\*  
 28" x 6'8" (7'0")  
 210" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**Craftsman Lites**

**SEDONA**



**604HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**MAPLE PARK**



**609HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**SARATOGA**



**602HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**RISERVA**



**508HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**PEMBRIDGE**



**6520HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**AXIS**



**1650HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**CALIX**



**6975HD**  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**605HD\_\*\***  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"



**606HD\_\*\***  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"



**607HD\_\*\***  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"



**608HD\_\*\***  
  
 28" x 6'8"  
 210" x 6'8"  
 3'0" x 6'8"

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- Standard Lite Frame Available
- WBDR / HVHZ Options

**PRIVACY & TEXTURED GLASS**



**601\_HD\***  
 28" x 68"  
 210" x 68"  
 30" x 68"

**CLEAR GLASS WITH DIVIDED LITES**



**605HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"



**606HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"



**607HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"



**608HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**CLEAR GLASS**



**601HD**  
 28" x 68"  
 210" x 68"  
 30" x 68"

**Minimal Lites**

**MAPLE PARK**



**736HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**SARATOGA™**



**707HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**WELLESLEY™**



**721HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**CONCORDE™**



**735HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**PEMBRIDGE™**



**745HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**CLEAR GLASS WITH DIVIDED LITES**



**752HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")



**704HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**CLEAR GLASS**



**708HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**CONCORDE™**



**454HD**  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

Note: See page 277 for important product details that may help with your purchase decision.



**CLEAR GLASS WITH DIVIDED LITES**



**255HD**  
 \* ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS**



**256HD**  
 \* ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")

**CLEAR GLASS WITH DIVIDED LITES**



**236HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**237HD**  
 \* ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 (Scalloped Lite Frame)

**PEMBRIDGE™**  
 ◆ ◆ ◆ ◆ ◆



**6570HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**6570SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**AXIS. ◆**



**1643HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**1643SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**PRIVACY & TEXTURED GLASS**



**296HD**  
 ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**296SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**CLEAR GLASS**



**296HD**  
 \* ◆ ◆ ◆ ◆ ◆  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**296SLHD**  
 \* ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" (70")  
 14" x 6'8" (70")

**Solid Panel**



**969HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**978HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**1005HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**205HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**203HD**  
 9  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"



**210HD**  
 9  
 26" x 6'8" (70")  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")



**100**  
 9E  
 20" x 6'8"  
 24" x 6'8"  
 26" x 6'8" (70")  
 28" x 6'8" (70")  
 210" x 6'8" (70")  
 30" x 6'8" (70")  
 36" x 6'8" (70")

◆ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

◆ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

◆ Simulated Divided Lites (SDL)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat Almond Grilles Between Glass (GBGF)

◆ Flat Bronze Grilles Between Glass (GBGF)

◆ Fixed Grilles (FXG)

◆ Flat Lite Frame

◆ Scrolled & Flat Advanta Lite Frame  
 Not available for 24" and 26" doors or 10" sidelites.

◆ Scrolled Advanta Lite Frame  
 Not available for 24" and 26" doors or 10" sidelites.

◆ Standard Lite Frame Available

◆ WBDL / HVHZ Options

◆ Elevated 10" Bottom Rail Options

# Full Lites

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

					
<b>TS128</b> * 28 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS108</b> * 28 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>6184 SL*</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>6185 SL*</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>6186 SL*</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>632 SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")

## PRIVACY & TEXTURED GLASS

	
<b>TS118</b> * 28 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>818</b> * 28 28" x 8'0" 210" x 8'0" 30" x 8'0"

## PRIVACY & TEXTURED GLASS

	
<b>100 SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>818 SL</b> * 28 12" x 8'0" 14" x 8'0"

## INTERNAL BLINDS

			
<b>TS130</b> * 28 24" x 6'8"*** 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>829</b> * 28 26" x 8'0"*** 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>130SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>829SL</b> * 28 12" x 8'0" 14" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES

		
<b>TS1201</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS1202</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS1203</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"

							
<b>TS128</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS1200</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>TS108</b> * 28 26" x 6'8"*** 28" x 6'8" 210" x 6'8" 30" x 6'8"	<b>828</b> * 28 26" x 8'0"*** 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>808</b> * 28 26" x 8'0"*** 28" x 8'0" 210" x 8'0" 30" x 8'0"	<b>1201SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>1202SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")	<b>1200SL</b> * 28 10" x 6'8"*** 12" x 6'8" (70") 14" x 6'8" (70")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Not available with Reeded (XK) glass.

































\*\*Not available with Advanta Lite Frame.

\*\*\*Available with Impact-rated lite frame only.

Note: See page 277 for important product details that may help with your purchase decision.

**NEW**

Triple-pane Low-E clear and privacy glass options to meet ENERGY STAR. requirements in all 50 states indicated in gold.

							
<b>632SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>828SL</b>    12" x 8'0" 14" x 8'0"	<b>6184SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86184SL</b>    12" x 8'0" 14" x 8'0"	<b>6185SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86185SL</b>    12" x 8'0" 14" x 8'0"	<b>6186SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>86186SL</b>    12" x 8'0" 14" x 8'0"

**CLEAR GLASS**

					
<b>TS198</b>    2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>198SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>TS118</b>    2'0" x 6'8"*** 2'4" x 6'8"*** 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>818</b>    2'0" x 8'0"*** 2'6" x 8'0"*** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>100SL</b>    10" x 6'8"*** 12" x 6'8" (7'0") 14" x 6'8" (7'0")	<b>818SL</b>    12" x 8'0" 14" x 8'0"

**1/2 Lites**

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

		
<b>TS262</b>   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321</b>   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS263_SL</b>   12" x 6'8" 14" x 6'8"

**PRIVACY & TEXTURED GLASS**

			
<b>TS206</b>   2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8206</b>   2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS104</b>    2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS210_SL</b>   12" x 6'8" 14" x 6'8"

-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
-  Standard Lite Frame Available
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

## INTERNAL BLINDS



<b>TS132</b> ★♦♦♦6 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8132</b> ★♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS131</b> ★♦♦♦6E 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS132SL</b> ★♦♦♦6 12" x 6'8" 14" x 6'8"
---	--	--	---

## SCREEN VENTED LITES\*



<b>TS243</b> ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS137</b> ♦E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--

## CLEAR GLASS WITH DIVIDED LITES



<b>8322</b> ★♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>8323</b> ★♦♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>8324</b> ★♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS262</b> ★♦♦♦♦♦♦♦ 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8321</b> ★♦♦♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS115</b> ★♦♦♦E 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS263SL</b> ★♦♦♦♦♦♦♦ 12" x 6'8" 14" x 6'8"
---	---	---	--	--	---	--

## CLEAR GLASS



<b>TS1408</b> ★♦♦♦♦♦♦♦ 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8145</b> ★♦♦♦♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS1405SL</b> ★♦♦♦♦♦♦ 12" x 6'8" 14" x 6'8"	<b>TS206</b> ★♦♦♦6 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8206</b> ★♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS104</b> ★♦♦♦6E 2'6" x 6'8"*** 2'8" x 6'8" 2'10" x 6'8" ⚠ 3'0" x 6'8"	<b>TS105</b> ★♦E 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ⚠ 3'0" x 6'8"	<b>TS210SL</b> ★♦♦♦6 12" x 6'8" 14" x 6'8"
---	--	--	---	--	--	--	---

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 212.

**XK = Reeded**  
**XE = Satin Etch**

**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Features a gliding operation and sash locking system.

\*\*Not available with Advanta Lite Frame.

Note: See page 277 for important product details that may help with your purchase decision.

## Twin 1/2 Lites

### PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



**TS263**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### PRIVACY & TEXTURED GLASS



**TS289**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



**TS263**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS1411**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### CLEAR GLASS



**TS289**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



## Minimal Lites

### PRIVACY & TEXTURED GLASS



**TS296**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**896**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS296-SL**  
 12" x 6'8"  
 14" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



**TS752**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8752**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS704**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**8704**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**TS255**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**TS236**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**8317**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES** *Continues on next page.*

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Standard Lite Frame Available
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available



**CLEAR GLASS WITH DIVIDED LITES**



**TS237**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"  
 (Scalloped Lite Frame)

**CLEAR GLASS**





**TS708**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"  
**8708**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



**TS256**  
  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"





**TS296**  
  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"  
**896**  
  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"





**TS296SL**  
  
 12" x 6'8"  
 14" x 6'8"

**Solid Panel**



**TS210**  
  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"  
**810**  
  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"



**TS100**  
  
 20" x 6'8"  
 24" x 6'8"  
 26" x 6'8"  
 28" x 6'8"  
 210" x 6'8"  
 30" x 6'8"  
**800**  
  
 20" x 8'0"  
 24" x 8'0"  
 26" x 8'0"  
 28" x 8'0"  
 210" x 8'0"  
 30" x 8'0"

# Transoms


Transoms can be painted to match a Profiles™ or Traditions door system.

## BLACKSTONE. ♦ ::



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ::



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ::



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA. ♦ ::



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY. ♦ :: ♦



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## CONCORDE. ♦ :: ♦



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON. ♦ ::



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE. ♦ :: ♦



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ♦



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX. ♦ :: ♦



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE. ♦ :: ♦



**LTRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON. ♦ :: ♦



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



**19020T**

☀  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied




**19220T**

☀  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
☀  
3'0" Door Only



**19210T**  
☀  
12" & 14" Sidelite Only

- ☀ Low-E Glass (LE)
- ♦ Black Nickel Caming (ID)
- :: Brushed Nickel Caming (IC)
- ♦ :: Brass Caming (IA)

- ✕ Wrought Iron (IW)
- ♦ Fixed Grilles (FXG)
- ▭ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ▭ Standard Lite Frame Available

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

# Fire Doors



**Intertek**


Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.



## Therma-Tru® Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.<sup>1</sup> Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star. 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.<sup>2</sup>



## 20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

### ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 235.

### For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) and other State WUI requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

### For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR) including the Gulf and Texas coast.

Note: Therma-Tru Fire-rated doors are approved for use in all Wildland Urban Interface (WUI) zones.

<sup>1</sup>To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

<sup>2</sup>Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

Left: Smooth-Star Door – SSF120

# 20-Minute Fire-Rated Wood Edge – Fiberglass

## SMOOTH-STAR.



**SSF93**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF45**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF220**  
**6E**  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8220**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF1100**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF81100**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF120**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8120**  
**6E**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF200**  
**6**  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8200**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF205**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8205**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF755**  
**6**  
 2'10" x 6'8"  
 3'0" x 6'8"


**SSF31**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF831**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF960**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF4800**  
**6E**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF84800**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**SSF600**  
**6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**SSF8600**  
**6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF160**  
**6E**  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8160**  
**6**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**SSF100**  
**6E**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" (70")  
 2'10" x 6'8" (70")  
 3'0" x 6'8" (70")

**SSF8100**  
**6E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 277 for important product details that may help with your purchase decision.



## 20-Minute Fire-Rated Wood Edge – Steel

### PROFILES™



**969HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**205HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**203HD**  
■ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**210HD**  
■ 6  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**100**  
■ 6E  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

### TRADITIONS



**TS210**  
■ 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"





**TS100**  
■ 6E  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

■ No Stile Lines  
6 WBDR Options

6 WBDR / HVHZ Options  
E Elevated 10" Bottom Rail Options

Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches — Ari, Línea and Echo — the entrance becomes modern art.



<sup>1</sup>Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Top: Pulse Línea, Echelon Glass with Flat Lite Frame, Door - S81EC, Finish - Golden Wheat  
Right Page: Pulse Ari, Satin Etch Glass, Door - S2XE, Finish - Indigo

## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

### THE CREATIVITY IS UNLIMITED

#### Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



**LIFETIME**  
LIMITED WARRANTY

Fiberglass

**10 YEAR**  
LIMITED WARRANTY


Steel



WBDR / HVHZ Options:  
Look for this icon to find door  
styles that can be configured  
for WBDR or HVHZ.<sup>1</sup>

## 1 START WITH A STYLE

Combine doors and sidelites to create an entrance that fits your vision.



Ari

Línea

Echo

Sidelites

## 2 CHOOSE A MATERIAL

Each style is available in any of these material choices.



Wood-Grained Fiberglass:  
Mahogany or Oak  
(Shown in Driftwood stain.)

Smooth  
Fiberglass


Steel

## 3 SELECT A GLASS

Find an available glass design to complete the statement you want to make.

### Privacy & Textured Glass

Available for all Pulse door styles.



Reeded

Satin Etch

Chord

Chinchilla


Rainglass

Granite

Low-E also available.

### Decorative Glass

Available for Línea.



1

2

3

4

5

6

7


8

9

10

11

Available for Ari.



3

5

6

7

8

9

11

Available for Echo.



7

8

- 1 Blackstone
- 2 Crystalline
- 3 Sedona
- 4 Salinas
- 5 Saratoga
- 6 Riserva
- 7 Pembridge
- 8 Axis
- 9 Calix
- 10 Latitude
- 11 Echelon

## 4 THEN SELECT A FRAME

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame



Scrolled Profile Lite Frame

**ADVANTA**  
LITE FRAME

Our patented Advanta<sup>1</sup> lite frame now comes default with every Pulse<sup>®</sup> door system, unless otherwise noted.

<sup>1</sup>See your Therma-Tru seller for details on product availability.

## Pulse Size Options

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
<b>Doors</b>	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" ◦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" ◦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>Sidelites</b>	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"

- Available in full-lite sidelites only.
- Available in Línea and Echo only.



**NEW** Select styles are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.



# Ari

Note: Product images show exterior side of door.



S2SN  
◆ ■ ■ ■ ■ ■

S83SN  
◆ ■ ■ ■ ■ ■

S2SG  
◆ ■ ■ ■ ■ ■

S83SG  
◆ ■ ■ ■ ■ ■

S2RS  
X ■ ■ ■ ■ ■

S83RS  
X ■ ■ ■ ■ ■

S2PB  
◆ ■ ■ ■ ■ ■

S83PB  
◆ ■ ■ ■ ■ ■

S2AX  
◆ ■ ■ ■ ■ ■

S83AX  
◆ ■ ■ ■ ■ ■

S2CX  
◆ ■ ■ ■ ■ ■

S83CX  
◆ ■ ■ ■ ■ ■

S2EC  
◆ ■ ■ ■ ■ ■


S83EC  
◆ ■ ■ ■ ■ ■

S2  
S2CL  
◆ ■ ■ ■ ■ ■

S83  
S83CL  
◆ ■ ■ ■ ■ ■

# Línea

Note: Product images show exterior side of door.



S1LBS  
◆ ■ ■ ■ ■ ■

S81LBS  
◆ ■ ■ ■ ■ ■

S1BS  
◆ ■ ■ ■ ■ ■

S81BS  
◆ ■ ■ ■ ■ ■

S1RBS  
◆ ■ ■ ■ ■ ■


S81RBS  
◆ ■ ■ ■ ■ ■

S1LBL  
◆ ■ ■ ■ ■ ■

S81LBL  
◆ ■ ■ ■ ■ ■

S1BL  
◆ ■ ■ ■ ■ ■

S81BL  
◆ ■ ■ ■ ■ ■



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)

**Smooth:**  
Fiberglass or Steel

## It's your decision, by design.




Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 277 for important product details that may help with your purchase decision.

Top: Pulse Ari, Saratoga Glass with Flat Lite Frame, Door - S2SG, Finish - Estuary








LÍNEA *Continues on next page.*

**Privacy & Textured Glass Options**




Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

**XK = Reeded**      **XC = Chord**      **XR = Rainglass**  
**XE = Satin Etch**      **XJ = Chinchilla**      **XN = Granite**

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options



Pulse

			<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
<p><b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)</p>		<p><b>Smooth:</b> Fiberglass or Steel</p>	

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

# Echo

Note: Product images show exterior side of door.



S4LPB  
S84LPB




S4PB  
S84PB



S4RPB  
S84RPB



S5LPB  
S85LPB




S5PB  
S85PB



S5RPB  
S85RPB



S86LPB



S86PB



S86RPB



S9LPB



S9PB




S9RPB



S8LPB



S8PB



S8RPB

**ECHO** Continues on next page.

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

**XK** = Reeded  
**XE** = Satin Etch

**XC** = Chord  
**XJ** = Chinchilla

**XR** = Rainglass  
**XN** = Granite

Low-E Glass (LE)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Brass Caming (1A)

Standard Lite Frame Available

Scrolled & Flat Advanta Lite Frame

WBDR / HVHZ Options

Elevated 10" Bottom Rail Options



S811LPB



S811PB



S811RPB



S810LPB



S810PB




S810RPB




S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX




S5RAX | S85RAX



S86LAX




S86AX



S86RAX

Pulse



**Wood-Grained Fiberglass:**  
 Mahogany or Oak (Shown in Driftwood stain.)

**Smooth:**  
 Fiberglass or Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**




S9LAX  
◆▲E



S9AX  
◆▲E



S9RAX  
◆▲E



S8LAX  
◆▲E



S8AX  
◆▲E



S8RAX  
◆▲E




S811LAX  
◆▲E



S811AX  
◆▲E




S811RAX  
◆▲E



S810LAX  
◆▲E



S810AX  
◆▲E




S810RAX  
◆▲E



S4L  
S4LCL ▲




S84L  
S84LCL ▲



S4R  
S4RCL ▲

S84R  
S84RCL ▲



S5L  
S5LCL ▲

S85L  
S85LCL ▲

ECHO Continues on next page.

### Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded  
XE = Satin Etch


XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ❖ Brass Caming (1A)
- ▲ Standard Lite Frame Available
- ▲ Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options



S5\_ S5CL  
E



S85\_ S85CL  
E



S5R\_ S5RCL  
E

S85R\_ S85RCL  
E



S86L\_ S86LCL  
E

S86\_ S86CL  
E



S86R\_ S86RCL  
E



S9L\_ S9LCL  
E



S9\_ S9CL  
E



S9R\_ S9RCL  
E



S8L\_ S8LCL  
E



S8\_ S8CL  
E



S8R\_ S8RCL  
E



S811L\_ S811LCL  
E



S811\_ S811CL  
E




S811R\_ S811RCL  
E



S810L\_ S810LCL  
E





S810\_ S810CL  
E



S810R\_ S810RCL  
E


Pulse

 <b>Wood-Grained Fiberglass:</b> Mahogany or Oak (Shown in Driftwood stain.)	 <b>Smooth:</b> Fiberglass or Steel	<p><b>It's your decision, by design.</b></p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at <a href="http://thermatru.com/pulse">thermatru.com/pulse</a>.</p>
---	--	--

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

# Sidelites

Note: Product images show exterior side of door.



Pulse

**SIDELITES** Continue on next page.

## Privacy & Textured Glass Options



Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

XK = Reeded  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- Vented Sidelite Options
- ▨ Scrolled & Flat Advanta Lite Frame
- ▨ Standard Lite Frame Available
- 6 WBDL / HVHZ Options
- E Elevated 10" Bottom Rail Options




**Privacy & Textured Glass Options**


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 238.

- XK = Reeded
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Vented Sidelite Options
- Scrolled & Flat Advanta Lite Frame
- Standard Lite Frame Available



**Wood-Grained Fiberglass:**  
Mahogany or Oak (Shown in Driftwood stain.)



**Smooth:**  
Fiberglass or Steel

**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 277 for important product details that may help with your purchase decision.





# Finish Options

## Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.






## Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



**10 YEAR**  
LIMITED WARRANTY  
Classic Craft Finish  
Transferable


**10 YEAR**  
LIMITED WARRANTY  
Fiber-Classic,  
Smooth-Star, Pulse,  
Steel Finish


Professional Application

Durable Topcoat



**YELLOWSTONE FOREVER**

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (  ) symbol.



Finish Options

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress  
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XX, Finish – Acorn



## Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.




### Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



# PrismaGuard® Premium Stain


Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Shown on Classic Craft Fir Grain.



Tumbleweed 

Acorn

Wildflower Honey

Rustic Clay

Barley

Mulberry

Autumn Harvest

New Earth

Driftwood

Raven

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).

## PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.




- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



## COLOR MATCHES AVAILABLE

Explore other products from Fortune Brands Outdoors designed to match select colors shown here.

Look for the (🌲) symbol. See your Therma-Tru seller for details.



Alpine



Granite



Peregrine 🌲🌲



Onyx



Obsidian 🌲🌲



Indigo



Estuary 🌲



Arctic Ice 🌲



Cypress



Golden Wheat 🌲




Canyon 🌲




Ruby Red



Cabernet



Chestnut



Elk 🌲🌲

Finish Options

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).

🌲 = Inspired by Yellowstone National Park.

Left Page: Smooth-Star, Calix Glass, Door - S2223, Finish - Golden Wheat

# SAME-DAY<sup>®</sup> STAIN

Create the authentic look of real wood in just a few simple steps.


- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru<sup>®</sup> fiberglass doors and composite door frames.




## ALL-INCLUSIVE KIT

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.<sup>1</sup> Visit [thermatru.com/samedaystain](http://thermatru.com/samedaystain) for ordering information and easy-to-follow instructions.


Shown on Classic Craft Fir Grain.




Light Oak




Natural Oak




Walnut




English Walnut



Mahogany



Cherry



Cedar

**5 YEAR**  
LIMITED WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, visit [thermatru.com/finishing](http://thermatru.com/finishing) or ask your seller for more details.

<sup>1</sup>Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.



# Door System Components

## Proven to perform, protect and preserve.

A Therma-Tru complete door system is the culmination of more than 60 years of expertise in material science, engineering and manufacturing. We design on-trend entryways and test them against extreme environmental conditions — far beyond industry standards — to ensure maximum durability and safety. And we back our systems with comprehensive, industry-leading warranties.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at [thermatru.com/parts](http://thermatru.com/parts).




# Composite Door Frame<sup>1</sup> featuring Tru-Guard™ Composite Technology



**TRU GUARD**  
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



## REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at [store.thermatru.com](https://store.thermatru.com).

<sup>1</sup>See your Therma-Tru seller for details on product availability.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](https://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders. Frame-only warranty option for customers without a Therma-Tru door system.

## AVAILABLE TEXTURES



Ready to finish.

### Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry — no sanding or priming required.



Ready to install.  
 Ready to finish.

### White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is — no painting required. Or finish with stain or paint to complement the entry — no sanding or priming required.

## THE ADVANTAGE IS CLEAR

Performance		
Resists Moisture and Humidity — Eliminates Risk of Swelling, Warping and Splitting		✓
Resists Mold, Fungus and Rot — Does Not Absorb or Retain Moisture		✓
Resists Insects — Helps Protect from Wood-Ingesting Insects		✓
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins. <sup>2</sup>		✓
Impact and 20-Minute Fire Code Compliant <sup>3</sup>		✓
Aesthetics		
Ready to Finish — No Sanding or Priming Required		✓
Ready-to-Install Option — No Finishing Required - White Smooth		✓
Universal Grain Complements a Wide Range of Wood Species — Buff Grained		✓
Screw Plugs Match Frame Material and Conceal External Fasteners		✓
Warranty		
Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		<b>Lifetime Transferable Full-System Rider</b>
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		<b>10-Year Transferable Full-System Rider</b>
Composite Door Frame Only		

# Composite Door Frame Parts

See your Thermo-Tru seller for a full list of available product sizes and options.

## Jambs




4-1/8"  
4-9/16"   
5-1/4"  
6-9/16"   
7-1/4"

## Mullions



2" Entry Narrow   
2-1/2" Entry Wide



2" Patio Narrow  
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

## Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

## Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"  
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*  
2-15/16" x 3/8" *Buff grained only.*

## Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

## Storm Door Adaptor



4-9/16" Base Adaptor  
Face Adaptor  
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

## Screen Track Cap




1-13/32" x 9/16"

## Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

### Storm Door-Ready Mullions



4-9/16"  
6-9/16"

Our rot-free composite door frame is **50% stronger** at resisting forced entry than wood.<sup>1</sup>




7/16" x 5/16" Cove Mould

### Transom Sills



4-9/16"  
6-9/16"

### Pendulum Impact Test



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

### CODE-COMPLIANT OPTIONS

Therma-Tru® composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.<sup>2</sup>



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.<sup>2</sup>



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.<sup>2</sup>

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>2</sup>To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru® seller for a complete list of options.

## INSWING OPTIONS



**Composite Adjustable Sill (Premium)** ✚

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.<sup>1</sup>



**Hardwood Adjustable Sill**

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



**Basic Composite Adjustable Sill (Economy)**


- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



**Value Composite Adjustable Sill (Economy)**


- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

## Inswing Sill Extenders



1"

2"



1-<sup>3</sup>/<sub>8</sub>"

3-<sup>1</sup>/<sub>4</sub>"

## OUTSWING OPTIONS




**Composite Outswing Sill (Premium)** ✚

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



**Aluminum Sill with Thermal Break**


- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



**Coastal Sill (For Coastal Regions)**

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

## Public Access Sill



**Public Access Sill with Thermal Break<sup>2</sup>**  
(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

<sup>1</sup>See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

<sup>2</sup>Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

<sup>3</sup>For full details on the Tru-Defense Warranty Rider, visit [thermatru.com/trudefense](http://thermatru.com/trudefense).

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

## SILL FINISHES



Mill




Bronze

■ = Available

## CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

	Inswing Options			Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (ADA) <sup>2</sup>	Public Access (ADA) <sup>2</sup>
<b>Sill Finishes</b>									
Mill	■	■	■	■	■	■	■		■
Bronze	■	■	■	■	■	■			■
<b>Cap Colors</b>									
Lightwood	■		■	■					
Darkwood	■		■	■					
Hardwood		■							
<b>Sill Configurations</b>									
Single	■	■	■	■	■	■	■		■
French	■	■		■	■	■	■		■
Double Patio	■	■		■					
Triple Patio	■			■					
Lineal	■	■							
<b>Sidelite Configurations</b>									
Boxed Sidelites	■								
Single with Sidelites	■	■		■					
French with Sidelites	■								
Single Vented Sidelites	■								
French Vented Sidelites	■								
<b>Depths</b>									
4-9/16"	■		■	■		■	■		■
5-3/4"	■	■	■	■	■				
6-9/16"									■
7-3/4"	■	■	■		■				
<b>Substrates</b>									
Composite Extruded	■			■					
Composite Injection Molded	■		■						
Treated Pine		■			■	■	■		
<b>Other Options</b>									
Integrated Thermal Break	■	■	■	■	■				■
Screen Rail Available	■	■							
Sill Extenders Available	■	■	■	■					
Sill Covers Available	■	■	■	■					
Tru-Defense Eligible <sup>3</sup>	■			■					
With Anchor Holes					■	■	■		■
Without Anchor Holes	■	■	■	■	■				

Note: See your Therma-Tru seller for details on available component and finish color combinations.

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## INSWING OPTIONS



**Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep** ✚

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable

**Colors:**  
Bronze  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.




**Inactive Door Bottom** ✚

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze


## OUTSWING OPTIONS



**Outswing Bottom Sweep**

**Sills:**  
Aluminum  
Coastal

**Color:**  
Bronze




**Inactive Door Bottom**

**Sills:**  
Composite Outswing

**Colors:**  
Bronze

## ADA / REPLACEMENT



**Bottom Sweep**

**Sills:**  
Public Access

**Color:**  
Bronze

## Sill Protection



**Sill Covers (Recommended)**

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 262 for availability.

Shown over composite adjustable sill.



**Sill Pan (Recommended)** ✚

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.



## Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

### Classic Craft® 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access


### Fiber-Classic® / Smooth-Star® 7-Shape Pads



**Colors:**  
Bronze  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Basic Pads



**Colors:**  
Bronze

**Sills:**  
Inswing  
Applications Only

## Weatherstrip

Provides two points of contact and a form-fitting barrier for extra protection against leaks.


### Medium-Reach Weatherstrip



**Colors:**  
Bronze  
White

**Doors:**  
Square Edge

### Long-Reach Weatherstrip



**Colors:**  
Bronze  
White

**Doors:**  
Bull Edge

## Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

### Rain Deflector (Inswing)




**Colors:**  
Bronze  
White

### Rain Guard (Outswing)




**Colors:**  
Bronze  
White



Rain Deflector

Bottom Sweep

Bottom of door;  
exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door;  
exterior view.

# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door frame at the top, middle and bottom, providing continuous protection along the door edge for enhanced security vs. a traditional deadbolt.

### GRIP-STYLE MPLS +

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)

Side view of door.



**Tongue**  
Heights: | Configurations:  
6'8" | Inswing  
7'0" | Outswing  
8'0" |

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.



Engages at three critical points.

Exterior view of door.



Engages at three critical points.

Exterior view of door.

Side view of door.

## LEVER-STYLE MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



### Tongue

Heights: 6'6"  
6'8"  
7'0"  
8'0"

Configurations: Inswing  
Outswing



### Shootbolt

(For door systems with an astragal.)

Heights: 6'6"  
6'8"  
7'0"  
8'0"

Configurations: Inswing  
Outswing



## Vented Sidelite MPLS




**Tongue**  
(Included in vented sidelite units.)


Heights: 6'6"  
6'8"  
8'0"

## Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



### FINISH OPTIONS



### FINISH OPTIONS



## Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

### ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

#### Finish Options:

Brushed Nickel  
Black Nickel  
Polished Chrome  
Oil-Rubbed Bronze  
Stainless Steel  
Zinc Dichomate


A genuine Therma-Tru® adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.

# Hinges

## Adjustable Hinge

Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



## Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)


Contains locating tabs to assist in accurate alignment with specific door systems.



## Classic-Craft® Ball-Bearing

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



## Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Classic-Craft® Ball-Bearing - Staggered Hole Pattern

(Recommended for Classic Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.




## Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.<sup>1</sup>



## HINGE FINISH OPTIONS



■ = Available

Hinge Finish Options	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing — Staggered Hole Pattern	Classic Craft Ball-Bearing — Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■				
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■		■		■
Polished Chrome	■	■	■	■	■		■		■
Oil-Rubbed Bronze	■	■	■	■	■	■	■		■
Stainless Steel		■	■	■	■		■	■	■
Zinc Dichromate		■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.




## TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain



Fir Grain

Aluminum



Bronze



White

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.





### STAINABLE / PAINTABLE ASTRAGAL ✦



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Oak  
Fir

**Weatherstrip:**  
Bronze

Shown in  
Oak grain with  
Driftwood stain.

### ALUMINUM ASTRAGAL ✦



**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Width:**  
7/8"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Finish Colors:**  
Bronze  
White

**Weatherstrip:**  
Bronze

Coastal option  
also available.


✦ Tru-Defense Eligible

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision.

Left Page: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028  
Top: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

# Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote  
GBG Color Options


## DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.



## PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis. with Standard Black Nickel Caming



Axis. with Special Quote Brushed Nickel Caming

## CAMING COLORS

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.



# 3'6" Width Door Style Options

## CLASSIC CRAFT.

8'0" Door Styles




Glass Designs

Homeward	■		■			■	■
Arborwatch	■		■			■	■
Augustine	◆	◆	◆	◆	◆	◆	
Borrassa	◆	◆	◆	◆	◆	◆	
Lucerna	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

## KEY

- Classic Craft. Artíssa Collection.™
- ◆ Classic Craft. Founders Collection.™
- ▲ Classic Craft. Visionary Collection.™
- \* Smooth-Star.®
- ▷ Profiles.™ & Traditions


6'8" & 8'0" Solid-Panel Door Styles



## SMOOTH-STAR®, PROFILES™, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles

All Pulse Styles



Glass Designs

Blackstone	*▷	*			*▷	*						
Crystalline	*▷	*			*▷	*						
Sedona	*▷		*▷	*	*▷	*						
Salinas	*▷	*			*▷	*						
Maple Park	*▷											
Saratoga	*▷		*▷	*	*▷	*						
Texas Star	*▷											
Wellesley	*▷	*										
Riserva	*▷	*	*▷	*	*▷	*						
Concorde	*▷	*										
Kensington	*▷											
Pembridge	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Axis	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Calix	*▷	*	*▷	*	*▷	*						
Latitude	*▷	*			*▷	*						
Echelon	*▷	*	*▷	*	*▷	*						
Privacy & Textured Glass	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Internal Blinds	*▷	*										
Divided Lites	*▷	*										
Clear	*▷	*	*▷	*	*▷	*	*▷	*	*▷	*		
Solid Panel											*▷	*

# 7'0" Height Door Style Options

Door Styles



Glass Designs

Blackstone	▼▲*▷	▲*▷	*		▷							
Crystalline	▼▲*▷											
Sedona	▼▲*▷	▲*▷	*		▷							
Salinas	▼▲*▷	▲*▷	*		▷							
Maple Park	▼▲*▷	▲*▷	*		▷			▲*▷				
Saratoga	▼▲*▷	▲*▷	*		▷		▼*	▲*▷				
Texas Star	▼▲*▷	▲*▷	*									
Wellesley	▼▲*▷	▲*▷	*		▷			▲*▷				
Riserva	▼▲*▷	▲*▷	*		▷							
Concorde	▼▲*▷	▲*▷	*		▷			▲*▷	▷			
Kensington	▼▲*▷	▲*▷	*		▷							
Pembridge	▼▲*▷	▲*▷	*		▷			▷		▲*▷		
Axis	▼▲*▷	▲*▷	*		▷					▲*▷		
Calix	▼▲*▷	▲*▷	*									
Latitude	▼▲*▷											
Echelon	▼▲*▷											
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷		▼*			▲*▷		
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷								
Screen Vented		*▷	*	*▷								
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	▼*	▲*▷	▷		▷	
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	▼*	▲*▷	▷	▲*▷		
Solid Panel												▲*▷

# 6'6" Height Door Style Options

Door Styles



Glass Designs

Blackstone	▲*	▲*	
Crystalline	▲*	▲*	
Sedona	▲*	▲*	
Salinas	▲*	▲*	
Maple Park	▲*	▲*	
Saratoga	▲*	▲*	
Texas Star	▲*	▲*	
Wellesley	▲*	▲*	
Riserva	▲*	▲*	
Concorde	▲*	▲*	
Kensington	▲*	▲*	
Pembridge	▲*	▲*	
Axis	▲*	▲*	
Calix	▲*	▲*	
Latitude	▲*	▲*	
Echelon	▲*	▲*	
Privacy & Textured Glass	▲*	▲*	
Internal Blinds	▲*	▲*	
Screen Vented			
Divided Lites	▲*	▲*	
Clear	▲*	▲*	
Solid Panel			▲*▷

## KEY

- ▲ Classic Craft.  
Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- \* Smooth-Star.
- ▷ Profiles™ & Traditions



		▼▲*D	D					
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D						
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D	D					
		▼▲*D	D	▼*	D			
		▼▲*D	D					
		▼▲*D	D	▼*				
		▼▲*D	D	▼*	D			
	D	▼▲*D	D	▼*				
		▼▲*D	D	▼*	D			
						*	▲*	▲▼▲*



Top: Smooth-Star, Maple Park Glass, Door – S6107  
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S308SL

# Entry & Patio Door System Product Details

Feature	Classic Craft	Fiber-Classic & Pulse Wood-Grained	Smooth-Star & Pulse Smooth	Profiles & Pulse Steel (6'8")	Traditions & Pulse Steel (8'0")
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
<b>Skin Texture</b>	Fir, Walnut, Mahogany; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint
<b>Panel — Top Rail</b>	Composite	Composite	Composite	Wood	Wood
<b>Panel — Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite
<b>Lock Stile</b>	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
<b>Lock Block</b>	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
<b>Height Options</b>	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
<b>Width Options</b>	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
<b>Lite Frame Options</b>	SMC Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame	Advanta Frame, Standard Frame
<b>Glass Options</b>	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
<b>Sill<sup>1</sup></b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
<b>Weatherstrip — Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
<b>Weatherstrip — Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Weatherstrip — Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended
<b>Hinges<sup>1</sup></b>	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
<b>Frame<sup>1</sup></b>	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
<b>Residential Limited Warranty</b>	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/ AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [thermatru.com](http://thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

**Direct Set Sidelites** – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

**Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [thermatru.com](http://thermatru.com):

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems

## Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [thermatru.com](http://thermatru.com):

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**



Table with 6 columns of alphanumeric codes and their corresponding values. Codes range from CCM303 to CCR1851SL. Values range from 63 to 93.

## Fiber-Classic® & Smooth-Star®

CCV930XR .....85	1000 .....199	2050XJSL .....116	81938P .....171	81983P .....171	FC131SL .....152
CCV931 .....82	1283 .....150	2050XK .....116	81938PSL .....171	81984P .....172	FC138 .....147
CCV940 .....86	1284 .....147	2050XKSL .....116	81939P .....170	81985P .....174	FC138XC .....142
CCV940XC .....85	1285 .....147	2050XN .....116	81939PSL .....170	81986PSL .....134	FC138XE .....142
CCV940XJ .....85	1286 .....145	2050XNSL .....116	81940P .....171	81986SL .....134	FC138XJ .....142
CCV940XN .....85	1289 .....148	2050XR .....116	81940PSL .....171	85901SL .....154	FC138XK .....142
CCV940XR .....85	2000 .....122	2050XRSL .....116	81941P .....172	85919SL .....172	FC138XN .....142
CCV950SL .....61	2009 .....120	8000-12 .....119	81941PSL .....172	AXRT .....201	FC138XR .....142
CCV950SLSL .....67	2010 .....119	8000-18 .....119	81942P .....174	BSRT .....201	FC1400 .....161
CCV950SL .....87	2050 .....119	8000-9 .....120	81942PSL .....174	CNRT .....201	FC1400SL .....161
CCV950XCSL .....66	8000 .....122	8000XC .....119	81943P .....163	CX30T .....201	FC1402 .....161
CCV950XCSLSL .....85	81000 .....199	8000XE .....119	81943PSL .....163	CXRT .....201	FC1404 .....190
CCV950XESL .....66	81200 .....150	8000XJ .....119	81943PXC .....159	DRS2131SL .....150	FC1408 .....182
CCV950XESLSL .....85	81208 .....147	8000XK .....119	81943PXC .....159	DRS82131SL .....150	FC1408SL .....182
CCV950XHSL .....93	81225 .....145	8000XN .....119	81943PXE .....159	EC30T .....201	FC141 .....144
CCV950XJSL .....66	81828 .....147	8000XR .....119	81943PXE .....159	ECRT .....201	FC141SL .....145
CCV950XJSLSL .....85	12101SL .....150	81200P .....150	81943PXJ .....159	FC10 .....150	FC142 .....135
CCV950XNSL .....66	12101XCSL .....144	81200PSL .....150	81943PXJSL .....159	FC100 .....132	FC142SL .....135
CCV950XNSLSL .....85	12101XESL .....144	81200PXC .....144	81943PXC .....159	FC1006 .....134	FC143 .....154
CCV950XRSL .....66	12101XJSL .....144	81200PXC .....144	81943PXC .....159	FC100SL .....133	FC143SL .....154
CCV950XRSLSL .....85	12101XKSL .....144	81200PXE .....144	81943PXC .....159	FC101 .....168	FC144 .....171
CCV960 .....87	12101XNSL .....144	81200PXE .....144	81943PXC .....159	FC101SL .....168	FC1442SL .....156
CCV960XC .....85	12101XRSL .....144	81200PX .....144	81943PXC .....159	FC1029 .....135	FC147 .....154
CCV960XJ .....85	12102SL .....147	81200PX .....144	81943PXC .....159	FC104 .....135	FC147SL .....154
CCV960XN .....85	12102XCSL .....143	81200PXK .....144	81944P .....161	FC104SL .....136	FC148 .....138
CCV960XR .....85	12102XESL .....143	81200PXK .....144	81944PSL .....161	FC104XC .....179	FC148SL .....138
CCV9918 .....68	12102XJSL .....143	81200PXN .....144	81945P .....161	FC104XE .....179	FC149 .....174
CCV9919 .....68	12102XKSL .....143	81200PXNSL .....144	81945PXC .....158	FC104XJ .....179	FC149SL .....174
CCV9922 .....62	12102XNSL .....143	81200PXR .....144	81945PXC .....158	FC104XK .....179	FC151 .....165
CCV9925 .....54	12102XRSL .....143	81200PXR .....144	81945PXE .....158	FC104XN .....179	FC156 .....155
CCV9926 .....80	1283XC .....144	81200PXRSL .....144	81945PXK .....158	FC104XR .....179	FC160 .....132
CCW1000 .....90	1283XE .....144	81200SL .....150	81945PK .....158	FC105 .....172	FC160 .....166
CCW81000 .....90	1283XJ .....144	81200XC .....144	81945PXN .....158	FC105SL .....172	FC163 .....164
CCW8900L .....90	1283XK .....144	81200XC .....144	81945PR .....161	FC108 .....131	FC164 .....164
CCW8900R .....90	1283XN .....144	81200XC .....144	81946P .....161	FC1089 .....160	FC1645 .....196
CCW8901L .....90	1283XR .....144	81200XE .....144	81946PSL .....161	FC1089SL .....161	FC1646 .....156
CCW8901R .....90	1284XC .....142	81200XESL .....144	81946PXC .....158	FC108SL .....131	FC1646SL .....156
CCW8902L .....90	1284XE .....142	81200XJ .....144	81946PXC .....158	FC109 .....167	FC1647 .....156
CCW8902R .....91	1284XJ .....142	81200XK .....144	81946PXC .....158	FC109SL .....167	FC1651 .....139
CCW8903 .....91	1284XK .....142	81200XKSL .....144	81946PX .....158	FC109SL .....167	FC1651SL .....139
CCW8904L .....91	1284XN .....142	81200XN .....144	81946PJ .....158	FC10XC .....144	FC1652 .....139
CCW8904R .....91	1284XR .....142	81200XNSL .....144	81946PJSL .....158	FC10XE .....144	FC1652SL .....139
CCW8905 .....91	1284XC .....142	81200XR .....144	81946PJK .....158	FC10XJ .....144	FC1652SL .....139
CCW8906L .....91	1285XJ .....142	81200XRSL .....144	81946PK .....158	FC10XK .....144	FC1654 .....176
CCW8906R .....91	1285XC .....142	81208P .....147	81946PKSL .....158	FC10XN .....144	FC1655 .....189
CCW8907L .....91	1285XK .....142	81208PSL .....147	81946PK .....158	FC10XR .....144	FC1656SL .....176
CCW8907R .....91	1285XN .....142	81208SL .....147	81946PXR .....158	FC113 .....133	FC18 .....147
CCW900L .....90	1285XR .....142	81225P .....144	81946PXRSL .....158	FC113SL .....133	FC18SL .....147
CCW900R .....90	1286SL .....145	81225PSL .....145	81947PSL .....161	FC114 .....169	FC18XC .....142
CCW901L .....90	18101SL .....132	81225SSL .....145	81949PSL .....161	FC114SL .....169	FC18XC .....143
CCW901R .....90	19020T .....201	81800P .....132	81952P .....151	FC115 .....152	FC18XE .....142
CCW902L .....90	19055T .....201	81800PSL .....132	81952PSL .....151	FC115SL .....152	FC18XESL .....143
CCW902R .....91	19200T .....201	81800SL .....132	81953P .....151	FC116 .....180	FC18XJ .....142
CCW903 .....91	19210T .....201	81900PSL .....161	81953PSL .....152	FC1200 .....147	FC18XJSL .....143
CCW904L .....91	19220T .....201	81918P .....131	81954P .....152	FC1200SL .....147	FC18XK .....142
CCW904R .....91	19520T .....201	81918PSL .....131	81954PSL .....152	FC1201 .....146	FC18XKSL .....143
CCW905 .....91	1964P .....159	81918SL .....131	81955P .....152	FC1201SL .....147	FC18XN .....142
CCW906L .....91	19720T .....201	81919P .....133	81955PSL .....152	FC1202 .....146	FC18XNSL .....143
CCW906R .....91	19730T .....201	81919PSL .....133	81956P .....153	FC1202SL .....147	FC18XR .....142
CCW907L .....91	19740T .....201	81919SL .....133	81956PSL .....153	FC1203 .....147	FC18XRSL .....143
CCW907R .....91	19750T .....201	81921P .....135	81957P .....153	FC1204 .....119	FC198 .....148
DRS2131SL .....91	2000SL .....122	81921PSL .....136	81957PSL .....153	FC1204SL .....120	FC198SL .....148
DRS82131SL .....91	2000XC .....119	81921SL .....136	81958P .....154	FC1205 .....119	FC20042 .....155
HW30T .....94	2000XCSL .....119	81928P .....137	81958PSL .....154	FC1205SL .....119	FC2101 .....160
HWRT .....94	2000XC .....119	81928PSL .....137	81959P .....154	FC1205XC .....116	FC2101SL .....161
LC30T .....94	2000XE .....119	81928SL .....137	81959PSL .....154	FC1205XE .....116	FC2102 .....161
LCET .....94	2000XESL .....119	81929P .....184	81960P .....155	FC1205XJ .....116	FC2106 .....160
LCRT .....94	2000XJ .....119	81929PSL .....184	81960PSL .....155	FC1205XK .....116	FC2107 .....160
LF30T .....94	2000XJSL .....119	81929PXC .....179	81961P .....155	FC1205XN .....116	FC2108 .....160
LFET .....94	2000XK .....119	81929PXC .....179	81961PSL .....156	FC1205XR .....116	FC2213 .....141
LFRT .....94	2000XKSL .....119	81929PXC .....179	81964P .....159	FC1206 .....119	FC2213SL .....141
ZHRT .....94	2000XN .....119	81929PXE .....179	81964PSL .....159	FC1206SL .....119	FC2223 .....140
	2000XNSL .....119	81929PXESL .....179	81968P .....132	FC1207 .....119	FC2223SL .....140
	2000XR .....119	81929PXJ .....179	81968PSL .....133	FC1207XC .....116	FC2233 .....141
	2000XRSL .....119	81929PXJSL .....179	81968SL .....133	FC1207XE .....116	FC2233SL .....142
	2009SL .....120	81929PXK .....179	81971P .....184	FC1207XJ .....116	FC23 .....196
	2010XC .....116	81929PXKSL .....179	81971PXC .....179	FC1207XK .....116	FC2382 .....141
	2010XE .....116	81929PXN .....179	81971PXC .....179	FC1207XN .....116	FC2382SL .....141
	2010XJ .....116	81929PXNSL .....179	81971PXC .....179	FC1207XR .....116	FC2385 .....141
	2010XK .....116	81929PXR .....179	81971PXC .....179	FC1208 .....147	FC2385SL .....142
	2010XN .....116	81929PXRSL .....179	81971PXC .....179	FC1208SL .....147	FC2389 .....140
	2010XR .....116	81933P .....167	81971PXC .....179	FC1209 .....146	FC2389SL .....140
	2050SL .....120	81933PSL .....167	81971PXK .....179	FC1209SL .....147	FC241 .....132
	2050XC .....116	81935P .....168	81971PXN .....179	FC1211 .....146	FC31 .....198
	2050XC .....116	81935PSL .....168	81977P .....168	FC1211SL .....147	FC310 .....131
	2050XC .....116	81936P .....168	81978P .....168	FC1212 .....147	FC32 .....163
	2050XE .....116	81936PSL .....168	81980P .....169	FC1289SL .....148	FC32SL .....163
	2050XESL .....116	81937P .....169	81981P .....171	FC131 .....152	FC32XC .....159
	2050XJ .....116	81937PSL .....169	81982P .....170		



FC32XCSL.....159	FC5720XJ.....116	FC709.....165	FC820.....137	FC8573SL.....136	FC902.....153
FC32XE.....159	FC5720XJSL.....117	FC710.....166	FC821.....135	FC8574.....136	FC902SL.....153
FC32XESL.....159	FC5720XK.....116	FC7125SL.....182	FC822.....132	FC8579.....173	FC905.....134
FC32XJ.....159	FC5720XKSL.....117	FC713.....164	FC82213.....141	FC8581.....173	FC905SL.....134
FC32XJSL.....159	FC5720XN.....116	FC714.....164	FC82213SL.....141	FC8583SL.....173	FC906.....171
FC32XK.....159	FC5720XNSL.....117	FC721.....194	FC82223.....140	FC860.....198	FC906SL.....171
FC32XKSL.....159	FC5720XR.....116	FC735.....195	FC82223SL.....140	FC861.....197	FC907.....153
FC32XN.....159	FC5720XRSL.....117	FC736.....194	FC82233.....141	FC861XC.....197	FC907SL.....153
FC32XNSL.....159	FC5725L.....136	FC745.....195	FC82233SL.....142	FC861XE.....197	FC910.....137
FC32XR.....159	FC573SL.....136	FC752.....195	FC82382.....141	FC861XJ.....197	FC910SL.....137
FC32XRSL.....159	FC574.....136	FC755.....198	FC82382SL.....141	FC861XK.....197	FC911.....174
FC3487SL.....182	FC581.....173	FC765.....151	FC82385.....141	FC861XN.....197	FC911SL.....174
FC3487XCSL.....178	FC583SL.....173	FC765SL.....151	FC82385SL.....142	FC861XR.....197	FC912.....155
FC3487XESL.....178	FC60.....198	FC766.....163	FC82389.....140	FC862.....198	FC912SL.....155
FC3487XJSL.....178	FC6093.....134	FC766XC.....159	FC82389SL.....140	FC86220.....190	FC915.....165
FC3487XKSL.....178	FC6094.....135	FC766XE.....159	FC828.....147	FC862203.....190	FC862203.....190
FC3487XNSL.....178	FC6095.....137	FC766XJ.....159	FC82XC.....158	FC862203XC.....189	FC917.....196
FC3487XRSL.....178	FC61.....197	FC766XK.....159	FC82XE.....158	FC862203XE.....189	FC92.....161
FC369.....133	FC61XC.....197	FC766XN.....159	FC82XJ.....158	FC862203XJ.....189	FC925.....190
FC38.....151	FC61XE.....197	FC766XR.....159	FC82XK.....158	FC862203XK.....189	FC92SL.....161
FC386.....177	FC61XJ.....197	FC770.....151	FC82XN.....158	FC862203XN.....189	FC92XC.....158
FC387SL.....177	FC61XK.....197	FC772.....151	FC82XR.....158	FC862203XR.....189	FC92XCSL.....158
FC389.....157	FC61XN.....197	FC773.....152	FC8310.....161	FC86220XC.....190	FC92XE.....158
FC38SL.....152	FC61XR.....197	FC775.....152	FC8310SL.....161	FC86220XE.....190	FC92XESL.....158
FC393.....189	FC62.....184	FC776.....153	FC8311.....160	FC86220XJ.....190	FC92XJ.....158
FC4521.....157	FC626.....138	FC777.....153	FC8311SL.....161	FC86220XK.....190	FC92XJSL.....158
FC4521SL.....157	FC62XC.....179	FC778.....154	FC8313.....160	FC86220XN.....190	FC92XK.....158
FC4525.....157	FC62XE.....179	FC779.....154	FC8313SL.....161	FC86220XR.....190	FC92XKSL.....158
FC4525SL.....157	FC62XJ.....179	FC780.....155	FC8316.....161	FC86242.....188	FC92XN.....158
FC46SL.....132	FC62XK.....179	FC789.....166	FC8318.....182	FC86243.....187	FC92XNSL.....158
FC476.....157	FC62XN.....179	FC794.....164	FC8319.....182	FC86247.....188	FC92XR.....158
FC47SL.....150	FC62XR.....179	FC796.....164	FC832.....182	FC86249.....188	FC92XRSL.....158
FC47XCSL.....144	FC63SL.....182	FC797.....165	FC8320.....182	FC86252.....187	FCM10.....150
FC47XESL.....144	FC63XCSL.....178	FC798.....165	FC8321.....181	FC86253.....187	FCM100.....132
FC47XJSL.....144	FC63XESL.....178	FC803.....196	FC8321XC.....178	FC86254.....188	FCM1000.....198
FC47XKSL.....144	FC63XJSL.....178	FC808SL.....131	FC8321XE.....178	FC86255.....187	FCM1006.....134
FC47XNSL.....144	FC63XKSL.....178	FC809.....198	FC8321XJ.....178	FC86500.....138	FCM101.....168
FC47XRSL.....144	FC63XNSL.....178	FC80920.....190	FC8321XK.....178	FC86500SL.....138	FCM101SL.....168
FC48SL.....184	FC63XRSL.....178	FC809203.....190	FC8321XN.....178	FC86533.....189	FCM1029.....135
FC48XCSL.....179	FC65.....181	FC809203XC.....189	FC8321XR.....178	FC86536.....175	FCM104.....135
FC48XESL.....179	FC6500.....138	FC809203XE.....189	FC8322.....181	FC86550.....138	FCM104XC.....179
FC48XJSL.....179	FC6500SL.....138	FC809203XJ.....189	FC8323.....181	FC86550SL.....138	FCM104XE.....179
FC48XKSL.....179	FC6534.....189	FC809203XK.....189	FC8324.....181	FC86560.....175	FCM104XJ.....179
FC48XNSL.....179	FC6550.....138	FC809203XN.....189	FC832XC.....178	FC86560SL.....175	FCM104XK.....179
FC48XRSL.....179	FC6550SL.....138	FC809203XR.....189	FC832XE.....178	FC86570.....196	FCM104XN.....179
FC507.....188	FC6560.....175	FC80920XC.....190	FC832XJ.....178	FC86580.....156	FCM104XR.....179
FC529.....155	FC6565SL.....175	FC80920XE.....190	FC832XK.....178	FC86580SL.....156	FCM105.....172
FC5425.....159	FC6570.....196	FC80920XJ.....190	FC832XN.....178	FC8675SL.....182	FCM105SL.....172
FC5425SL.....159	FC6576.....166	FC80920XK.....190	FC832XR.....178	FC8678.....180	FCM106.....164
FC543.....155	FC6577.....166	FC80920XN.....190	FC8386.....177	FC8678SL.....180	FCM108.....131
FC545SL.....155	FC6580.....156	FC80920XR.....190	FC8386SL.....177	FC8685L.....120	FCM1089SL.....160
FC549.....188	FC6580SL.....156	FC80942.....188	FC8390.....189	FC8685LXC.....116	FCM109.....167
FC5700.....120	FC6582.....156	FC80943.....187	FC8392.....177	FC8685LXE.....116	FCM109SL.....167
FC5700SL.....120	FC65XC.....178	FC80947.....188	FC84521.....157	FC8685LXJ.....116	FCM10XC.....143
FC5700XC.....116	FC65XE.....178	FC80949.....188	FC84521SL.....157	FC8685LXK.....116	FCM10XE.....143
FC5700XCSL.....117	FC65XJ.....178	FC80952.....187	FC84525.....157	FC8685LXN.....116	FCM10XJ.....143
FC5700XE.....116	FC65XK.....178	FC80953.....187	FC84525SL.....157	FC8685LXR.....116	FCM10XK.....143
FC5700XESL.....117	FC65XN.....178	FC80954.....188	FC84527.....158	FC8685R.....120	FCM10XN.....143
FC5700XJ.....116	FC65XR.....178	FC80955.....187	FC84527SL.....158	FC8685RXC.....116	FCM10XR.....143
FC5700XJSL.....117	FC668.....132	FC809SL.....137	FC8489.....177	FC8685RXE.....116	FCM110.....164
FC5700XK.....116	FC670.....184	FC812SL.....134	FC8498.....177	FC8685RXJ.....116	FCM113.....133
FC5700XKSL.....117	FC678.....180	FC813SL.....138	FC8498SL.....177	FC8685RXK.....116	FCM114.....169
FC5700XN.....116	FC678SL.....180	FC814.....132	FC8529.....155	FC8685RXN.....116	FCM114SL.....169
FC5700XNSL.....117	FC685L.....120	FC8141.....190	FC8545SL.....155	FC8685RXX.....116	FCM115.....152
FC5700XR.....116	FC685LXC.....116	FC8144.....182	FC85700.....120	FC8685RXXC.....116	FCM115SL.....152
FC5700XRSL.....117	FC685LXE.....116	FC8145.....182	FC85700XC.....116	FC8691XC.....116	FCM116.....180
FC571.....136	FC685LXJ.....116	FC8145SL.....182	FC85700XE.....116	FC8691XE.....116	FCM1200.....145
FC5710.....120	FC685LXK.....116	FC8149.....174	FC85700XJ.....116	FC8691XJ.....116	FCM1200SL.....146
FC5710SL.....120	FC685LXN.....116	FC814SL.....133	FC85700XK.....116	FC8691XK.....116	FCM1201.....145
FC5710XC.....116	FC685LXR.....116	FC815SL.....134	FC85700XN.....116	FC8691XN.....116	FCM1201SL.....146
FC5710XCSL.....117	FC685R.....120	FC816.....131	FC85700XR.....116	FC8691XR.....116	FCM1202.....145
FC5710XE.....116	FC685RXC.....116	FC81645.....196	FC8571.....136	FC8704.....195	FCM1202SL.....146
FC5710XESL.....117	FC685RXE.....116	FC81646.....156	FC85710.....120	FC8707.....194	FCM1203.....145
FC5710XJ.....116	FC685RXJ.....116	FC81646SL.....156	FC85710XC.....116	FC8708.....195	FCM1204SL.....119
FC5710XJSL.....117	FC685RXK.....116	FC81649.....189	FC85710XE.....116	FC8721.....194	FCM1205SL.....119
FC5710XK.....116	FC685RXN.....116	FC81651.....139	FC85710XJ.....116	FC8735.....195	FCM1206SL.....119
FC5710XKSL.....117	FC685RXX.....116	FC81651SL.....139	FC85710XK.....116	FC8736.....194	FCM1208.....145
FC5710XN.....116	FC691.....120	FC81652.....139	FC85710XN.....116	FC8745.....195	FCM1209.....145
FC5710XNSL.....117	FC691XC.....116	FC81652SL.....139	FC85710XR.....116	FC8752.....195	FCM1210SL.....150
FC5710XR.....116	FC691XE.....116	FC81653.....176	FC85720.....120	FC8867SL.....174	FCM1210XCSL.....144
FC5710XRSL.....117	FC691XJ.....116	FC81654.....176	FC85720XC.....116	FC89701.....174	FCM1210XESL.....144
FC5720.....120	FC691XK.....116	FC81654SL.....176	FC85720XE.....116	FC8971.....180	FCM1210XJSL.....144
FC5720SL.....120	FC691XN.....116	FC816SL.....133	FC85720XJ.....116	FC8972.....190	FCM1210XKSL.....144
FC5720XC.....116	FC691XR.....116	FC817.....133	FC85720XK.....116	FC900.....134	FCM1210XNSL.....144
FC5720XCSL.....117	FC704.....195	FC817SL.....135	FC85720XN.....116	FC900SL.....134	FCM1210XRSL.....144
FC5720XE.....116	FC707.....194	FC818SL.....136	FC85720XR.....116	FC901.....170	FCM12102SL.....146
FC5720XESL.....117	FC708.....195	FC82.....160	FC8572SL.....136	FC901SL.....170	FCM12102XCSL.....142













Steel *Continued*

TS105.....228  
 TS108.....226  
 TS108XC.....226  
 TS108XE.....226  
 TS108XJ.....226  
 TS108XK.....226  
 TS108XN.....226  
 TS108XR.....226  
 TS115.....228  
 TS118.....227  
 TS118XC.....226  
 TS118XE.....226  
 TS118XJ.....226  
 TS118XK.....226  
 TS118XN.....226  
 TS118XR.....226  
 TS1200.....226  
 TS1201.....226  
 TS1202.....226  
 TS1203.....226  
 TS128.....226  
 TS128XC.....226  
 TS128XE.....226  
 TS128XJ.....226  
 TS128XK.....226  
 TS128XN.....226  
 TS128XR.....226  
 TS130.....226  
 TS131.....228  
 TS132.....228  
 TS132SL.....228  
 TS137.....228  
 TS1405SL.....228  
 TS1408.....228  
 TS1411.....229  
 TS198.....227  
 TS206.....228  
 TS206XC.....227  
 TS206XE.....227  
 TS206XJ.....227  
 TS206XK.....227  
 TS206XN.....227  
 TS206XR.....227  
 TS210.....230  
 TS210SL.....228  
 TS210XCSSL.....227  
 TS210XESL.....227  
 TS210XJSL.....227  
 TS210XKSL.....227  
 TS210XNSL.....227  
 TS210XRSL.....227  
 TS236.....229  
 TS237.....230  
 TS243.....228  
 TS255.....229  
 TS256.....230  
 TS262.....228  
 TS262XC.....227  
 TS262XE.....227  
 TS262XJ.....227  
 TS262XK.....227  
 TS262XN.....227  
 TS262XR.....227  
 TS263.....229  
 TS263SL.....228  
 TS263XC.....229  
 TS263XCSSL.....227  
 TS263XE.....229  
 TS263XESL.....227  
 TS263XJ.....229  
 TS263XJSL.....227  
 TS263XK.....229  
 TS263XKSL.....227  
 TS263XN.....229  
 TS263XNSL.....227  
 TS263XR.....229  
 TS263XRSL.....227  
 TS289.....229  
 TS289XC.....229  
 TS289XE.....229  
 TS289XJ.....229  
 TS289XK.....229  
 TS289XN.....229  
 TS289XR.....229  
 TS296.....230  
 TS296SL.....230  
 TS296XC.....229

TS296XCSSL.....229  
 TS296XE.....229  
 TS296XESL.....229  
 TS296XJ.....229  
 TS296XJSL.....229  
 TS296XK.....229  
 TS296XKSL.....229  
 TS296XN.....229  
 TS296XNSL.....229  
 TS296XR.....229  
 TS296XRSL.....229  
 TS572SL.....213  
 TS704.....229  
 TS708.....230  
 TS752.....229

Fire

100.....235  
 1005HD.....235  
 203HD.....235  
 205HD.....235  
 210HD.....235  
 969HD.....235  
 978HD.....235  
 SSF100.....234  
 SSF1100.....234  
 SSF120.....234  
 SSF160.....234  
 SSF200.....234  
 SSF205.....234  
 SSF220.....234  
 SSF31.....234  
 SSF45.....234  
 SSF4800.....234  
 SSF600.....234  
 SSF755.....234  
 SSF8100.....234  
 SSF81100.....234  
 SSF8120.....234  
 SSF8160.....234  
 SSF8200.....234  
 SSF8205.....234  
 SSF8220.....234  
 SSF831.....234  
 SSF84800.....234  
 SSF8600.....234  
 SSF93.....234  
 SSF960.....234  
 TS210.....235  
 TS100.....235

Pulse®

DRS2131SL.....247  
 DRS82131SL.....247  
 S10AXSL.....248  
 S10CLSL.....248  
 S10PBSL.....247  
 S10XCSSL.....248  
 S10XESL.....248  
 S10XJSL.....248  
 S10XKSL.....248  
 S10XNSL.....248  
 S10XRSL.....248  
 S1651SL.....247  
 S1AX.....242  
 S1BL.....240  
 S1BS.....240  
 S1CL.....242  
 S1CX.....242  
 S1EC.....242  
 S1LAX.....242  
 S1LBL.....240  
 S1LBS.....240  
 S1LCL.....242  
 S1LCX.....242  
 S1LEC.....242  
 S1LLT.....242  
 S1LPB.....241  
 S1LRS.....241  
 S1LSA.....241  
 S1LSG.....241  
 S1LSN.....241  
 S1LT.....242  
 S1LXC.....242  
 S1LXE.....242  
 S1LXJ.....242  
 S1LXK.....242  
 S1LXN.....242  
 S1LXR.....242  
 S1PB.....241  
 S1RAX.....242  
 S1RBL.....241  
 S1RBS.....240  
 S1RCL.....242  
 S1RCX.....242  
 S1REC.....242  
 S1RLT.....242  
 S1RPB.....241  
 S1RRS.....241  
 S1RS.....241  
 S1RSA.....241  
 S1RSG.....241  
 S1RSN.....241  
 S1RXC.....242  
 S1RXE.....242  
 S1RXJ.....242  
 S1RXK.....242  
 S1RXN.....242  
 S1RXR.....242  
 S1SA.....241  
 S1SG.....241  
 S1SN.....241  
 S1XC.....242  
 S1XE.....242  
 S1XJ.....242  
 S1XK.....242  
 S1XN.....242  
 S1XR.....242  
 S2382SL.....247  
 S2385SL.....247  
 S2389SL.....247  
 S2AX.....240  
 S2CL.....240  
 S2CX.....240  
 S2EC.....240  
 S2PB.....240  
 S2RS.....240  
 S2SG.....240  
 S2SN.....240  
 S2XC.....240  
 S2XE.....240  
 S2XJ.....240  
 S2XK.....240  
 S2XN.....240  
 S2XR.....240  
 S4570SL.....247  
 S4AX.....244  
 S4AXSL.....248  
 S4CL.....245

S4CLSL.....248  
 S4LAX.....244  
 S4LCL.....245  
 S4LPB.....243  
 S4LXC.....245  
 S4LXE.....245  
 S4LXJ.....245  
 S4LXK.....245  
 S4LXN.....245  
 S4LXR.....245  
 S4PB.....243  
 S4PBSL.....247  
 S4RAX.....244  
 S4RCL.....245  
 S4RCPB.....243  
 S4RXC.....245  
 S4RXE.....245  
 S4RXJ.....245  
 S4RXK.....245  
 S4RXN.....245  
 S4RXR.....245  
 S4XC.....245  
 S4XCSSL.....248  
 S4XE.....245  
 S4XESL.....248  
 S4XJ.....245  
 S4XJSL.....248  
 S4XK.....245  
 S4XKSL.....248  
 S4XN.....245  
 S4XNSL.....248  
 S4XR.....245  
 S4XRSL.....248  
 S572SL.....247  
 S5AX.....244  
 S5AXSL.....248  
 S5CL.....246  
 S5CLSL.....248  
 S5LAX.....244  
 S5LCL.....245  
 S5LPB.....243  
 S5LXC.....245  
 S5LXE.....245  
 S5LXJ.....245  
 S5LXK.....245  
 S5LXN.....245  
 S5LXR.....245  
 S5PB.....243  
 S5PBSL.....247  
 S5RAX.....244  
 S5RCL.....246  
 S5RPB.....243  
 S5RXC.....246  
 S5RXE.....246  
 S5RXJ.....246  
 S5RXK.....246  
 S5RXN.....246  
 S5RXR.....246  
 S5XC.....246  
 S5XCSSL.....248  
 S5XE.....246  
 S5XESL.....248  
 S5XJ.....246  
 S5XJSL.....248  
 S5XK.....246  
 S5XKSL.....248  
 S5XN.....246  
 S5XNSL.....248  
 S5XR.....246  
 S5XRSL.....248  
 S601SL.....247  
 S601XCSSL.....247  
 S601XESL.....247  
 S601XJSL.....247  
 S601XKSL.....247  
 S601XNSL.....247  
 S601XRSL.....247  
 S602SL.....247  
 S604SL.....247  
 S6130SL.....247  
 S6134SL.....247  
 S6500SL.....247  
 S81086SL.....247  
 S81086XCSSL.....247  
 S81086XESL.....247  
 S81086XJSL.....247  
 S81086XKSL.....247

S81086XNSL.....247  
 S81086XRSL.....247  
 S810AX.....245  
 S810AXSL.....248  
 S810CL.....246  
 S810CLSL.....248  
 S810LAX.....245  
 S810LCL.....246  
 S810LPB.....244  
 S810LXC.....246  
 S810LXE.....246  
 S810LXJ.....246  
 S810LXK.....246  
 S810LXN.....246  
 S810LXR.....246  
 S810PB.....244  
 S810PBSL.....247  
 S810RAX.....245  
 S810RCL.....246  
 S810RPB.....244  
 S810RXC.....246  
 S810RXE.....246  
 S810RXJ.....246  
 S810RXK.....246  
 S810RXN.....246  
 S810RXR.....246  
 S810XC.....246  
 S810XCSSL.....248  
 S810XE.....246  
 S810XESL.....248  
 S810XJ.....246  
 S810XJSL.....248  
 S810XK.....246  
 S810XKSL.....248  
 S810XN.....246  
 S810XNSL.....248  
 S810XR.....246  
 S810XRSL.....248  
 S811AX.....245  
 S811AXSL.....248  
 S811CL.....246  
 S811CLSL.....248  
 S811LAX.....245  
 S811LCL.....246  
 S811LPB.....244  
 S811LXC.....246  
 S811LXE.....246  
 S811LXJ.....246  
 S811LXK.....246  
 S811LXN.....246  
 S811LXR.....246  
 S811PB.....244  
 S811PBSL.....247  
 S811RAX.....245  
 S811RCL.....246  
 S811RPB.....244  
 S811RXC.....246  
 S811RXE.....246  
 S811RXJ.....246  
 S811RXK.....246  
 S811RXN.....246  
 S811RXR.....246  
 S811XC.....246  
 S811XCSSL.....248  
 S811XE.....246  
 S811XESL.....248  
 S811XJ.....246  
 S811XJSL.....248  
 S811XK.....246  
 S811XKSL.....248  
 S811XN.....246  
 S811XNSL.....248  
 S811XR.....246  
 S811XRSL.....248  
 S81651SL.....247  
 S81AX.....242  
 S81BL.....240  
 S81BS.....240  
 S81CL.....242  
 S81CX.....242  
 S81EC.....242  
 S81LAX.....242  
 S81LBL.....240  
 S81LBS.....240  
 S81LCL.....242  
 S81LCX.....242  
 S81LEC.....242



S81LLT.....	242	S84XK.....	245	S8LPB.....	243
S81LPB.....	241	S84XKSL.....	248	S8LXC.....	246
S81LRS.....	241	S84XN.....	245	S8LXE.....	246
S81LSA.....	241	S84XNSL.....	248	S8LXJ.....	246
S81LSG.....	241	S84XR.....	245	S8LXK.....	246
S81LT.....	242	S84XRSL.....	248	S8LXN.....	246
S81LXC.....	242	S8572SL.....	247	S8LXR.....	246
S81LXE.....	242	S85927SL.....	247	S8PB.....	243
S81LXJ.....	242	S85931SL.....	247	S8RAX.....	245
S81LXK.....	242	S85932SL.....	247	S8RCL.....	246
S81LXN.....	242	S85AX.....	244	S8RPB.....	243
S81LXR.....	242	S85AXSL.....	248	S8RXC.....	246
S81PB.....	241	S85CL.....	246	S8RXE.....	246
S81RAX.....	242	S85CLS.....	248	S8RXJ.....	246
S81RBL.....	241	S85LAX.....	244	S8RXK.....	246
S81RBS.....	240	S85LCL.....	245	S8RXN.....	246
S81RCL.....	242	S85LPB.....	243	S8RXR.....	246
S81RCX.....	242	S85LXC.....	245	S8XC.....	246
S81REC.....	242	S85LXE.....	245	S8XE.....	246
S81RLT.....	242	S85LXJ.....	245	S8XJ.....	246
S81RPB.....	241	S85LXK.....	245	S8XK.....	246
S81RRS.....	241	S85LXN.....	245	S8XN.....	246
S81RS.....	241	S85LXR.....	245	S8XR.....	246
S81RSA.....	241	S85RAX.....	244	S9AX.....	245
S81RSG.....	241	S85PB.....	243	S9AXSL.....	248
S81RXC.....	242	S85PBSL.....	247	S9CL.....	246
S81RXE.....	242	S85RAX.....	244	S9CLSL.....	248
S81RXJ.....	242	S85RCL.....	246	S9LAX.....	245
S81RXK.....	242	S85RPB.....	243	S9LCL.....	246
S81RXN.....	242	S85RXC.....	246	S9LXC.....	246
S81RXR.....	242	S85RXE.....	246	S9LPB.....	243
S81SA.....	241	S85RXJ.....	246	S9LX.....	246
S81SG.....	241	S85RXK.....	246	S9LXE.....	246
S81XC.....	242	S85RXN.....	246	S9LXJ.....	246
S81XE.....	242	S85RXR.....	246	S9LXK.....	246
S81XJ.....	242	S85XC.....	246	S9LXN.....	246
S81XK.....	242	S85XCSSL.....	248	S9LXR.....	246
S81XN.....	242	S85XE.....	246	S9PB.....	243
S81XR.....	242	S85XESL.....	248	S9PBSL.....	247
S82382SL.....	247	S85XJ.....	246	S9RAX.....	245
S82385SL.....	247	S85XJSL.....	248	S9RCL.....	246
S82389SL.....	247	S85XK.....	246	S9RCPB.....	243
S83AX.....	240	S85XKSL.....	248	S9RXC.....	246
S83CL.....	240	S85XN.....	246	S9RXE.....	246
S83CX.....	240	S85XNSL.....	248	S9RXJ.....	246
S83EC.....	240	S85XR.....	246	S9RXK.....	246
S83PB.....	240	S85XRSL.....	248	S9RXN.....	246
S83RS.....	240	S86500SL.....	247	S9RXX.....	246
S83SG.....	240	S86AX.....	244	S9XC.....	246
S83SN.....	240	S86AXSL.....	248	S9XCSSL.....	248
S83XC.....	240	S86CL.....	246	S9XE.....	246
S83XE.....	240	S86CLSL.....	248	S9XESL.....	248
S83XJ.....	240	S86LAX.....	244	S9XJ.....	246
S83XK.....	240	S86LCL.....	246	S9XJSL.....	248
S83XN.....	240	S86LPB.....	243	S9XK.....	246
S83XR.....	240	S86LXC.....	246	S9XKSL.....	248
S84586SL.....	247	S86LXE.....	246	S9XN.....	246
S84AX.....	244	S86LXJ.....	246	S9XNSL.....	248
S84AXSL.....	248	S86LXK.....	246	S9XR.....	246
S84CL.....	245	S86LXN.....	246	S9XRSL.....	248
S84CLSL.....	248	S86LXR.....	246		
S84LAX.....	244	S86PB.....	243		
S84LCL.....	245	S86PBSL.....	247		
S84LPB.....	243	S86RAX.....	244		
S84LXC.....	245	S86RCL.....	246		
S84LXE.....	245	S86RPB.....	243		
S84LXJ.....	245	S86RXC.....	246		
S84LXK.....	245	S86RXE.....	246		
S84LXN.....	245	S86RXJ.....	246		
S84LXR.....	245	S86RXK.....	246		
S84PB.....	243	S86RXN.....	246		
S84PBSL.....	247	S86RXR.....	246		
S84RAX.....	244	S86XC.....	246		
S84RCL.....	245	S86XCSSL.....	248		
S84RPB.....	243	S86XE.....	246		
S84RXC.....	245	S86XESL.....	248		
S84RXE.....	245	S86XJ.....	246		
S84RXJ.....	245	S86XJSL.....	248		
S84RXK.....	245	S86XK.....	246		
S84RXN.....	245	S86XKSL.....	248		
S84RXX.....	245	S86XN.....	246		
S84RXL.....	245	S86XNSL.....	248		
S84XC.....	245	S86XR.....	246		
S84XCSSL.....	248	S86XRSL.....	248		
S84XE.....	245	S8AX.....	245		
S84XESL.....	248	S8CL.....	246		
S84XJ.....	245	S8LAX.....	245		
S84XJSL.....	248	S8LCL.....	246		



Top: Fiber-Classic Mahogany Collection, Calix Glass, Door – FCM82223, Finish – Acorn  
 Bottom: Impressions Storm & Entry Door System – IM8100, Finish – White; Fiber-Classic Mahogany Collection, Chord Glass, Door – FCM84810XC, Finish – Tumbleweed



# Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

## Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at [thermatru.com/inspiration](http://thermatru.com/inspiration).



## Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at [brainshark.com/thermatru](http://brainshark.com/thermatru).



## Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru — the expert in fiberglass door systems — and OSI® — the expert in construction sealants. Get started today at [thermatru.com/installer](http://thermatru.com/installer).

## Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at [thermatru.widencollective.com/login](http://thermatru.widencollective.com/login).




## Trade Professionals Online

Find everything from selling tools and training materials to technical information at [thermatru.com/professionals](http://thermatru.com/professionals).



## Design Your Door

Homeowners can research and design a door with their own personal touch — all from the convenience of home. To get started, visit [thermatru.com/design-your-door](http://thermatru.com/design-your-door).





DOORS • DECORATIVE & SPECIALTY GLASS • FINISHING • SYSTEM COMPONENTS

# THERMA-TRU® DOORS

[thermatru.com](http://thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle  
Maumee, OH 43537



#thermatru

Cover / Back Cover: Smooth-Star, Clear Glass with SDLs,  
Door - S4200, Sidelites - S2000SL, Finish - Elk

©2025 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. O24-67072  
Part #MAFL2025 HESB / JAN 2025